

India



National Family Health Survey (NFHS-3)

2005-06

Volume II



NATIONAL FAMILY HEALTH SURVEY (NFHS-3)

2005-06

INDIA VOLUME II

Suggested citation: International Institute for Population Sciences (IIPS) and Macro International. 2007. *National Family Health Survey (NFHS-3)*, 2005–06: India: Volume II. Mumbai: IIPS.

For additional information about the 2005-06 National Family Health Survey (NFHS-3), please contact:

International Institute for Population Sciences Govandi Station Road, Deonar, Mumbai - 400 088

Telephone: 022-2556-4883, 022-2558-3778

Fax: 022-2558-3778

E-mail: <u>iipsnfhs@vsnl.com</u>, <u>iipsnfhs@gmail.com</u>

Website: http://www.nfhsindia.org

For related information, visit http://www.mohfw.nic.in

CONTENTS

VOLUME II

APPENDIX C	SAMPLE DESIG	GN
	Sample design	1
	Table C.1	Regions by state12
	Table C.2	Sample characteristics
	Table C.3.1	Sample implementation: Women
	Table C.3.2	Sample implementation: Men19
APPENDIX D	ESTIMATES O	F SAMPLING ERRORS
	Table D.1	List of variables for sampling errors, India, 2005-0624
	Table D.2	Sampling errors, India, 2005-0625
APPENDIX E	DATA QUALIT	TY TABLES
	Table E.1	Household age distribution31
	Table E.2.1	Age distribution of eligible and interviewed women32
	Table E.2.2	Age distribution of eligible and interviewed men33
	Table E.3	Completeness of reporting34
	Table E.4	Births by calendar year35
	Table E.5	Reporting of age at death in days36
	Table E.6	Reporting of age at death in months
APPENDIX F	SURVEY INSTI	RUMENTS
	Household Qu	estionnaire41
	Woman's Que	stionnaire61
		nnaire 135
	PSU Information	on Forms

SAMPLE DESIGN

Chapter 1, Section 1.7, in Volume I of this report contains basic information about the sample design and sample implementation for the 2005-06 National Family Health Survey (NFHS-3). This appendix contains additional details about the sampling, including the methodology for determining the sample size, the sampling frame, sample selection in rural and urban areas, stratification of the sample, the selection of households, and sample weights.

Sample Size

The determination of the overall sample size for NFHS-3 was governed by several considerations, including the magnitude of the key indicators, the subgroups for which the indicators are required, the desired level of precision of the estimates, the availability of resources, and logistical considerations. Besides the requirement of producing population and health indicators at both the national and state levels, two additional considerations were critical for determining the size of the sample for NFHS-3. The survey was tasked with producing a) HIV prevalence estimates at the national level and at the state level for each of the six states identified by the National AIDS Control Organization (NACO) as having high HIV prevalence (Andhra Pradesh, Karnataka, Maharashtra, Manipur, Nagaland, and Tamil Nadu), and Uttar Pradesh, and b) robust estimates of population and health indicators for slum areas and for nonslum areas in eight cities, namely Delhi, Chennai in Tamil Nadu, Hyderabad in Andhra Pradesh, Indore in Madhya Pradesh, Kolkata in West Bengal, Meerut in Uttar Pradesh, and Mumbai and Nagpur in Maharashtra. Both of these requirements were crucial for determining the target number of individual interviews. In light of these requirements, the sample size was estimated separately for the number of individual interviews with women and with men and the number of women and number of men to be tested for HIV.

Sample size for HIV tests

The expected level of HIV prevalence, the acceptable level of standard errors for HIV prevalence, and the design effect of the sample design were the three prime determinants of sample size for HIV tests at the national level and at the state level for each of the seven states for which separate HIV estimates were to be produced. To estimate the required sample size for HIV testing, it was necessary to make a reasonable assumption about the design effect of HIV prevalence for the NFHS-3 sample design. The design effect is defined as the ratio of the standard error of the HIV estimate for the NFHS-3 sample design to the standard error that would result if a simple random sample had been used. Based on the experience of testing HIV in national household surveys in other countries, a design effect of 1.25 was assumed. The actual design effect of HIV prevalence in NFHS-3 (1.19 for women and 1.33 for men) was very close to the assumed design effect of 1.25.

In the absence of any previous community-based estimate of HIV prevalence for India, the HIV prevalence rates as reported by NACO of 0.92 percent at the national level, 0.75 percent for Tamil Nadu, and 1.25 percent for each of the remaining five high HIV prevalence states were used for estimation of the sample size for the number of HIV tests. For state-level estimates of HIV prevalence, the maximum permissible relative standard error for women and men together was set at 15 percent. However, for the national estimate, the maximum permissible relative standard error was set at a low level of 5 percent. The table below gives the assumptions at the national and state levels, the proposed sample sizes of women and men to be tested compatible with the assumptions, and the expected precision of the HIV prevalence estimate associated with the proposed sample sizes for India as a whole and for each of the six high HIV prevalence states.

Region	Assumed HIV prevalence rate	Assumed design effect	Proposed sample size	Estimated relative precision of resulting HIV prevalence estimate	Confiden Lower bound	ce interval Upper bound
Tamil Nadu Women and men separately Women and men together	0.75 0.75	1.25 1.25	6,400 12,800	18.0% 12.7%	0.5% 0.6%	1.0% 0.9%
Each of the remaining five hig Women and men separately Women and men together		nce states 1.25 1.25	6,400 12,800	13.9% 9.8%	0.9% 1.0%	1.6% 1.5%
India Women and men separately Women and men together	0.92% 0.92%	1.25 1.25	62,693 125,385	5.2% 3.7%	0.8% 0.9%	1.0% 1.0%

Based on the assumed levels of HIV prevalence, the maximum permissible level of the relative standard errors and the design effects, it was determined that in each of the six high HIV prevalence states, 6,400 women and 6,400 men would be tested for HIV, and at the national level, the number tested would be about 125,000 women and men in about equal numbers. This sample size was sufficiently large to permit national estimates for urban and rural areas and for youth age 15-24 with a somewhat lower, but still acceptable, level of precision.

It was thus originally planned to have a total of about 76,800 persons tested in the six high HIV prevalence states. The balance of HIV tests needed to achieve a national sample of 125,385 HIV tests were to be distributed to all the remaining states in proportion to the sample size for individual interviews of women and men in those states. However, after the planning process had begun, it was decided to conduct 24,400 HIV tests in Uttar Pradesh in order to provide a separate estimate of HIV prevalence for this state. In light of this change, the final HIV sample design increased the required number of HIV tests nationally to 134,000, with approximately 101,000 tests in the seven states for which separate estimates were to be provided and 33,000 tests distributed between the remaining 22 states in proportion to their sample sizes.

Sample size for women's interviews

As many of the key indicators that were to be generated from NFHS-3, such as those pertaining to family planning practices and maternal and child health, refer to ever-married women in the reproductive ages, the target sample size in NFHS-3 was fixed in terms of ever-married women age 15-49 years. Based on previous survey experience, it was decided to select an initial target sample size of 1,500 completed interviews with ever-married women in states with a 2001 Census population less than 5 million, 3,000 completed interviews with ever-married women in states with a 2001 Census population between 5 and 30 million, and 4,000

completed interviews with ever-married women in states with a population of more than 30 million. The initial target sample size in Uttar Pradesh, the largest Indian state with about onesixth of the country's population, was fixed at 10,000 ever-married women. The initial target sample size for the 29 states is given in the following table.

State	Initial target sample size for ever-married women age 15-49
Arunachal Pradesh, Manipur, Meghalaya, Mizoram, Nagaland, Sikkim, Tripura	1,500
Assam, Chhattisgarh, Delhi, Goa, Haryana, Himachal Pradesh, Jammu & Kashmir, Jharkhand, Punjab, Uttaranchal	3,000
Andhra Pradesh, Bihar, Gujarat, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Orissa, Rajasthan, Tamil Nadu, West Bengal	4,000
Uttar Pradesh	10,000

However, in the states with the cities for which slum/non-slum estimates were to be produced and in the states for which separate estimates of HIV were to be produced, these initial state sample sizes were not sufficient and needed to be adjusted upwards.

Adjustments to the initial sample size in specific states. Based on the general assumption that a robust estimation of most population and health indicators requires a minimum sample of 1,000 ever-married women, the target sample size for the eight cities with separate slum and non-slum estimates was fixed at a minimum of 2,000 interviews with ever-married women (equally distributed between slum and non-slum areas of each city). In addition, adjustments needed to be made to the initial sample size in states with separate HIV prevalence estimates. These considerations resulted in the following adjustments to the initial sample size of ever-married women age 15-49 in specified states:

	Adjusted target sample size of ever-married	
State	women 15-49	Reason for adjustment
Andhra Pradesh	6,500	To allow for a state-level estimate of HIV prevalence and slum/non-slum estimates for Hyderabad.
Karnataka	5,600	To allow for a state-level estimate of HIV prevalence.
Madhya Pradesh	6,000	To allow for slum/non-slum estimates for Indore.
Maharashtra	8,000	To allow for a state-level estimate of HIV prevalence and slum/non-slum estimates for Mumbai and Nagpur.
Manipur	4,250	To allow for a state-level estimate of HIV prevalence.
Nagaland	4,500	To allow for a state-level estimate of HIV prevalence.
Tamil Nadu	6,250	To allow for a state-level estimate of HIV prevalence and slum/non-slum estimates for Chennai.
Uttar Pradesh	11,000	To allow for slum/non-slum estimates for Meerut. (The initial target sample size was already sufficient to produce HIV estimates.)
West Bengal	5,750	To allow for slum/non slum estimates for Kolkata.

To the extent possible, each state sample size was allocated to urban and rural areas in proportion to the population in the 2001 Census. However, in all those states for which city-level estimates were required, a larger proportion of the target sample was allocated to urban areas.

The target sample size, which was fixed in terms of ever-married women, was transformed into the number of households to be covered by assuming the number of ever-married women per household was the same as observed in NFHS-2. With the assumption that on average 30 households would be interviewed in each primary sampling unit (PSU), the number of PSUs to be surveyed in urban and rural areas of all states and the eight cities selected for slum/non slum measures was estimated.

Sample size for men's interviews

It has already been mentioned that most of the population and health indicators to be measured in NFHS-3 refer to ever-married women and their children and are estimated from women's interviews. Estimation of these indicators, particularly for children, needs a fairly large sample size to produce robust estimates for subgroups of the population. The required sample size for men's interviews is considerably smaller because the men's interviews were not designed to produce indicator estimates for their children. Hence, it was decided to interview men only from a subsample of households except in the states for which separate HIV prevalence estimates were required. In those seven states, men from all the selected households would be interviewed.

Sampling Design

NFHS-3 adopted a two-stage sample design in most rural areas and a three-stage sample design in most urban areas. In each state, the rural sample was typically selected in two stages: the first stage involved selection of Primary Sampling Units (PSUs), i.e., villages, with probability proportional to population size (PPS); the second stage involved the systematic selection of households within each PSU.

The basic reason for adopting a three-stage sample design in urban areas is that urban wards are quite large, making it difficult to list all the households in a ward and select households directly from the resulting list. Although data on census enumeration blocks (CEBs) in all wards were collected in the 2001 Census, these data were not available in published form; hence, it was not possible to select CEBs directly from an existing list of CEBs for the urban part of a state. For this reason, the selection of the urban sample (in all urban areas except in the eight cities for which slum and non-slum estimates were to be provided) involved the following three stages: in the first stage, wards were selected with PPS sampling; in the next stage, one CEB was selected by PPS from each selected ward; and in the final stage, households were randomly selected within each selected CEB. However, CEB-wise data was made available by the Registrar General of India on special request for the eight cities for which slum/non-slum estimates were planned; hence in these eight cities, the sample households were selected in two stages. First slum and non-slum CEBs were selected, and then households were selected from selected CEBs.

Sample selection in rural areas

Sampling frame. In rural areas, the 2001 Census list of villages served as the sampling frame. The Primary Census Abstract (PCA) by the Census of India, 2001, provides data on the number

of households, persons, males, females, literates, persons belonging to the scheduled castes (SC), persons belonging to the scheduled tribes (ST), employed persons, etc. for all the villages in each district of India. All the villages with fewer than five households were removed from this list. Since the population in all such villages was only 0.02 percent of the total rural population, the exclusion of small villages from the sampling frame is not expected to disturb the representativeness of the sample. Further, to ensure the selection of a sufficient number of households in the selected PSUs, all the smaller villages with 5-49 households were linked with a nearby village. In some cases, more than two villages had to be linked to form a group of villages with a minimum of 50 households. In this way, a minimum size of 50 households in each village was ensured in all the villages in the sampling frame.

Stratification. To ensure the inclusion of villages with different socioeconomic characteristics in the sample, stratified sampling was adopted at the first stage of sample selection. All the villages (or groups of villages) were stratified by a number of variables. The first level of stratification was geographic, with districts being subdivided into contiguous regions. The categorization of districts in different regions in each state is shown in Table C.1. In some states, a single district comprised a region.

Within each of these regions, villages were further stratified using selected variables from the following list: village size, percentage of males working in the nonagricultural sector, percentage of the population belonging to scheduled castes or scheduled tribes, and female literacy. In addition to these variables, districts in high HIV prevalence states were stratified according to HIV prevalence. For this purpose, the classification of all the districts in the six high HIV prevalence states as 'high', 'medium', and 'low' prevalence districts by NACO was adopted. Female literacy was used for implicit stratification (i.e., the villages were ordered prior to selection according to the proportion of females who were literate) in most states, although female literacy was an explicit stratification variable in a few states. The list of variables used for explicit and implicit stratification in each state is given in Table C.2.

The number of PSUs to be selected from each stratum was proportional to the stratum size. In each stratum, an independent sample of PSUs was drawn using PPS sampling.

Sampling frame at the second stage. A household listing operation carried out in each sample area provided the necessary frame for selecting households at the second stage. The household listing operation involved preparing up-to-date location and layout sketch maps, assigning a number to each structure, recording addresses of these structures, identifying residential structures, and then listing the names of heads of households. Listing of all households in large villages with 500 or more households is a huge task, potentially prone to errors of omission or duplication. Hence, large villages with about 500 or more households were segmented into three or more segments (depending on village size) of approximately equal size (usually about 100 to 200 households). From all the segments in each large village, two segments were selected using PPS sampling. Houselisting was then done only in the two selected segments. In all such large villages, the sampling design became a three-stage design.

The selection of the required number of households was done using systematic sampling. For the logistical convenience of the fieldwork and to minimize refusals, runs of five consecutive households, rather than single households, were selected systematically.

Selection of households. The number of households selected in a rural PSU was the product of number of households listed in the PSU and the probability of selection of a household in the selected rural PSU.

The probability of selecting a household from a selected rural PSU (f_2) of a specific state was computed as:

$$f_2 = \frac{f}{f_I}$$

where f, the domain sampling fraction (i.e., the probability of selecting an ever-married woman in the rural area of a state), is computed as:

$$f = \frac{n}{N}$$

where

n = number of ever-married rural women to be interviewed (after adjusting upward to account for nonresponse and other loss), and

N = projected rural population of ever-married women in the state in March 2006 (the midpoint of the NFHS-3 survey period).

The probability of selecting a PSU from a rural stratum of a state (f_1) was computed as:

$$f_I = \frac{a * s_i}{\sum s_i}$$

where

a = number of rural PSUs selected from the stratum,

 s_i = population size of the i^{th} PSU, and

 Σs_i = total rural population of the stratum.

Sample selection in urban areas

The following discussion refers to sampling in all the urban areas of the states in which no separate city estimates were planned. In Andhra Pradesh, Madhya Pradesh, Maharashtra, Uttar Pradesh, Tamil Nadu, and West Bengal, the following procedure was adopted for sampling in all urban areas excluding the cities in which slum/non-slum estimates were planned. This procedure was not applied to sampling in urban areas of Delhi.

Sampling frame. In urban areas, the sampling frame for the first stage of selection was the list of all the wards in a state. The Primary Census Abstract (PCA) provides details of all the wards in each city or town in urban areas. The list was arranged by geographical regions and then by female literacy. A sample of urban wards was drawn from the list of wards by PPS sampling.

Sample selection at the second and third stages. As mentioned earlier, the sample of households from a selected ward was drawn by adopting two-stage sampling. A ward in a

township is a large area comprising a large number of households. Each ward comprises several enumeration blocks (CEB) created for the census. A list of all the CEBs in a selected ward formed the sampling frame at the second stage. Such lists of CEBs in the selected wards were made available for use for NFHS-3 by the census office on request. Each CEB is comprised of about 150-200 households. A sample of households from a ward was drawn in two stages. One CEB was selected from each selected ward at the first stage. Then in each selected CEB, a household listing operation was carried out (similar to the listing operation in rural PSUs). The household listing provided the necessary frame for selecting households at the third stage. The selection of the required number of households from the list of households was done using systematic sampling. As in rural areas, systematically selected groups of five consecutive households, rather than a single household, were selected.

Similar to rural PSUs, the sample size of households was not the same in every urban PSU. The sample size of households in an urban PSU was obtained by applying the probability of selection of an ever-married woman in an urban PSU (f_3) to the total number of households listed in the urban PSU.

The domain sampling fraction, i.e., the probability of selecting an ever-married woman from an urban domain in a state (f), was computed as:

$$f = \frac{n}{N}$$

where

n = number of ever-married women to be interviewed from the urban domain (after adjusting upward to account for nonresponse and other loss), and N = projected population of ever-married women in the urban domain in March 2006.

The probability of selecting a ward from an urban stratum (f_i) was computed as:

$$f_I = \frac{a * s_i}{\sum s_i}$$

where

a = number of wards selected from the stratum,

 s_i = population size of the i^{th} ward, and

 Σs_i = total population of the urban stratum.

The probability of selecting a CEB from a selected ward (f_2) was computed as:

$$f_2 = \frac{B_i}{\sum B_i}$$

where

 B_i = population size of the i^{th} CEB, and ΣB_i = total population of the ward.

The probability of selecting a household from a selected block (f_3) was computed as:

$$f_3 = \frac{f}{f_1 * f_2}$$

Sample selection in eight cities

In the eight cities for which separate indicators for slum and non-slum areas were to be provided, a different sampling procedure was adopted. As mentioned above, sample households in the cities were selected with a two-stage sampling design. At the first stage CEBs were selected and at the second stage households were selected. In each city, slum and non-slum PSUs were selected independently from the respective lists of slum and non-slum CEBs. For the estimation of the number of households and the selection of households from the selected slum/non-slum PSUs (CEBs), a procedure similar to that used for rural and urban PSUs was adopted.

Sampling frame. As mentioned above, although the Census of India collects and compiles data by CEBs, that information is not published. However, on special request for NFHS-3, the Registrar General of India made available CEB-wise data for the eight cities for which slum and non-slum estimates were to be provided. Two separate lists of all the slum CEBs and non-slum CEBs in all the wards of each city served as two separate sampling frames at the first stage of selection. From each sampling frame, slum and non-slum PSUs were selected using PPS sampling. The houselisting carried out in each of the selected CEBs served as the sampling frame for the selection of households.

Sample weights

The basic objective of weighting sample data is to try and maximize the representativeness of the sample in terms of the size, distribution, and characteristics of the study population. When sample units have been selected with differing probabilities, it is common to weight the results inversely proportional to the unit selection probabilities, i.e., the design weight, so as to reflect the actual situation in the population. In a survey sample selected from a robust frame and well implemented with high response rates, the application of the design weight is all that is required. In practice, however, the situation is more complicated because of shortcomings in the selection and implementation of the sample.

In NFHS-3, two sets of weights are in operation. One set of weights is used for generating national-level indicators and another set is used for producing state-level indicators. Each set has the following different types of weights:

- 1. *Household weight* for estimating indicators such as the proportion of female-headed households and the percentage of children age 0-4 years whose birth was registered.
- 2. *Woman's weight* for generating indicators such as the contraceptive prevalence rate and the percentage of children age 12-23 months who are fully immunized.
- 3. *Man's weight* for estimation of indicators such as the proportion of men who have heard of AIDS.

- 4. *HIV weight* for women for generating indicators such as HIV prevalence by age for women.
- 5. HIV weight for men for generating indicators such as HIV prevalence by age for men.
- 6. *Domestic violence weight* for estimating indicators such as the proportion of married women who have ever experienced spousal violence.

Note that children of interviewed women are assigned the weight of their mother. Some child indicators are assessed at the household level; in such cases, children are assigned the weight of the household.

Calculation of sampling weights

Calculation of state and national household weights. The basic reasons for weighting primary data while estimating state-level indicators are:

- a) To take care of the non-equal probability of selection in different domains, i.e., rural and urban areas and slum and non-slum areas in the seven states of Andhra Pradesh, Delhi, Madhya Pradesh, Maharashtra, Tamil Nadu, Uttar Pradesh, and West Bengal. In each state, the total sample size was distributed between urban and rural areas according to the proportion of urban-rural households. However, oversampling was done in urban areas in states with very small urban populations in order to have a sample large enough to yield stable estimates; oversampling was also done in the cities where slum and non-slum estimates were required in order to have large enough samples in the slum areas and the non-slum areas separately. Whatever the reason, oversampling of urban areas of some states leads to unequal probabilities of selection.
- b) To take care of the differential non-response rates of household interviews in different domains, namely urban and rural areas and slum and non-slum areas of the eight cities.

To take care of the non-equal probabilities of selection in different domains, a design weight was computed. The household design weight W_{Di} for the i^{th} domain is the inverse of the sampling fraction for the i^{th} domain ($f_i = n_i/N_i$). To take care of differential nonresponse in different domains, the design weight for each domain is multiplied by the inverse of the response rates.

The household weight (W_{Hi}) for the i^{th} domain is then:

$$W_{Hi} = \frac{W_{Di}}{R_{Hi}}$$

where

 R_{Hi} = response rate of the household interview (number of completed household interviews divided by the number of households selected for interview)

After adjustment for nonresponse, the weights are normalized so that the total number of weighted cases is equal to the total number of unweighted cases. This is done by multiplying W_{Hi} for each domain by the ratio of total number of unweighted cases to total number of weighted cases (obtained by applying weights before normalization to the number of cases in each domain).

The final state household weight is calculated as

$$\hat{W}_{Hi} = W_{Hi} * \left[\frac{\sum n_i}{\left(\sum W_{Hi} * n_i\right)} \right]$$

Because of the normalization of the state household weight at the state level, the normalized state household weight cannot be used for national indicators. A set of national weights is thus calculated. The final national household weight is based on the state household weight W_{Hi} (after correction for nonresponse and before normalization at the state level) normalized at the national level.

Calculation of state and national women's and men's weights. The state level and national level women's weights are derived exactly the same way as the household weights. The only difference is that the response rate of the household interview is replaced by the response rate of the household interview (R_{Hi}) times the response rate of the women's interview (R_{Wi}) . The eligible women's weight is:

$$W_{Wi} = \frac{W_{Di}}{R_{Hi} * R_{Wi}}$$

Normalization of W_{Wi} at the individual state level gives the state's normalized women's weight; normalization at the national level for all states together gives the all-India normalized women's weight.

Men's weights are calculated in the same way by incorporating the men's response rates.

The state and national HIV household weights and HIV individual weights are also calculated in a similar fashion. The only difference is the normalization of the individual HIV weights. Since HIV prevalence is reported not only for women and men separately, but also for women and men together, the individual HIV weights must be normalized for women and men together at the individual state level and at the national level, respectively.

Calculation of state and national domestic violence weights. Unlike all other sections of the Woman's Questionnaire, the section on domestic violence was not administered to all women in the household. This was part of a strategy built into the questionnaire to maintain confidentiality and to protect respondents from any potential security-related problems. Only one eligible woman in each selected household was administered the section on domestic violence. In households with more than one eligible woman, the woman that the module was administered to was randomly selected through a specially designed simple selection procedure based on the

Kish Grid (see the NFHS-3 Household Questionnaire) which was built into the Household Ouestionnaire.

The selection of one woman per sample household implies that women who were selected for the domestic violence module of the questionnaire are a subsample of the entire NFHS-3 sample. This subsampling results in the need to generate one additional set of weights for estimating state and national indicators of domestic violence. The domestic violence weights (DW_{Wi}) are calculated the same way as other weights but they also take account of the number of eligible women in the household.

The domestic violence weight for women is:

$$DW_{Wi} = \frac{W_{Di}}{R_{Hi} * S_{Hi} * DR_{Wi}}$$

where

 S_{Hi} = the inverse of the number of eligible women in the household, and DR_{wi} = response rate of the women selected for the domestic violence module.

Normalization of DW_{Wi} at the individual state level gives the state's normalized domestic violence weight; normalization at the national level for all states together gives the all-India normalized domestic violence weight.

Sample implementation

NFHS-3 response rates for households, women, and men were discussed in Chapter 1, Section 1.7. Tables C.3.1 and C.3.2 provide additional information on the reasons for nonresponse for women and men, respectively. Response rates for HIV blood collection were estimated separately and were discussed in Chapter 12.

State	Region	2001 Census districts
Andhra Pradesh	I II III IV V	Srikakulam, Vizianagaram, Visakhapatnam East Godavari, West Godavari, Krishna, Guntur Prakasam, Nellore Chittoor, Cuddapah, Anantapur, Kurnool Mahbubnagar, Rangareddi, Hyderabad, Medak, Nizamabad, Adilabad, Nalgonda Karimnagar, Warangal, Khammam
Arunachal Pradesh	I II IV V	Tawang, West Kameng, East Kameng Papumpare, Lower Subansiri, Upper Subansiri West Siang, East Siang, Upper Siang Darrang, Lohit Tirap, Changlang
Assam	I II IV V	Goalpara, Kamrup, Marigaon, Nagaon, Darrang Dhubri, Bongaigaon, Barpeta, Nalbari, Sonitpur Golaghat, Jorhat, Sibsagar, Dibrugarh, Tinsukia, Karimganj, Hailakandi, Cachar Lakhimpur, Dhemaji Karbi Anglong
Bihar	I II III IV V	Saran, Siwan, Gopalganj, Pashchim Champaran, Purba Champaran Sitamarhi, Vaishali, Darbhanga, Madhubani, Samastipur, Muzaffarpur, Saharsa, Sheohar, Supaul Purnia, Araria, Kishanganj, Katihar, Madhepura Patna, Bhojpur, Rohtas, Buxor, Kaimur (Bhabua) Munger, Khagaria, Bhagalpur, Banka, Jamui, Lakhisarai, Sheikhpura Nalanda, Gaya, Jehanabad, Aurangabad, Nawada, Begusarai
Chhattisgarh	 	Koriya, Surguja, Bilaspur, Korba, Janjgir-champa, Jashpur, Raigarh Kawaedha, rajnandgao, Durg, Raipur, Mahasamund, Dhamtari Kanker, Bastar, Dantewada
Goa		Each district is one region
Gujarat	 V V V V X	Jamnagar, Rajkot Surendranagar, Bhavnagar, Amreli Junagadh, Porbandar Kachchh, Banaskantha Sabarkantha, Mahesana, Patan Gandhinagar, Ahmedabad Kheda, Anand Panch Mahals, Vadodara, Dohad Bharuch, Surat, Valsad, The Dangs, Narmada, Navsari
Haryana	I II III IV	Faridabad, Gurgaon, Sonipat Ambala, Kaithal, Karnal, Kurukshetra, Panipat, Yamunanagar, Panchkula Bhiwani, Mahendragarh, Rewari, Sirsa Hissar, Jind, Rohtak, Fatehbad, Jhajjar
Himachal Pradesh	 	Chamba, Lahaul-Spiti, Kinnaur Kangra, Hamirpur, Una, Mandi, Kullu Bilaspur, Shimla, Solan, Sirmaur
Jammu & Kashmir	I II III IV	Kargil, Leh Anantnag, Pulwama, Srinagar, Badgam, Baramulla Kupwara, Rajouri, Poonch Doda, Udhampur, Kathua, Jammu
Jharkhand	 	Deogarh, Godda, sahibganj, Pakaur, Dumka Chatra, Hazaribagh, Kodarma, Giridh, Bokaro, Dhanbad Garhwa, Palamu, Lohardagga, Gumla, Ranchi, Pashchim Singhbhum, Purbi Singhbhum
Karnataka	I II III IV V VI	Bidar, Bijapur, Gulbarga, Raichur, Bagalkot, Koppal Belgaum, Dharwad, Gadag, Haveri Dakshina Kannada, Kodagu, Uttara Kannada, Udupi Chikmagalur, Shimoga Bangalore rural, Bellary, Chitradurga, Kolar, Tumkur, Davangere Hassan, Mandya, Mysore, Chamrajnagar
Kerala		Each district is one region

Table C.1 Regions b	oy state—Co	ontinued
State	Region	2001 Census districts
Madhya Pradesh	 V 	Panna, Rewa, Satna, Sidhi, Shahdol, Chhatarpur, Tikamgarh, Umaria Raisen, Sagar, Damoh, Vidisha, Bhopal, Sehore Dewas, Dhar, Indore, Jhabua, Ujjain, Rajgarh, Ratlam, Mandsaur, Shajapur, Neemuch Mandla, Jabalpur, Seoni, Narsimhapur, Chhindwara, Balaghat, Dindori, Katni Betul, Hoshangabad, East Nimar, West Nimar, Barwani, Harda Gwalior, Bhind, Morena, Datia, Guna, Shivpuri, Sheopur
Maharashtra	 V 	Thane, Raigad, Ratnagiri, Sindhudurg Nasik, Dhule, Jalgaon, Nandurbar Ahmednagar, Pune, Satara, Sangli, Solapur, Kolhapur Aurangabad, Jalna, Parbhani, Bid, Latur, Osmanabad, Buldhana, Akola, Amaravati, Washim, Hingoli Yeotmal, Wardha, Nagpur, Nanded Bhandara, Chandrapur, Gadchiroli, Gondiya
Manipur	 	Senapati, Tamenglang, Ukhrul Churchandpur, Chandel Bishnupur , Imphal West, Imphal East, Toubal
Meghalaya	I II III IV V	West Garo Hills East Garo Hills, South Garo Hills West Khasi Hills Ri Bhoi, East Khasi Hills Jantia Hills
Mizoram	 	Kolasib, Mamit, Aizwal, Champhal, Serchip Lunglei Lawangttai, Saita
Nagaland	I II III IV	Tuensang, Mon Mokakchung, Zunhebota Wokha , Dimapur Kohima , Phek
Orissa	I II III IV	Sundargarh, Kendujhar, Mayurbhanj Phulabani, Koraput, Baudh, Malkangiri, Navarangapur, Rayagada Sambalpur, Balangir, Kalahandi, Bargarh, Debagarh, Jharsuguda, Nuapada, Sonapur Baleshwar, Cuttack, Ganjam, Puri, Dhenkanal, Anugul, Bhadrak, Gajapati, Jagatsinghpur, Jajapur, Kendrapara, Khordha, Nayagarh
Punjab	I II III IV	Gurdaspur, Amritsar, Firozpur Jalandhar, Kapurthala, Hoshiarpur, Rupnagar, Nawashahr Ludhiana, Patiala, Sangrur, Fatehgarh Sahib Bhatinda, Faridkot, Mansa, Moga, Muktsar
Rajasthan	I II IV	Ganganagar, Bikaner, Churu, Jaisalmer, Jodhpur, Nagaur, Pali, Barmer, Jalor, Sirohi, Hanuman garh Jhunjhunun, Alwar, Bharatpur, Dhaulpur, Sawai Madhopur, Jaipur, Sikar, Ajmer, Tonk, Bhilwara, Dausa, Karauli Dungarpur, Banswara, Udaipur, Rajasamand Chhitaurgarh, Bundi, Kota, Jhalawar, Baran
Sikkim		Each district is one region
Tripura		Each district is one region
Tamil Nadu	I II IV V	Coimbatore, Dindigul Anna (Dindigul), Madurai (Madura and Theni), Periyar (Erode), Nilgiri North Arcot-Ambedkar (Vellore), Dharmapuri, Tiruvannamalai-Sambuvarayan, Salem (Salem and Namakal), Tiruchirappalli (Tiruchirapalli, Karur and Perambalur), Ariyalur Kanniyakumari Chengalpattu-MGR (Kanchipuram and Tiruvallur), South Arcot (Cuddalore and Villupuram), Thanjavur, (Thanjavur, Nagappattinam and Tiruvarur), Chennal Pudukkottai, Pasumpon, Muthuramalinga Thevar (Sivagangai), Kamarajar (Virudhunagar), Ramanathapuram, Chidambaranar (Thootukudi), Tirunelveli Kattabomman (Tirunelveli)
Uttaranchal	 	Dehradun, Hardwar, Udham Singh Nagar Uttar Kashi, Tehri Garhwal, Rudra Prayag, Pauri Garhwal Chamoli, Bageshwar, Pitorgarh, Almora, Nainital, Champawat
		Continued

State	Region	2001 Census districts
Uttar Pradesh	I	Bijnor, Ghaziabad, Meerut, Moradabad, Rampur, Saharanpur, Muzzafarnagar, Agra, Aligarh, Bareilly Budaun, Bulandshahr, Etah, Farrukhabad, Firozabad, Mainpuri, Pilibhit, Shahjahanpur, Etawah Mathura, Auraiya, Baghpat, Goutam Buddha Nagar, Hathras, Jyotiba Phule Nagar, Kannauj
	II	Kheri, Hardoi, Rae Bareli, Sitapur, Barabanki, Fatehpur, Kanpur Dehat, Kanpur Nagar, Lucknow, Unnao
	III	Allahabad, Gonda, Pratapgarh, Sultanpur, Bahraich, Faizabad, Azamgarh, Basti, Deoria, Gorakhpur, Jaunpur, Maharajganj, Mau, Siddharthnagar, Ballia, Gazipur, Varanasi, Mirzapur, Sonbhadra, Ambedkar Nagar, Balrampur, Chandauli, Kaushambi, Kushinagar, Sant Kabir Nagar, Sant Ravidas Nagar, Shrawasti
	IV	Banda, Lalitpur, Hamirpur, Jalaun, Jhansi, Chitrakoot, Mahoba
West Bengal	1	Jalpaiguri, Darjeeling
Ü	II	Koch Bihar, West Dinajpur (Uttar Dinajpur and Dakshin Dinajpur), Maldah, Murshidabad
	III	Nadia, Haora, Hugli, North Twenty-Four Parganas, South Twenty-Four Parganas, Barddhaman
	IV	Medinipur, Bankura, Birbhum
	V	Puruliya

				Number of p	rimary sai	mpling units	5
		-		Urban	/	1 0	
State	2001 population ¹	Variables for rural stratification	Slum	Non-slum	Total	Rural	Total
Andhra Pradesh	76,208,158	Region (group of districts) HIV Prevalence Village size Percent of SC/ST population Female literacy (implicit)	28	31	91	104	195
Arunachal Pradesh	1,093,199	Region (group of districts) Village size Female literacy (implicit)	na	na	17	48	65
Assam	26,651,050	Region (group of districts) Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)	na	na	29	58	87
Bihar	82,991,525	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	na	na	31	71	102
Chhattisgarh	20,832,242	Region (group of districts) Village size Female literacy Percent of SC/ST population (implicit)	na	na	30	64	94
Delhi	13,850,477	Village size Female literacy (implicit)	37	67	104	8	112
Goa	1,347,641	Region Village size Female literacy (implicit)	na	na	63	63	126
Gujarat	50,670,013	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	na	na	43	70	113
Haryana	21,144,059	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	na	na	29	62	91
Himachal Pradesh	6,064,355	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	na	na	34	72	106
Jammu & Kashmir	10,142,775	Region (group of districts) Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)	na	na	32	65	97
Jharkhand	26,937,511	Region (group of districts) Village size Female literacy Percent of SC/ST population (implicit)	na	na	34	61	95
Karnataka	52,843,804	Region (group of districts) HIV Prevalence Village size Percent of SC/ST population Female literacy (implicit)	na	na	64	112	176
Kerala	31,841,187	Region (group of districts) Female literacy	na	na	34	91	125
Madhya Pradesh	60,336,893	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	30	33	94	92	186

			Number of primary sampling units				
		-		Urban	/	1 0	
State	2001 population ¹	Variables for rural stratification	Slum	Non-slum	Total	Rural	Tota
Maharashtra	96,874,368	Region (group of districts) HIV Prevalence Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)	72	80	203	86	289
Manipur	2,166,589	Region (group of districts) HIV Prevalence Village size Female literacy (implicit)	na	na	57	98	155
Meghalaya	2,317,408	Region (group of districts) Village size Percent males in nonagricultural work Female literacy (implicit)	na	na	25	46	71
Mizoram	888,451	Region (group of districts) Village size Percent of SC/ST population (implicit)	na	na	31	33	64
Nagaland	1,990,021	Region (group of districts) HIV Prevalence Village size Female literacy (implicit)	na	na	76	125	201
Orissa	36,792,823	Region (group of districts) Village size Female literacy Percent of males in nonagricultural work Percent of SC/ST population (implicit)	na	na	32	83	115
Punjab	24,356,831	Region (group of districts) Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)	na	na	34	65	99
Rajasthan	56,500,901	Region (group of districts) Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)	na	na	32	74	106
Sikkim	540,768	Region Village size Percent of SC/ST population Female literacy (implicit)	na	na	19	41	60
Tamil Nadu	62,405,273	Region (group of districts) HIV Prevalence Village size Percent of SC/ST population Female literacy (implicit)	32	36	110	104	214
Tripura	3,199,145	Region Village size Percent of SC/ST population Female literacy (implicit)	na	na	17	39	56
Uttaranchal	8,480,537	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	na	na	32	66	98
Uttar Pradesh	166,171,011	Region (group of districts) Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)	33	36	133	220	353

				Number of	primary sa	mpling unit	S
				Urban			
State	2001 population ¹	Variables for rural stratification	Slum	Non-slum	Total	Rural	Total
West Bengal	80,171,814	Region (group of districts) Village size Percent of SC/ST population Percent of males in non-agricultural work Female literacy (implicit)	39	43	119	86	205
India	1,025,810,829		271	326	1,649	2,201	3,850

na = Not applicable
SC = Scheduled caste
ST = Scheduled tribe

1 The population shown is the 2001 Census population, excluding persons living in villages with fewer that five households.

Table C.3.1 Sample implementation: Women

Percent distribution of households and eligible women by results of the household and individual interviews, and household, eligible women, and overall response rates, by residence, India, 2005-06

	Resi	idence	
Result	Urban	Rural	Total
Selected households			
Completed (C)	92.3	94.5	93.5
Household present but no competent			
respondent at home (HP)	1.4	1.1	1.2
Postponed (P)	0.1	0.0	0.0
Refused (R)	1.4	0.2	0.8
Dwelling not found (DNF)	0.1	0.1	0.1
Household absent (HA)	2.2	2.0	2.1
Dwelling vacant/address not a dwelling (DV)	2.5	1.9	2.1
Dwelling destroy (DD)	0.1	0.2	0.1
Total	100.0	100.0	100.0
Number of sampled households	54,453	62,199	116,652
Household response rate (HRR) ¹	96.9	98.5	97.7
Eligible women			
Completed (EWC)	93.3	95.5	94.5
Not at home (EWNH)	3.4	2.6	2.9
Postponed (EWP)	0.1	0.0	0.1
Refused (EWR)	2.3	0.8	1.5
Partly completed (EWPC)	0.3	0.2	0.2
Incapacitated (EWI)	0.4	0.6	0.5
Other (EWO)	0.3	0.2	0.3
Total	100.0	100.0	100.0
Number of women	61,028	70,568	131,596
Eligible women response rate (EWRR) ²	93.3	95.5	94.5
Overall response rate (ORR) ³	90.4	94.1	92.4

 $^{^{1}}$ Using the number of households falling into specific response categories, the household response rate (HRR) is calculated as:

100 * C

C + HP + P + R + DNF

100 * EWC

EWC + EWNH + EWP + EWR + EWPC + EWI + EWO

 3 The overall response rate (ORR) is calculated as: ORR = HRR * EWRR/100

 $^{^{2}}$ Using the number of eligible women falling into specific response categories, the eligible women response rate (EWRR) is calculated as:

Table C.3.2 Sample implementation: Men

Percent distribution of households and eligible men by results of the household and individual interviews, and household, eligible men, and overall response rates, by residence, India, 2005-06

	Resi	dence	
Result	Urban	Rural	Total
Selected households			
Completed (C)	91.8	94.3	93.1
Household present but no competent			
respondent at home (HP)	1.3	1.2	1.3
Postponed (P)	0.1	0.0	0.1
Refused (R)	1.7	0.2	0.9
Dwelling not found (DNF)	0.1	0.1	0.1
Household absent (HA)	2.2	2.1	2.1
Dwelling vacant/address not a dwelling			
(DV)	2.6	1.9	2.2
Dwelling destroyed (DD)	0.2	0.2	0.2
Total	100.0	100.0	100.0
Number of sampled households	36,313	37,661	73,974
Household response rate (HRR) ¹	96.6	98.4	97.5
Eligible men			
Completed (EMC)	84.6	89.9	87.1
Not at home (EMNH)	11.2	7.6	9.5
Postponed (EMP)	0.1	0.0	0.1
Refused (EMR)	3.0	1.1	2.1
Partly completed (EMPC)	0.1	0.1	0.1
Incapacitated (EMI)	0.5	0.8	0.7
Other (EMO)	0.4	0.4	0.4
Total	100.0	100.0	100.0
Number of men	45,133	40,240	85,373
Eligible men response rate (EMRR) ²	84.6	89.9	87.1
Overall response rate (ORR) ³	81.8	88.4	84.9

¹ Using the number of households falling into specific response categories, the household response rate (HRR) is calculated as: $\frac{100 * C}{C + HP + P + R + DNF}$

100 * EMC

EMC + EMNH + EMP + EMR + EMPC + EMI + EMO

³ The overall response rate (ORR) is calculated as: ORR = HRR * EMRR/100

² Using the number of eligible men falling into specific response categories, the eligible men response rate (EMRR) is calculated as:

ESTIMATES OF SAMPLING ERRORS



The estimates from a sample survey are affected by two types of errors: (1) nonsampling errors, and (2) sampling errors. Nonsampling errors are the results of mistakes made in implementing data collection and data processing, such as failure to locate and interview the correct household, misunderstanding of the questions on the part of either the interviewer or the respondent, and data entry errors. Although numerous efforts were made during the implementation of the third National Family Health Survey 2005-06 (NFHS-3) to minimize this type of error, nonsampling errors are impossible to avoid and difficult to evaluate statistically.

Sampling errors, on the other hand, can be evaluated statistically. The sample of respondents selected in NFHS-3 is only one of many samples that could have been selected from the same population, using the same design and expected size. Each of these samples would yield results that differ somewhat from the results of the actual sample selected. Sampling errors are a measure of the variability between all possible samples. Although the degree of variability is not known exactly, it can be estimated from the survey results.

A sampling error is usually measured in terms of the standard error for a particular statistic (mean, percentage, etc.), which is the square root of the variance. The standard error can be used to calculate confidence intervals within which the true value for the population can reasonably be assumed to fall. For example, for any given statistic calculated from a sample survey, the value of that statistic will fall within a range of plus or minus two times the standard error of that statistic in 95 percent of all possible samples of identical size and design.

If the sample of respondents had been selected as a simple random sample, it would have been possible to use straightforward formulas for calculating sampling errors. However, the NFHS-3 sample is the result of a multi-stage stratified design, and, consequently, it was necessary to use more complex formulae. The computer software used to calculate sampling errors for NFHS-3 is programmed in SAS. This procedure uses the Taylor linearization method for variance estimation for survey estimates that are means or proportions. The Jackknife repeated replication method is used for variance estimation of more complex statistics such as total fertility rate and child mortality rates.

The Taylor linearization method treats any percentage or average as a ratio estimate, r = y/x, where y represents the total sample value for variable y, and x represents the total number of cases in the group or subgroup under consideration. The variance of r is computed using the formula given below, with the standard error being the square root of the variance:

$$SE^{2}(r) = var(r) = \frac{1-f}{x^{2}} \sum_{h=1}^{H} \left[\frac{m_{h}}{m_{h}-1} \left(\sum_{i=1}^{m_{h}} z_{hi}^{2} - \frac{z_{h}^{2}}{m_{h}} \right) \right]$$

in which

$$z_{hi} = y_{hi} - rx_{hi}$$
, and $z_h = y_h - rx_h$

represents the stratum which varies from 1 to H, where h

is the total number of clusters selected in the h^{th} stratum, m_h

is the sum of the weighted values of variable y in the i^{th} cluster in the h^{th} stratum, y_{hi}

is the sum of the weighted number of cases in the i^{th} cluster in the h^{th} stratum, and x_{hi}

is the overall sampling fraction, which is so small that it is ignored.

The Jackknife repeated replication method derives estimates of complex rates from each of several replications of the parent sample, and calculates standard errors for these estimates using simple formulae. Each replication considers all but one clusters in the calculation of the estimates. Pseudo-independent replications are thus created. In the NFHS-3 sample, there were 3850 non-empty clusters. Hence, 3850 replications were created. The variance of a rate r is calculated as follows:

$$SE^{2}(r) = var(r) = \frac{1}{k(k-1)} \sum_{i=1}^{k} (r_{i} - r)^{2}$$

in which

$$r_i = kr - (k-1)r_{(i)}$$

where ris the estimate computed from the full sample of 3850 clusters,

is the estimate computed from the reduced sample of 3849 clusters (ith cluster $r_{(i)}$ excluded), and

is the total number of clusters. k

In addition to the standard error, the design effect (DEFT) for each estimate is also computed, which is defined as the ratio between the standard error using the given sample design and the standard error that would result if a simple random sample had been used. A DEFT value of 1.0 indicates that the sample design is as efficient as a simple random sample, while a value greater than 1.0 indicates the increase in the sampling error due to the use of a more complex and less statistically efficient design. Relative standard error (SE/R) and confidence limits (R±2SE) for each estimate are also computed.

Sampling errors for NFHS-3 are calculated for selected variables considered to be of primary interest for woman's survey and for man's surveys, respectively. The results are presented in this appendix for the country as a whole, and for the urban and rural areas. For each variable, the type of statistic (mean, proportion, or rate) and the base population are given in Table D.1. Table D.2 presents the value of the statistic (R), its standard error (SE), the number of unweighted (N) and weighted (WN) cases, the design effect (DEFT), the relative standard error (SE/R), and the 95 percent confidence limits (R±2SE), for each variable. The DEFT is

considered undefined when the standard error for a simple random sample is zero (when the estimate is close to 0 or 1). In the case of the total fertility rate, the number of unweighted cases is not relevant, as there is no known unweighted value for woman-years of exposure to childbearing.

Sex ratio (females per 1,000 males) No education Tuberculosis prevalence Using adequately iodized salt Urban residence No education No education Completed 12 or more years of education Never married, including married gauna not performed Currently married before age 18 Married before age 18 Arried before age 18 Currently using any method Currently using any method Currently using a traditional method Currently using gar traditional method Currently using genden method Currently using part method Currently using in traditional method Currently using condom Using public medical sector source of contraception Want to delay next birth at least 2 years Ideal number of children Want to delay next birth at least 2 years Ideal number of children Mant no more children Mant no more children Mother received ANC from health personnel Took into no rolic acid (IFA) for 90 days or more Births delivered by a skilled provider Child received DFT accination (3 doses) Children with diarrhoea taken to a health provider Child received DFT accination (3 doses) Children with diarrhoea taken to a health provider Childre received PFT accination (3 doses) Children with diarrhoea taken to a health provider Children with diarrhoea taken to a health pr	Table D.1 List of variables for sampling errors, India, 20	05-06	
No education Tuberculosis prevalence Using adequately iodized salt Urban residence No education Newer married, including married gauna not performed Currently married Married before age 18 Married before age 18 Married before age 11 Children ever born Children surviving Ever used any contraceptive method Currently using a modern method Currently using a fracilitional method Currently using female sterilization Currently using condom Using public medical sector source of contraception Want to delay next birth at least 2 years Ideal number of children Wohn from beath personnel Took iron or folic acid (IFA) for 90 days or more Birth delivered by a skilled provider Childr vaccination Child received DPT vaccination (3 doses) Child received polio vaccination (4 proportion (5 proportio	Variable	Estimate	Base population
No education Proportion Uban residence Proportion No education Proportion Never married, including married gauna not performed Currently married before age 18 Proportion Adarried before age 18 Proportion Proportion Children surviving Proportion Proporti	Sex ratio (females per 1,000 males)	Ratio	De facto household population, all ages
Tuberculosis prevalence Using adequately iodized salt Using adequate salt Proportion No education Completed 12 or more years of education Never married, including married gauna not performed Proportion Married before age 18 Mean Married before age 17 Proportion Married before age 18 Proportion Married before age 17 Proportion Married before age 17 Proportion Married before age 17 Proportion Married before age 18 Proportion Mean Vomen age 15-49 Women/men age 15-49 Women age 15-49 Women age 15-49 Women age 15-49 Currently married women age 15-49 Currently using a modern method Proportion Currently using a traditional method Proportion Currently using female sterilization Proportion Currently using gendom Using public medical sector source of contraception Want to delay next birth at least 2 years Ideal number of children Wother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Brishs delivered by a skilled provider Institutional delivery Proportion Pr		Proportion	
Ushan residence No education No education Newer married, including married gauna not performed Currently married Currently married pefore age 18 Married before age 21 Currently married pefore age 21 Currently using a modern method Currently using female sterilization Currently using pill Currently using ondorn Neah Nonhore Currently using user date domen age 15-49 Currently using user date domen age 15-49 Currently married women age 15-49 Currently using use	Tuberculosis prevalence	Rate	100,000 usual household residents
No education Completed 12 or more years of education Never married, including married gauna not performed Currently married Currently married before age 18 Married before age 21 Mean Children surviving Currently using a modern method Currently using a modern method Currently using female sterilization Currently using fill Currently using fill Currently using fill Currently using ill Currently using condom Using public medical sector source of contraception Want no more children Want to delay next birth at least 2 years Ideal number of children Mant to delay next birth at least 2 years Ideal number of children Institutional delivery Pospartum check for mother within 2 days of birth Treated with ORS packets Childre viewed DPT vaccination (2 doses) Child received DPT vaccination (3 doses) Child received dPGC vaccination Child received polic vaccination Child received measles vaccination Child received polic vaccination Child received polic vaccination Civently vasting (below -2SD) Proportion Proporti	Using adequately iodized salt	Proportion	Households
Compeled 12 or more years of education Proportion P	Urban residence	Proportion	Women/men age 15-49
Never married, including married gauna not performed Currently married before age 18 Proportion Married before age 21 Proportion Mean Women age 15-49 Currently using a modern method Proportion Currently using a traditional method Proportion Currently using female sterilization Proportion Currently using gender sterilization Proportion Currently using guild Proportion Proportion Currently using traditional method Proportion Currently using proportion Proportion Proportion Proportion Currently using condom Using public medical sector source of contraception Want no more children Mean Proportion Vant to delay next birth at least 2 years Ideal number of children Mother received ANC from health personnel Took iron or folic acid (If-A) for 90 days or more Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Children age 12-23 months Children under age 5 years who were measured Women/men age 15-49 who were measured Women age 15-49 Currently married women age 15-49 Currently married	No education	Proportion	Women/men age 15-49
Currently married Married before age 18 Married before age 21 Children ever born Currently using any method Currently using any method Currently using a modern method Currently using a pardictional method Currently using a pardictional method Currently using particular and the proportion Currently using to proportion Currently using particular and the proportion Currently using to proportion Currently married women age 15-49 Currently	Completed 12 or more years of education	Proportion	Women/men age 15-49
Married before age 21 Children ever born Arried before age 21 Children surviving Children surviving Currently using any method Currently using an modern method Currently using an modern method Currently using a modern method Currently using a modern method Currently using a fraditional method Currently using female sterilization Currently using pill Currently using pill Currently using pill Currently using pill Currently using condom Using public medical sector source of contraception Want to delay next birth at least 2 years Ideal number of children Wohler received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Births delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Childr received BCG vaccination Child received DPT vaccination (3 doses) Child received polic	Never married, including married gauna not performed	Proportion	Women/men age 15-49
Maried before age 21 Children ever born Children surviving Ever used any contraceptive method Currently using any method Currently using a modern method Currently using a modern method Currently using a modern method Currently using female sterilization Currently using ill Currently using condom Using public medical sector source of contraception Vant no more children Vant to delay next birth at least 2 years Ideal number of children Want to delay next birth at least 2 years Ideal number of children Mother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Childr's vaccination card seen by interviewer Child received DPT vaccination (3 doses) Child received DPT vaccination (3 doses) Child received polio vaccination (4 proportion (4 proportion (4 proporti	Currently married	Proportion	Women/men age 15-49
Children ever born Children surviving Ever used any contraceptive method Currently using any method Currently using any method Currently using a modern method Currently using a traditional method Currently using a traditional method Currently using a traditional method Currently using a faraditional method Currently using female sterilization Currently using pill Currently using pill Currently using pill Currently using condom Using public medical sector source of contraception Want to delay next birth at least 2 years deal number of children Want to delay next birth at least 2 years Mother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarnhoea taken to a health provider Children evided Branch accination (3 doses) Child received BPC vaccination Child received DPT vaccination (3 doses) Child received polio vaccination Child received polio vaccination (3 doses) Child received polio vaccination	Married before age 18	Proportion	Women age 20-49
Ever used any contraceptive method Currently using any method Currently using a modern method Currently using a modern method Currently using a modern method Currently using a traditional method Currently using a traditional method Currently using part method Currently using a traditional method Currently using part method Currently using and method Currently using and method Currently married women age 15-49 Currently married wome	Married before age 21	Proportion	Men age 25-49
Ever used any contraceptive method Currently using any method Currently using a modern method Currently using a modern method Currently using a modern method Currently using a traditional method Currently using female sterilization Currently using pill Currently using pill Currently using pill Currently using pill Currently using condom Currently using condom Using public medical sector source of contraception Want no more children Want to delay next birth at least 2 years Ideal number of children Took iron or folic acid (IFA) for 90 days or more Births delivered by a skilled provider Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Child's vaccination card seen by interviewer Child received BCG vaccination Child received mealses vaccination Child received mealses vaccination Child received polio vaccination (3 doses) Ever experienced physical or sexual violence Weight-for-age, sunting (below -2SD) Women with married women age 15-49 Currently married women age 15-49 Women age 15-49 Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Troportion Children age 12-23 months Children age 12-29 Children under age 5 years who were measured Children under age 5 years w	Children ever born	Mean	Women age 15-49
Currently using any method Currently using a modern method Currently using a traditional method Currently using gemale sterilization Currently using pill Currently using pill Currently using pill Currently using IUD Currently using condom Using public medical sector source of contraception Want to delay next birth at least 2 years Ideal number of children Mother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Births delivered by a skilled provider Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Childre serviced BCP vaccination Child received DPT vaccination Child received DPT vaccination Child received meases vaccination Children age 12-23 months	Children surviving	Mean	Women age 15-49
Currently using a modern method Currently using a fraditional method Currently using female sterilization Currently using pill Currently using pill Currently using Condom Varin to more children Want to delay next birth at least 2 years Ideal number of children Want to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Varint to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Wath to delay next birth at least 2 years Ideal number of children Proportion Took iron or folic acid (IFA) for 90 days or more Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Proportion Children with diarrhoea taken to a health provider Children with diarrhoea taken to a health provider Proportion Child received BCG vaccination (3 doses) Proportion Child received polio vaccination (3 doses) Proportion Child received polio vaccination (3 doses) Proportion Child received polio vaccination Child received polio vaccination Children age 12-23 months Proportion Very the formation women age 15-49 Women/men age 15-49 Women/men age 15-49 Women/m		Proportion	
Currently using a traditional method Currently using female sterilization Proportion Currently using female sterilization Proportion Currently using pill Currently using IUD Proportion Using public medical sector source of contraception Want no more children Want to delay next birth at least 2 years Ideal number of children Mother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Births delivered by a skilled provider Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Childre ecived BCG vaccination Child received DPT vaccination (3 doses) Child received ploy accination (3 doses) Proportion Child r		Proportion	Currently married women age 15-49
Currently using female sterilization Currently using pill Currently using pill Currently using public medical sector source of contraception Want to delay next birth at least 2 years Ideal number of children Wother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Births delivered by a skilled provider Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Childre secived DPT vaccination (3 doses) Child received DPT vaccination (3 doses) Child received polio vaccination Child	Currently using a modern method	Proportion	
Currently using pill Currently using IUD Currently using condom Using public medical sector source of contraception Want no more children Want to delay next birth at least 2 years Ideal number of children Mother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Births delivered by a skilled provider Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Children with diarrhoea taken to a health provider Child received DPT vaccination (3 doses) Child received polio vaccination (3 doses) Child received polio vaccination Child received polio vaccination Child received polis vaccination Child received polis vaccination Child received polis vaccination Child received polio vaccination Child received polis vaccination Children with an a supplement in last 6 months Ever experienced physical or sexual violence Weight-for-age, stunting (below -2SD) Weight-for-age, underweight (below -2SD) Proportion			
Currently using LD Currently using condom Using public medical sector source of contraception Want no more children Want to delay next birth at least 2 years Ideal number of children Mother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Childr eceived BCG vaccination Child received polio vaccination (3 doses) Child received polio vaccination Child received measles vaccination Child received polio vaccination Children under age 5 years who were measured Children under age 5 years			
Using public medical sector source of contraception Want no more children Want to delay next birth at least 2 years Ideal number of children Mother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Births delivered by a skilled provider Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Childr seceived BCG vaccination Child received DPT vaccination (3 doses) Child received measles vaccination Child received measles vaccination Child received measles vaccination Child received polio vaccinated Given vitamin A supplement in last 6 months Ever experienced physical or sexual violence Weight-for-age, underweight (below -2SD) Wenth at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Children age 12-23 months Children age 12-23 months Children age 12-23 months Children age 12-23 months Childr	Currently using pill		
Using públic medical sector source of contraception Want no more children Want no more children Want to delay next birth at least 2 years Ideal number of children Mother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Births delivered by a skilled provider Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Childr's vaccination card seen by interviewer Child received DPT vaccination (3 doses) Child received DPT vaccination Child received measles vaccination Child received measles vaccination Child received measles vaccination Child received polio vaccinated Given vitamin A supplement in last 6 months Ever experienced physical or sexual violence Weight-for-age, stunting (below -2SD) Wonth of woren/men age 15-49 Women/men age 15-49 Currently married women/men age 15-49 Women/men age 15-49 Women/men age 15-49 Currently married women/men age 15-49 Women/men age 15-49 Women/men age 15-49 Currently married women/men age 15-49 Women/men age 15-49 Currently married women/men age 15-49 Women/men age 15-49 Currently married wo	Currently using IUD		
Want no more children Want to delay next birth at least 2 years Ideal number of children Mother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Births delivered by a skilled provider Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Childre ceived BCG vaccination Child received DPT vaccination (3 doses) Child received polio vaccination (3 doses) Child received measles vaccination Child received measles vaccination Child fully vaccinated Given vitamin A supplement in last 6 months Ever experienced physical or sexual violence Weight-for-age, stunting (below -2SD) Body mass index (BMI) ≥ 25.0 Want women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Births in last 5 years Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Births in last 5 years Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Births in last 5 years Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Children under age 5 years with diarrhoea in last 2 weeks Children under age 12-23 months Children age 5 years who were measured Children under age 5			
Want to delay next birth at least 2 years Ideal number of children Mother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Births delivered by a skilled provider Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Child received BCG vaccination (3 doses) Child received DPT vaccination (3 doses) Child received polio vaccination (3 doses) Child received measles vaccination Child received measles vaccination Child fully vaccinated Given vitamin A supplement in last 6 months Ever experienced physical or sexual violence Weight-for-age, stunting (below -2SD) Wonth of the death of the children under age 15-49 Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Women with at least one birth in last five years (last birth) Children under age 5 years with diarrhoea in last 2 weeks Children age 12-23 months Children age 12-23 months Children age 12-23 months Children age 12-23 months Children ag			
Ideal number of children Mean Mother received ANC from health personnel Proportion Pr			
Mother received ANC from health personnel Took iron or folic acid (IFA) for 90 days or more Births delivered by a skilled provider Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Childre vaccination card seen by interviewer Child received BCG vaccination Child received polio vaccination (3 doses) Childre ceeived measles vaccination Child fully vaccinated Given vitamin A supplement in last 6 months Ever experienced physical or sexual violence Weight-for-age, stunting (below -2SD) Births in last 5 years Proportion Propor			
Took iron or folic acid (IFA) for 90 days or more Births delivered by a skilled provider Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Child's vaccination card seen by interviewer Child received BCG vaccination Child received polio vaccination (3 doses) Child received measles vaccination Child fully vaccinated Civen vitamin A supplement in last 6 months Ever experienced physical or sexual violence Weight-for-age, stunting (below -2SD) Women with at least one birth in last five years (last birth) Births in last 5 years Women with at least one birth in last five years (last birth) Births in last 5 years Women with at least one birth in last five years (last birth) Births in last 5 years Women with at least one birth in last five years (last birth) Children age 5 years with diarrhoea in last 2 weeks Children under age 5 years with diarrhoea in last 2 weeks Children age 12-23 months Children age 5-years who were measured Children under age 5 years who were measured Weight-for-age, underweight (below -2SD) Proportion Women/men age 15-49 who were measured Women/men age 15-49 who were measured			
Births delivered by a skilled provider Institutional delivery Proportion Children with at least one birth in last five years (last birth) Proportion Children under age 5 years with diarrhoea in last 2 weeks Proportion Children under age 5 years with diarrhoea in last 2 weeks Proportion Children under age 5 years with diarrhoea in last 2 weeks Proportion Children age 12-23 months Proportion Children age 5 years who were measured Proportion Proportion Children age 5 years who were measured Proportion Proportion Proportion Children under age 5 years who were measured Proportion P			
Institutional delivery Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Children under age 5 years with diarrhoea in last 2 weeks Children under age 5 years with diarrhoea in last 2 weeks Children under age 5 years with diarrhoea in last 2 weeks Children under age 5 years with diarrhoea in last 2 weeks Children under age 5 years with diarrhoea in last 2 weeks Children age 12-23 months Children age 15-29 months Children age 15-49 Children age 5 years who were measured Children age 5 years who were measured Children age 5 years who were measured Children age 15-49 Women age 15-49 Women/men age 5 years who were measured Children age 15-49 who were measured Women/men age 15-49 who were measured Women/men age 15-49 who were measured Women/men age 15-49 who were measured			
Postpartum check for mother within 2 days of birth Treated with ORS packets Children with diarrhoea taken to a health provider Childre with diarrhoea taken to a health provider Childre secived BCG vaccination Child received DPT vaccination (3 doses) Child received polio vaccination (3 doses) Child received measles vaccination Child received measles vaccination Child received measles vaccination Child received physical or sexual violence Weight-for-age, stunting (below -2SD) Weight-for-age, underweight (below -2SD) Body mass index (BMI) ≥ 25.0 Proportion			
Treated with ORS packets Children with diarrhoea taken to a health provider Child's vaccination card seen by interviewer Child received BCG vaccination Child received DPT vaccination (3 doses) Child received polio vaccination (3 doses) Child received measles vaccination Child fully vaccinated Children age 12-23 months Children age 12-			
Children with diarrhoea taken to a health provider Children with diarrhoea in last 2 weeks Children age 5 years with diarrhoea in last 2 weeks Children age 12-23 months Child received BCG vaccination (3 doses) Children age 12-23 months Children age 12			Women with at least one pirth in last five years (last pirth)
Child's vaccination card seen by interviewer Child received BCG vaccination Proportion Child received DPT vaccination (3 doses) Proportion Child received polio vaccination (3 doses) Proportion Child received polio vaccination (3 doses) Proportion Child received measles vaccination Proportion Child fully vaccinated Proportion Child fully vaccinated Proportion Children age 12-23 months Children age 12-23	Children with diagraps a taken to a health provider		
Child received BCG vaccination (3 doses) Child received poliv vaccination (3 doses) Child received poliv vaccination (3 doses) Child received measles vaccination Children age 12-23 months			
Child received DPT vaccination (3 doses) Child received polio vaccination (3 doses) Child received measles vaccination Children age 12-23 months Children age 12-23			
Child received polio vaccination (3 doses) Child received measles vaccination Child fully vaccinated Civen vitamin A supplement in last 6 months Ever experienced physical or sexual violence Weight-for-height, wasting (below -2SD) Height-for-age, stunting (below -2SD) Body mass index (BMI) < 18.5 Proportion Proportion Proportion Proportion Children age 12-23 months Children age 12-23 months Children age 15-49 months Children age 15-49 Women age 15-49 Children age 12-23 months Children age 12-23 months Children age 15-49 months Children age 5 years who were measured Children under age 5 years who were measured Children under age 5 years who were measured Women/men age 15-49 who were measured			
Child received measles vaccination Child fully vaccinated Given vitamin A supplement in last 6 months Ever experienced physical or sexual violence Weight-for-height, wasting (below -2SD) Height-for-age, stunting (below -2SD) Body mass index (BMI) < 18.5 Proportion Women/men age 15-49 who were measured Women/men age 15-49 who were measured Women/men age 15-49 who were measured			
Child fully vaccinated Given vitamin A supplement in last 6 months Ever experienced physical or sexual violence Weight-for-height, wasting (below -2SD) Height-for-age, stunting (below -2SD) Weight-for-age, underweight (below -2SD) Body mass index (BMI) ≥ 25.0 Proportion Proportion Proportion Proportion Proportion Children age 12-23 months Children age 6-59 months Women age 15-49 Children under age 5 years who were measured Children under age 5 years who were measured Women/men age 15-49 who were measured			
Given vitámin A supplement in last 6 months Ever experienced physical or sexual violence Weight-for-height, wasting (below -2SD) Height-for-age, stunting (below -2SD) Weight-for-age, underweight (below -2SD) Body mass index (BMI) ≥ 25.0 Proportion Women/men age 15-49 who were measured Women/men age 15-49 who were measured Women/men age 15-49 who were measured			
Ever experienced physical or sexual violence Weight-for-height, wasting (below -2SD) Proportion Height-for-age, stunting (below -2SD) Proportion Weight-for-age, underweight (below -2SD) Proportion Body mass index (BMI) \geq 18.5 Proportion Body mass index (BMI) \geq 25.0 Proportion Proportion Women/men age 15-49 who were measured Women/men age 15-49 who were measured Women/men age 15-49 who were measured			
Weight-for-height, wasting (below -2SD)ProportionChildren under age 5 years who were measuredHeight-for-age, stunting (below -2SD)ProportionChildren under age 5 years who were measuredWeight-for-age, underweight (below -2SD)ProportionChildren under age 5 years who were measuredBody mass index (BMI) < 18.5			
Height-for-age, stunting (below -2SD) Weight-for-age, underweight (below -2SD) Body mass index (BMI) < 18.5 Body mass index (BMI) ≥ 25.0 Proportion Women/men age 5 years who were measured Women/men age 15-49 who were measured Women/men age 15-49 who were measured			
Weight-for-age, underweight (below -2SD) Body mass index (BMI) < 18.5 Body mass index (BMI) ≥ 25.0 Proportion Proport			
Body mass index (BMI) < 18.5 Proportion Women/men age $15-49$ who were measured Women/men age $15-49$ who were measured Women/men age $15-49$ who were measured			
Body mass index (BMI) ≥ 25.0 Proportion Women/men age 15-49 who were measured			Women/men age 15-49 who were measured
			Women/men age 15-49 who were measured
Have heard of AIDS Proportion Women/men age 15-49	Have heard of AIDS	Proportion	Women/men age 15-49
Comprehensive knowledge about HIV/AIDS Proportion Women/men age 15-49			
Total and age-specific fertility rates (last 3 years) Rate Women			
Mortality rates Rate Births in last 5 years		Rate	Births in last 5 years
Women/men with any anaemia Proportion Women/men age 15-49			
Children with any anaemia Proportion Children age 6-59 months		Proportion	
HIV prevalence Percentage Women/men/total age 15-24, women/men/total age 15-49	HIV prevalence	Percentage	Women/men/total age 15-24, women/men/total age 15-49

Table D.2	Sampling	errors, Ind	ia, 2005-06					
		Standard	Number		Design	Relative	Confide	ence limits
√ariable/	Value	error	Unweighted	Weighted	effect	standard error	D OCE	D . OCE
esidence	(R)	(SE)	(N)	(WN)	(DEFT)	(SE/R)	R-2SE	R+2SE
				emales per 1,0				
Jrban Dural	939 1,030	5.331 4.220	116,901 140,198	82,562 175,144	1.732 1.416	0.006 0.004	928 1,021	949 1,038
Rural Fotal	1,030	3.357	257,099	257,707	1.416	0.004	994	1,036
i otti	1,000					age 6+ years)	331	1,007
Jrban	0.253	0.006	98,040	69,184	3.790	0.024	0.241	0.265
Rural	0.486	0.004	124,562	156,130	2.465	0.008	0.479	0.494
Гotal	0.415	0.003	222,602	225,314	2.862	0.008	0.408	0.421
		No	education (ho	usehold male	population	age 6+ years)		
Jrban	0.125	0.004	104,202	73,341	3.381	0.034	0.116	0.133
Rural	0.265	0.004	120,273	148,779	2.477	0.014	0.258	0.273
Гotal	0.219	0.003	224,475	222,120	2.769	0.013	0.213	0.225
						usehold residents		
Urban Rural	319 502	20.364	229,391	162,133 359,894	1.626 1.494	0.064 0.041	278 461	359 542
kurai Total	502 445	20.329 15.377	286,860 516,251	359,894 522,027	1.494	0.041	461 414	542 475
	113	15.5//		quately iodize			111	1/ 3
Jrban	0.715	0.009	49,370	34,950	4.659	0.013	0.696	0.734
Rural	0.412	0.005	58,081	72,504	3.020	0.015	0.400	0.734
Гotal	0.511	0.005	107,451	107 [′] ,455	3.466	0.010	0.500	0.521
			Urban r	esidence (wor	men age 15	-49)		
Гotal	0.328	0.006	124,385	124,385	4.314	0.018	0.317	0.340
			•	residence (m	en age 15-4	19)		
Гotal	0.366	0.006	69,834	69.751	3.438	0.017	0.353	0.378
Total	0.500	0.000	,	ucation (wom			0.555	0.570
Iula a a	0.220	0.007			3.949		0.200	0.222
Urban Rural	0.220 0.497	0.007 0.005	56,961 67,424	40,817 83,568	2.689	0.031 0.010	0.206 0.487	0.233 0.507
Total	0.406	0.003	124,385	124,385	3.091	0.010	0.397	0.415
			No e	education (me	n age 15-49))		
Urban	0.095	0.004	35,930	25,504	2.647	0.043	0.086	0.103
Rural	0.230	0.005	33,904	44,247	2.110	0.021	0.220	0.239
Total	0.180	0.003	69,834	69,751	2.378	0.019	0.173	0.187
			oleted 12 or mo	ore years of ed	lucation (wo	omen age 15-49)		
Urban	0.244	0.007	56,961	40,817	3.802	0.028	0.230	0.258
Rural Total	0.059 0.120	0.002 0.003	67,424	83,568 124,385	2.007	0.031 0.022	0.055	0.063
lotai	0.120		124,385		2.846		0.114	0.125
Lula a v	0.305		•			nen age 15-49)	0.200	0.330
Urban Rural	0.305 0.135	0.008 0.003	35,930 33,904	25,504 44,247	3.109 1.803	0.025 0.025	0.290 0.128	0.320 0.142
Total	0.133	0.003	69,834	69,751	2.357	0.023	0.128	0.142
			,			ned (women age 1		
Jrban	0.253	0.003	56,961	40,817	1.699	0.012	0.247	0.259
Rural	0.181	0.002	67,424	83,568	1.471	0.012	0.177	0.185
Гotal	0.205	0.002	124,385	124,385	1.587	0.009	0.201	0.208
		Never mar	ried, including		a not perfor	med (men age 15	-49)	
Urban	0.425	0.004	35,930	25,504	1.723	0.011	0.416	0.434
Rural	0.327	0.004	33,904	44,247	1.435	0.011	0.320	0.334
Гotal	0.363	0.003	69,834	69,751	1.580	0.008	0.357	0.369
	_		Currentl	y married (wo	men age 15	5-49)		
Urban	0.701	0.003	56,961	40,817	1.665	0.005	0.694	0.707
Rural	0.772	0.002	67,424	83,568	1.420	0.003	0.767	0.776
Total	0.748	0.002	124,385	124,385	1.551	0.003	0.745	0.752
				itly married (m	Ü			
Urban	0.566	0.005	35,930	25,504	1.722	0.008	0.557	0.575
Rural Total	0.657 0.624	0.004 0.003	33,904 69,834	44,247 69,751	1.427 1.574	0.006 0.005	0.650 0.618	0.664 0.629
ıotai	0.024	0.003	05,054	05,751	1.3/4	0.005	0.010	
								Continued.

Table D.2	Sampling		ia, 2005-06—0		Б.	D-I-r	Confide	nco limito
Variable/	Value	Standard error	Number		Design effect	Relative standard error	Confide	nce limits
esidence	(R)	(SE)	Unweighted (N)	Weighted (WN)	(DEFT)	(SE/R)	R-2SE	R+2SE
			Married be	efore age 18 (v	vomen age	20-49)		
Jrban	0.415	0.007	46,580	33,355	3.180	0.018	0.400	0.429
Rural	0.662	0.004	53,850	66,219	2.074	0.006	0.654	0.671
<u>Fotal</u>	0.579	0.004	100,430	99,574	2.465	0.007	0.572	0.587
Jrban	0.249	0.007	22,412	nefore age 21 16,068	2.446	0.028	0.235	0.263
Rural	0.467	0.006	21,884	28,685	1.719	0.012	0.456	0.479
Γotal	0.389	0.005	44,296	44,754	2.023	0.012	0.380	0.398
			Children	ever born (wo	omen age 1	5-49)		
Jrban	1.874	0.019	56,961	40,817	2.424	0.010	1.836	1.912
Rural	2.446	0.013	67,424	83,568	1.537	0.005	2.419	2.472
Гotal	2.258	0.011	124,385	124,385	1.815	0.005	2.236	2.280
Jrban	1.717	0.016	56,961	surviving (wo	2.294	0.009	1.686	1.749
Rural	2.131	0.016	67,424	83,568	1.496	0.009	2.109	2.152
Total	1.995	0.009	124,385	124,385	1.749	0.005	1.977	2.013
						ied women age 1!		
Jrban	0.743	0.005	38,382	28,604	2.292	0.007	0.732	0.753
Rural	0.624	0.004	49,543	64,485	2.030	0.007	0.615	0.633
Total	0.660	0.004	87,925	93,089	2.194	0.005	0.653	0.667
			, ,		,	women age 15-49		
Jrban	0.640	0.005	38,382	28,604	2.080	0.008	0.629	0.650
Rural Fotal	0.530 0.563	0.004 0.003	49,543 87,925	64,485 93,089	1.890 2.022	0.008 0.006	0.521 0.557	0.538 0.570
iotai						ed women age 15-		0.370
Jrban	0.558	0.006	38,382	28,604	2.191	0.010	0.547	0.569
Rural	0.453	0.004	49,543	64,485	1.865	0.009	0.445	0.461
Гotal	0.485	0.003	87,925	93,089	2.024	0.007	0.479	0.492
	C	urrently us	sing a traditiona	l method (cu	rrently marr	ried women age 1.	5-49)	
Jrban	0.081	0.003	38,382	28,604	2.315	0.040	0.075	0.088
Rural	0.076	0.002	49,543	64,485	1.742	0.027	0.072	0.081
Total	0.078	0.002	87,925	93,089	1.934	0.022	0.074	0.081
Urban	0.378	0.006	38,382	28,604	2.623	ed women age 15 0.017	0.365	0.391
Rural	0.376	0.004	49,543	64,485	1.942	0.017	0.363	0.379
Total	0.373	0.004	87,925	93,089	2.168	0.009	0.366	0.380
		Cu	rrently using pi					
Urban	0.038	0.002	38,382	28,604	2.036	0.052	0.034	0.042
Rural	0.028	0.001	49,543	64,485	1.629	0.043	0.025	0.030
Total	0.031	0.001	87,925	93,089	1.777	0.034	0.029	0.033
Irban	0.022		rently using IU	,		0	0.020	0.026
Jrban Rural	0.032 0.011	0.002 0.001	38,382 49,543	28,604 64,485	1.885 1.271	0.053 0.055	0.029 0.010	0.036 0.012
Total	0.017	0.001	87,925	93,089	1.522	0.039	0.016	0.012
		Curre		lom (currently		omen age 15-49)		
Urban	0.098	0.003	38,382	28,604	2.096	0.033	0.091	0.104
Rural	0.032	0.001	49,543	64,485	1.418	0.035	0.030	0.035
Total	0.052	0.001	87,925	93,089	1.715	0.025	0.050	0.055
		(women a	Using public mage 15-49 curre	euicai sector s ently using mo	ource of co dern metho	intraception ods of contraceptic	on)	
Urban	0.568	0.009	21,781	16,685	2.613	0.015	0.550	0.585
Rural	0.782	0.005	23,434	30,556	1.853	0.006	0.772	0.792
Total	0.706	0.005	45,215	47,241	2.166	0.007	0.697	0.716
	0.700			. ,		omen age 15-49)	0.700	0 = 1 =
Urban	0.739	0.004	38,382	28,604	1.650	0.005	0.732	0.747
Rural Total	0.690 0.705	0.003 0.002	49,543 87,925	64,485 93,089	1.507 1.607	0.005 0.004	0.683 0.700	0.696 0.710
ισιαι	0.703					nen age 15-49)	0.700	0.710
Urban	0.713	0.005	19,405	14,434	1.648	0.008	0.702	0.723
Rural	0.703	0.003	21,169	29,068	1.398	0.006	0.694	0.712
Total	0.706	0.003	40,574	43,501	1.518	0.005	0.699	0.713
								Continued

Table D.2	Sampling	errors, Ind	ia, 2005-06—C	Continued				
	1 0	Standard	Number		Design	Relative	Confide	nce limits
Variable/	Value	error	Unweighted	Weighted	effect	standard error		
residence	(R)	(SE)	(N)	(WN)	(DEFT)	(SE/R)	R-2SE	R+2SE
	Wa	ant to delay	/ next birth at le	east 2 years (c	urrently ma	rried women age	15-49)	
Urban	0.102	0.003	38,382	28,604	1.674	0.025	0.096	0.107
Rural	0.124	0.002	49,543	64,485	1.402	0.017	0.120	0.128
Total	0.117	0.002	87,925	93,089	1.519	0.014	0.114	0.121
I Jula a sa			19,405	14,434	1.582	narried men age 1.		0.131
Urban Rural	0.124 0.126	0.004 0.003	21,169	14,434 29.068	1.362	0.030 0.026	0.116 0.119	0.131 0.132
Total	0.125	0.003	40,574	43,501	1.534	0.020	0.120	0.130
			Ideal numbe	er of children	(women age	e 15-49)		
Urban	2.065	0.012	55,745	39,967	3.774	0.006	2.040	2.090
Rural	2.409	0.010	65,178	81,213	2.736	0.004	2.389	2.429
Total	2.295	0.008	120,923	121,181 per of childrer	3.085	0.003	2.279	2.311
Urban	2.097	0.012	35,405	25,138	2.965		2.060	2.114
Rural	2.087 2.343	0.013 0.011	33,405 33,195	43,367	2.965	0.006 0.005	2.060 2.321	2.114
Total	2.249	0.009	68,600	68,505	2.477	0.004	2.232	2.266
Moth	er receive	d ANC fror	n health persor	nnel (women	with at least	one birth in last f		st birth)
Urban	0.894	0.008	14,527	10,626	3.041	0.009	0.878	0.909
Rural Total	0.687 0.743	0.006 0.005	22,323 36,850	29,051 39,677	2.070 2.331	0.009 0.007	0.675 0.732	0.700 0.753
			, , , , , , , , , , , , , , , , , , , ,			st one birth in last		
Urban	0.348	0.009	14,527	10,626	2.375	0.027	0.329	0.367
Rural	0.188	0.004	22,323	29,051	1.601	0.022	0.180	0.197
Total	0.231	0.004	36,850	39,677	1.807	0.017	0.223	0.239
				•		the last five years)		
Urban	0.735	0.012	19,483	14,303	3.009	0.016	0.711	0.758
Rural Total	0.375 0.466	0.007 0.006	32,072 51,555	42,135 56,438	2.082 2.354	0.018 0.013	0.361 0.454	0.388 0.478
Total	0.100	0.000	Institutional d				0.151	0.170
Urban	0.675	0.013	19,483	14,303	3.111	0.019	0.649	0.700
Rural	0.289	0.006	32,072	42,135	2.085	0.021	0.277	0.301
Total	0.387	0.006	51,555	56,438	2.371	0.015	0.375	0.399
		•		,		ast birth in last five	•	
Urban	0.610	0.011	14,527	10,626	2.735	0.018	0.588	0.633
Rural Total	0.286 0.373	0.006 0.005	22,323 36,850	29,051 39,677	1.841 2.135	0.019 0.014	0.275 0.362	0.297 0.384
T O LEAN						th diarrhoea in las		0.001
Urban	0.326	0.018	1,691	1,215	1.500	0.056	0.290	0.363
Rural	0.238	0.011	2,749	3,540	1.274	0.045	0.216	0.259
Total	0.260	0.009	4,440	4,755	1.365	0.035	0.242	0.279
Urban	0.645	0.018	1,691	1,215	en under ag 1.483	e 5 years with dia 0.028	0.608	0.681
Rural	0.582	0.018	2,749	3,540	1.403	0.028	0.556	0.608
Total	0.598	0.011	4,440	4,755	1.426	0.018	0.577	0.620
		Child's vac	cination card se	en by intervie	ewer (childr	en age 12-23 mor	nths)	
Urban	0.462	0.014	3,666	2,723	1.741	0.031	0.433	0.490
Rural	0.345	0.009	5,916	7,696	1.461	0.026	0.327	0.363
Total	0.375	0.008 Child	9,582 Lireceived BCC	10,419	1.572	0.020 e 12-23 months)	0.360	0.391
Urban	0.869	0.010	3,666	2,723	1.801	0.012	0.848	0.889
Rural	0.751	0.009	5,916	7,696	1.622	0.012	0.732	0.769
Total	0.781	0.007	9,582	10,419	1.756	0.009	0.767	0.796
						n age 12-23 mont		
Urban	0.691	0.014	3,666	2,723	1.875	0.021	0.662	0.720
Rural Total	0.504 0.553	0.010 0.009	5,916 9,582	7,696 10,419	1.553 1.700	0.020 0.015	0.484 0.536	0.525 0.570
ıotai	0.555		, , , , , , , , , , , , , , , , , , , ,			n age 12-23 mont		0.5/0
Urban	0.831	0.010	3,666	2,723	1.623	0.012	0.810	0.851
Rural	0.765	0.010	5,916	7,696	1.509	0.012	0.749	0.782
Total	0.782	0.007	9,582	10,419	1.613	0.009	0.769	0.796
								Continued

	samping.	Standard	a, 2005-06—0 Number		Б.	Relative	Confide	nce limits
/ariable/	Value	error	Unweighted	Weighted	Design effect	standard error	Comitaci	iicc iiiiiii
esidence	(R)	(SE)	(N)	(WN)	(DEFT)	(SE/R)	R-2SE	R+2SE
coraciico	(,			, ,		ge 12-23 months)	K 25E	K + 202
Jrban	0.718	0.013	3,666	2,723	1.767	0.018	0.691	0.744
Rural	0.542	0.013	5,916	7,696	1.549	0.018	0.522	0.562
Гotal	0.588	0.008	9,582	10,419	1.682	0.014	0.571	0.605
		(Child fully vac	cinated (childr	en age 12-2	23 months)		
Jrban	0.576	0.015	3,666	2,723	1.789	0.025	0.547	0.605
Rural	0.386	0.009	5,916	7,696	1.470	0.024	0.367	0.404
Total	0.435	0.008	9,582	10,419	1.606	0.018	0.419	0.451
	(lren age 6-59 mon	ths)	
Jrban	0.197	0.007	16,926	12,417	2.188	0.037	0.182	0.211
Rural Fotal	0.177	0.005 0.004	27,097 44,023	35,324 47,742	1.805 1.960	0.026 0.021	0.168 0.175	0.186 0.190
otai	0.182		,	,			0.173	0.130
Iulo o a	0.204		37,877			vomen age 15-49)	0.201	0.207
Jrban Rural	0.294 0.383	0.007 0.005	37,877 45,826	27,371 56,332	2.792 2.187	0.022 0.013	0.281 0.373	0.307 0.392
Total	0.354	0.003	83,703	83,703	2.398	0.013	0.346	0.361
			,	,		re measured and a		
Jrban	0.169	0.005	15,694	11,337	1.762	0.032	0.159	0.180
Rural	0.207	0.004	26,846	35,318	1.414	0.017	0.200	0.214
Гotal	0.198	0.003	42,540	46,655	1.564	0.015	0.192	0.204
H	leight-for-	age, stuntir	ıg (children un	der age 5 yea	rs who were	e measured and are	e below -25	SD)
Jrban	0.396	0.008	15,694	11,337	1.906	0.020	0.380	0.412
Rural	0.507	0.005	26,846	35,318	1.553	0.010	0.498	0.517
Total W.	0.480	0.004	42,540	46,655	1.698	0.009	0.472	0.489
			ŭ			ere measured and		
Jrban Rural	0.327 0.456	0.008 0.005	15,694	11,337	1.942 1.539	0.024 0.011	0.311 0.446	0.342
Total	0.436	0.003	26,846 42,540	35,318 46,655	1.701	0.011	0.446	0.466 0.433
rotar						who were measur		0.155
Urban	0.250	0.005	50,690	36,366	2.364	0.018	0.241	0.259
Rural	0.406	0.003	61,293	75,416	1.724	0.008	0.400	0.413
Гotal	0.356	0.003	111,983	111 <i>,</i> 781	1.972	0.008	0.350	0.361
		Body mas	s index (BMI)	< 18.5 (men a	age 15-49 v	vho were measure	d)	
Jrban	0.265	0.005	32,583	23,304	1.962	0.018	0.256	0.275
Rural	0.384	0.004	32,384	42,438	1.633	0.011	0.375	0.393
Total	0.342	0.003	64,967	65,742	1.818	0.010	0.335	0.349
						9 who were measu		
Urban Rural	0.235 0.074	0.005 0.002	50,690	36,366	2.520 1.646	0.020 0.024	0.225 0.071	0.244
Total	0.074	0.002	61,293 111,983	75,416 111,781	2.085	0.024	0.071	0.078 0.131
- Cui	0.120					who were measure		0.151
Jrban	0.159	0.004	32,583	23,304	1.960	0.025	0.151	0.167
Rural	0.056	0.002	32,384	42,438	1.428	0.032	0.052	0.060
Total	0.093	0.002	64,967	65,742	1.678	0.020	0.089	0.096
			Have heard	of HIV/AIDS	(women age	e 15-49)		
Jrban	0.832	0.007	56,961	40,817	4.163	0.008	0.819	0.845
Rural	0.500	0.006	67,424	83,568	3.157	0.012	0.488	0.512
Гotal	0.609	0.005	124,385	124,385	3.565	0.008	0.599	0.619
				d of HIV/AIDS	0			
Jrban	0.948	0.003	35,930	25,504	2.687	0.003	0.942	0.954
Rural Fotal	0.771 0.836	0.005 0.004	33,904 69,834	44,247 69,751	2.355 2.656	0.007 0.004	0.760 0.828	0.782 0.843
Jul	0.030					vomen age 15-49)	0.020	0.043
Jrban	0.303	0.007	56,961	40.817	3.692	0.023	0.289	0.217
orban Rural	0.303 0.110	0.007	67,424	83,568	2.403	0.023	0.269	0.317 0.115
Total	0.173	0.003	124,385	124,385	2.940	0.018	0.167	0.113
						(men age 15-49)		
Jrban	0.466	0.008	35,930	25,504	2.882	0.016	0.451	0.481
Rural	0.251	0.005	33,904	44,247	1.988	0.019	0.242	0.461
otal	0.330	0.004	69,834	69 [′] ,751	2.383	0.013	0.321	0.338
								Continued

		Standard	Number	of cases	Dasima	Relative	Confide	nce limits
Variable/	Value	error	Unweighted	Weighted	Design effect	standard error	Cominaci	icc iiiiiii
residence	(R)	(SE)	(N)	(WN)	(DEFT)	(SE/R)	R-2SE	R+2SE
			Tota	l fertility rate (last 3 years)		
Urban	2.064	0.038	na	115,817	1.999	0.019	1.988	2.141
Rural	2.977	0.039	na	234,526	1.573	0.013	2.900	3.055
Total	2.679	0.031	na	350,344	1.754	0.011	2.617	2.740
			(15-19) age	specific fertili	ty rate (last	3 years)		
Urban	0.057	0.003	na	23,000	1.832	0.044	0.052	0.061
Rural Total	0.105 0.090	0.002	na	51,462 74,461	1.426	0.021 0.019	0.101 0.087	0.110 0.094
TOLAI	0.090	0.002	na (20, 24) ago	specific fertili	1.589		0.067	0.094
Urban	0.166	0.004	na	21,969	1.744	0.022	0.159	0.173
Rural	0.100	0.004	na	44,583	1.399	0.022	0.139	0.173
Total	0.209	0.002	na	66,552	1.550	0.011	0.205	0.214
			(25-29) age	specific fertili	ty rate (last	3 years)		
Urban	0.123	0.003	na	19,511	1.579	0.025	0.117	0.130
Rural	0.146	0.003	na	39,498	1.313	0.017	0.141	0.152
Total	0.139	0.002	na	59,010	1.430	0.014	0.135	0.143
	0.610	0.000		specific fertili	,	,	0.011	0.0=0
Urban Rural	0.048 0.069	0.002 0.002	na na	17,367 34,469	1.571 1.378	0.045 0.031	0.044 0.065	0.053 0.074
Total	0.063	0.002	na	51,836	1.484	0.026	0.059	0.074
				specific fertili				
Urban	0.013	0.001	na	15,467	1.600	0.096	0.011	0.016
Rural	0.031	0.002	na	29,493	1.299	0.048	0.028	0.034
Total	0.025	0.001	na	44,959	1.433	0.043	0.023	0.027
			(40-44) age	specific fertili	ty rate (last	3 years)		
Urban	0.004	0.001	na	12,116	1.630	0.209	0.002	0.006
Rural	0.009	0.001	na	23,505	1.242	0.098	0.007	0.011
Total	0.007	0.001	na (45, 40) assa	35,621	1.381	0.089	0.006	0.009
I Jula a ia	0.001	0.000		specific fertili	·		0.000	0.002
Urban Rural	0.001 0.004	0.000 0.001	na na	6,387 11,517	1.342 1.239	0.479 0.207	0.000 0.002	0.002 0.006
Total	0.003	0.001	na	17,904	1.356	0.192	0.002	0.004
			Neo	natal mortality	(0-4 years))		
Urban	28.5	1.794	19,680	14,435	1.480	0.063	24.9	32.1
Rural	42.5	1.369	32,322	42,443	1.185	0.032	39.8	45.3
Total	39.0	1.130	52,002	56,878	1.314	0.029	36.7	41.2
				eonatal morta	, ,			
Urban	13.0	1.217	19,788	14,530	1.515	0.093	10.6	15.5
Rural Total	19.7 18.0	0.996 0.807	32,357 52,145	42,454 56,984	1.285 1.404	0.051 0.045	17.7 16.4	21.7 19.6
rottai	10.0	0.007	,	ant mortality		0.015	10.1	13.0
Urban	41.5	2.175	19,705	14,452	1.467	0.052	37.2	45.9
Rural	62.2	1.721	32,369	42,516	1.241	0.028	58.8	65.7
Total	57.0	1.417	52,074	56,968	1.363	0.025	54.1	59.8
			Cł	nild mortality (0-4 years)			
Urban	10.6	1.063	20,014	14,775	1.465	0.100	8.5	12.7
Rural	21.0	1.083	32,709	43,087	1.360	0.051	18.9	23.2
Total	18.4	0.860	52,723	57,862 er-five mortalit	1.482	0.047	16.6	20.1
Urban	F1 7	2 522		14,519	1.519	*	16.6	E.C. 0
Urban Rural	51.7 82.0	2.532 1.999	19,791 32,642	14,519 42,897	1.519	0.049 0.024	46.6 78.0	56.8 86.0
Total	74.3	1.661	52,433	57,416	1.401	0.022	71.0	77.6
			Vomen with a					
Urban	0.509	0.005	49,813	36,967	2.421	0.010	0.499	0.520
Rural	0.574	0.004	62,901	79 [′] ,888	1.916	0.007	0.566	0.581
Total	0.553	0.003	112,714	116,855	2.107	0.006	0.547	0.559
				ıy anaemia (m		49 years)		
Urban	0.177	0.005	30,018	22,773	2.179	0.026	0.168	0.186
Rural Total	0.277	0.005	30,369	41,963 64.736	1.828	0.016	0.268	0.286
i Otai	0.242	0.003	60,387	64,736	2.037	0.014	0.235	0.249 Continued

Table D.2	Sampling	errors, Ind	ia, 2005-06—0	Continued				
		Standard	Number	of cases	Design	Relative	Confide	nce limits
Variable/ residence	Value (R)	error (SE)	Unweighted (N)	Weighted (WN)	effect (DEFT)	standard error (SE/R)	R-2SE	R+2SE
		Cl	hildren with an	y anaemia (cł	nildren age (6-59 months)		
Urban	0.630	0.008	13,445	10,133	1.850	0.012	0.614	0.645
Rural	0.715	0.004	23,687	32,255	1.534	0.006	0.706	0.724
Total	0.695	0.004	37,132	42,388	1.665	0.006	0.687	0.702
			HIV pre	evalence (wor	nen age 15-	-24)		
Urban	0.161	0.075	9,365	6,382	1.805	0.464	0.012	0.311
Rural	0.092	0.029	10,332	13,896	0.983	0.318	0.034	0.151
Total	0.114	0.031	19,697	20,278	1.289	0.272	0.052	0.176
			HIV p	revalence (m	en age 15-2	4)		
Urban	0.113	0.049	9,149	6,025	1.399	0.435	0.015	0.211
Rural	0.080	0.028	8,016	10,465	0.886	0.350	0.024	0.136
Total	0.092	0.025	1 <i>7,</i> 165	16,490	1.091	0.275	0.041	0.142
			HIV prevale	nce (men and	women ag	e 15-24)		
Urban	0.138	0.046	18,514	12,408	1.674	0.331	0.046	0.229
Rural	0.087	0.020	18,348	24,361	0.940	0.236	0.046	0.128
Total	0.104	0.021	36,862	36,768	1.223	0.197	0.063	0.145
			HIV pre	evalence (wor	nen age 15-	49)		
Urban	0.287	0.056	25,738	17,475	1.682	0.195	0.175	0.399
Rural	0.182	0.023	27,115	35,856	0.890	0.127	0.136	0.228
Total	0.216	0.024	52,853	53,332	1.189	0.111	0.168	0.265
			HIV p	revalence (m	en age 15-4	9)		
Urban	0.411	0.065	24,240	16,502	1.578	0.158	0.281	0.541
Rural	0.324	0.044	22,810	30,009	1.166	0.135	0.237	0.412
Total	0.355	0.037	47,050	46,512	1.331	0.103	0.282	0.428
			HIV prevale	nce (men and	women ag	e 15-49)		
Urban	0.347	0.044	49,978	33,978	1.676	0.127	0.259	0.435
Rural	0.247	0.027	49,925	65,866	1.215	0.109	0.193	0.301
Total	0.281	0.023	99,903	99,843	1.391	0.083	0.234	0.328

DATA QUALITY TABLES



Table E.1 Household age distribution

Single-year age distribution of the de facto household population by sex (weighted), India, 2005-06

	Won	nen	Me	en		Wo	men	Me	en
Age	Number	Percent	Number	Percent	Age	Number	Percent	Number	Percent
0	5,458	2.1	5,699	2.2	37	1,872	0.7	1,779	0.7
1	5,038	2.0	5,697	2.2	38	3,378	1.3	3,146	1.2
2	5,226	2.0	5,839	2.3	39	1,490	0.6	1,327	0.5
3	5,632	2.2	6,122	2.4	40	7,032	2.7	7,689	3.0
4	5,546	2.2	6,068	2.4	41	1,086	0.4	1,057	0.4
5	5,566	2.2	6,152	2.4	42	2,589	1.0	2,714	1.1
6	6,432	2.5	6,795	2.6	43	1,417	0.5	1,228	0.5
7	6,121	2.4	6,309	2.4	44	1,147	0.4	1,146	0.4
8	6,788	2.6	7,104	2.8	45	5,499	2.1	6,710	2.6
9	5,169	2.0	5,487	2.1	46	1,405	0.5	1,421	0.6
10	6,795	2.6	7,661	3.0	47	1,343	0.5	1,183	0.5
11	4,681	1.8	5,113	2.0	48	1,859	0.7	2,190	0.8
12	7,022	2.7	7,633	3.0	49	790	0.3	950	0.4
13	6,380	2.5	6,430	2.5	50	2,481	1.0	4,781	1.9
14	4,633	1.8	5,408	2.1	51	1,883	0.7	875	0.3
15	4,794	1.9	4,710	1.8	52	3,318	1.3	1,673	0.6
16	5,488	2.1	5,104	2.0	53	1,503	0.6	892	0.3
17	4,443	1.7	4,273	1.7	54	1,168	0.5	716	0.3
18	6,367	2.5	6,209	2.4	55	5,294	2.1	2,786	1.1
19	3,863	1.5	3,504	1.4	56	1,228	0.5	2,257	0.9
20	6,855	2.7	5,650	2.2	57	691	0.3	1,124	0.4
21	3,349	1.3	3,498	1.4	58	1,159	0.4	1,854	0.7
22	5,749	2.2	5,109	2.0	59	420	0.2	626	0.2
23	3,911	1.5	3,455	1.3	60	6,152	2.4	5,489	2.1
24	3,457	1.3	3,397	1.3	61	350	0.1	447	0.2
25	7,736	3.0	6,492	2.5	62	1,013	0.4	1,162	0.5
26	3,858	1.5	3,537	1.4	63	416	0.2	502	0.2
27	3,264	1.3	3,066	1.2	64	261	0.1	447	0.2
28	4,969	1.9	4,354	1.7	65	4,153	1.6	4,147	1.6
29	2,213	0.9	1,946	8.0	66	269	0.1	422	0.2
30	8,167	3.2	7,574	2.9	67	257	0.1	385	0.1
31	1,669	0.6	1,560	0.6	68	538	0.2	557	0.2
32	4,236	1.6	3,879	1.5	69	214	0.1	222	0.1
33	2,088	0.8	1,734	0.7	70+	8,250	3.2	8,422	3.3
34	2,022	8.0	1,760	0.7	Don't know/missin	g 35	0.0	14	0.0
35	8,338	3.2	8,585	3.3		_			
36	2,518	1.0	2,453	1.0	Total	257,801	100.0	257,707	100.0

Note: The de facto population includes residents and nonresidents who stayed in the household the night before the interview.

Table E.2.1 Age distribution of eligible and interviewed women

De facto household population of women age 10-54, interviewed women age 15-49, and percentage of eligible women who were interviewed (weighted), by five-year age groups, India, 2005-06

	Household population of	Interviewed we	Percentage of eligible women	
Age group	women age 10-54	Number	Percent	interviewed
10-14	29,511	na	na	na
15-19	24,954	23,779	19.2	95.3
20-24	23,320	22,092	17.8	94.7
25-29	22,040	20,969	16.9	95.1
30-34	18,183	17,421	14.0	95.8
25-39	17,596	16,830	13.6	95.6
40-44	13,271	12,686	10.2	95.6
45-49	10,895	10,312	8.3	94.6
50-54	10,353	na	na	na
15-49	130,259	124,088	100.0	95.3

Note: The de facto population includes all residents and nonresidents who stayed in the household the night before the interview. For all columns, the age distribution is taken from the ages reported on the Household Questionnaire. The total number of interviewed women in this table differs from the number in earlier tables because this table uses household weights rather than individual weights for the calculations.

na = Not applicable

Table E.2.2 Age distribution of eligible and interviewed men

De facto household population of men age 10-59, interviewed men age 15-54, and percentage of eligible men who were interviewed (weighted), India, 2005-06

	Household population of _	Interviewed n	Interviewed men age 15-54			
Age group			Percent	eligible men interviewed		
10-14	21,150	na	na	na		
15-19	14,570	13,113	17.6	90.0		
20-24	13,290	11,723	15.8	88.2		
25-29	12,247	10,720	14.4	87.5		
30-34	10,528	9,256	12.4	87.9		
25-39	11,007	9,727	13.1	88.4		
40-44	8,962	7,906	10.6	88.2		
45-49	7,942	7,073	9.5	89.1		
50-54	5,531	4,850	6.5	87.7		
55-59	5,609	na	na	na		
15-54	84,078	74,369	100.0	88.5		

Note: The de facto population includes all residents and nonresidents who stayed in the household the night before the interview. For all columns, the age distribution is taken from the ages reported on the Household Questionnaire. The total number of interviewed men in this table differs from the number in earlier tables because this table uses household weights rather than individual weights for the calculations.

na = Not applicable

Table E.3 Completeness of reporting

Percentage of observations missing information for selected demographic and health questions/measures (weighted), India, 2005-06

		Percentage with missing	Number of
Subject	Reference group Births in the 15 years before the survey ly d year Deceased children born in the 15 years preceding the survey t first marriage¹ Ever-married women age 15-49 Ever-married men age 15-54 Women age 15-49 Men age 15-54 n past two weeks Children age 0-59 months Women age 15-49 (from the Household Questionnaire) Retry: Men Men age 15-54 (from the Household Questionnaire) Men age 15-54 (from the Household Questionnaire) 16.37 16.31 16.39 Metry: Children Children age 0-59 months (from the Household Questionnaire) Children age 0-59 months (from the Household Questionnaire)	information	cases
Birth date	Births in the 15 years before the survey		
Month only Month and year			180,641 180,641
Age at death	Deceased children born in the 15 years preceding the survey	0.09	16,424
Age/date at first marriage ¹			
Women	Ever-married women age 15-49	0.11	98,923
Men	Ever-married men age 15-54	0.06	49,422
Respondent's education			
Women			124,385
Men	Men age 15-54	0.02	74,369
Diarrhoea in past two weeks	Children age 0-59 months	0.40	52,868
Anthropometry: Women	Women age 15-49 (from the Household Questionnaire)		
Height			130,259
Weight			130,259
Height or weight		8.46	130,259
Anthropometry: Men	Men age 15-54 (from the Household Questionnaire)		
Height			84,078
Weight			84,078
Height or weight		16.39	84,078
Anthropometry: Children	Children age 0-59 months (from the Household Questionnaire)		
Height		11.83	56,084
Weight		11.46	56,084
Height or weight		11.86	56,084
Anaemia			
Women	Women age 15-49 (from the Household Questionnaire)	10.27	130,259
Men	Men age 15-54 (from the Household Questionnaire)	17.69	84,078
Children	Children age 6-59 months (from the Household Questionnaire)	16.31	50,651

Table E.4 Births by calendar year

Number of births, percentage with complete birth date, sex ratio at birth, and calendar year ratio by calendar year, according to living (L), dead (D), and total (T) children (weighted), India, 2005-06

	Number of births		Percentage with complete birth date ¹		Se	Sex ratio at birth ²			Calendar year ratio ³			
Calendar year	L	D	Т	L	D	Т	L	D	Т	L	D	Т
2006	2,116	88	2,204	100.0	100.0	100.0	940	873	938	na	na	na
2005	10,699	572	11,271	100.0	100.0	100.0	952	807	944	na	na	na
2004	10,494	620	11,114	100.0	99.8	100.0	899	807	894	na	na	na
2003	10,584	796	11,380	100.0	99.7	100.0	881	1,079	893	99.8	108.1	100.3
2002	10,716	853	11,569	100.0	100.0	100.0	938	1,201	956	100.3	106.1	100.8
2001	10,774	812	11,587	100.0	98.6	99.9	904	1,068	914	97.8	92.0	97.4
2000	11,318	914	12,232	99.8	97.2	99.6	928	1,043	936	100.7	89.7	99.8
1999	11,699	1,226	12,925	98.5	94.3	98.1	931	949	933	100.7	111.4	101.6
1998	11,914	1,288	13,203	98.7	94.7	98.3	930	908	928	101.2	98.0	100.9
1997	11,849	1,403	13,252	98.3	94.6	97.9	925	959	929	106.0	108.4	106.2
2000-2004	53,886	3,995	57,881	99.9	99.0	99.9	910	1,045	919	na	na	na
1995-1999	58,122	6,653	64,775	98.4	94.7	98.0	927	953	930	na	na	na
1990-1994	50,387	6,823	57,210	97.9	93.9	97.4	916	998	925	na	na	na
1985-1989	39,591	6,639	46,230	97.1	92.7	96.5	957	937	954	na	na	na
<1985	33,341	7,959	41,301	96.3	91.8	95.4	901	864	894	na	na	na
All	248,142	32,730	280,872	98.2	94.0	97.7	923	944	926	na	na	na

na = Not applicable

¹ Both year and month of birth given.

 $^{^2}$ (B_f/B_m^{'}) x 1000, where B_f and \breve{B}_m are the numbers of female and male births, respectively.

³ $[2B_x/(B_{x-1}+B_{x+1})] \times 100$, where B_x is the number of births in calendar year x.

Table E.5 Reporting of age at death in days

Distribution of reported deaths under one month of age by age at death in days and the percentage of neonatal deaths reported to occur at ages 0-6 days, for five-year periods of birth preceding the survey (weighted), India, 2005-06

Number of years preceding the survey										
Age at death (days)	0-4	5-9	10-14	15-19	0-19					
<1	703	988	931	847	3,468					
1	367	501	499	376	1,742					
2	137	216	215	183	751					
3	224	336	244	228	1,031					
4	88	104	137	122	451					
5	91	140	138	144	512					
6	77	87	139	109	412					
7	49	108	141	105	403					
8	73	110	128	128	439					
9	31	47	61	46	185					
10	41	51	57	75	225					
11	23	29	21	19	92					
12	22	20	64	47	154					
13	14	17	23	26	80					
14	9	26	13	17	65					
15	93	138	126	83	439					
16	7	15	16	15	53					
17	5	17	9	14	45					
18	6	17	26	4	53					
19	9	2	6	8	25					
20	42	52	38	50	182					
21	20	24	16	21	81					
22	9	17	28	12	66					
23	3	0	3	2	8					
24	3	5	0	3	11					
25	11	13	23	11	58					
26	0	1	7	5	13					
27	7	3	9	3	22					
28	1	3	6	3	13					
29	5	0	3	6	14					
30	0	2	2	2	7					
Missing	0	2	0	2	4					
Total 0-30 days	2,169	3,088	3,131	2,712	11,100					
Percent early neonatal ¹	77.7	76.8	73.5	74.0	75.4					
¹ ≤6 days/≤30days	¹ ≤6 days/≤30days									

Table E.6 Reporting of age at death in months

Distribution of reported deaths under two years of age by age at death in months and the percentage of infant deaths reported to occur at age under one month, for five-year periods of birth preceding the survey, India, 2005-06

_	Number of years preceding the survey									
Age at death (months)	0-4	5-9	10-14	15-19	0-19					
<1 ^a	2,169	3,091	3,133	2,715	11,107					
1	244	283	327	341	1,195					
2	121	183	177	198	679					
3	134	142	191	173	639					
4	68	102	109	96	376					
5	55	103	84	73	316					
6	91	174	191	203	659					
7	38	60	76	80	254					
8	57	93	79	82	311					
9	49	117	78	122	366					
10	39	69	100	74	282					
11	28	61	82	78	248					
12	41	140	205	166	552					
13	20	55	43	48	166					
14	15	19	34	37	106					
15	17	21	21	22	81					
16	5	13	12	13	43					
17	10	12	4	8	33					
18	73	120	130	102	424					
19	4	2	6	4	15					
20	4	4	2	6	16					
21	0	5	4	12	21					
22	3	4	3	10	21					
23	6	10	11	16	43					
1 year	48	136	192	202	578					
Missing	2	0	2	0	4					
Total 0-11 months	3,093	4,477	4,629	4,235	16,433					
Percent neonatal ¹	70.1	69.0	67.7	64.1	67.6					

^a Includes deaths under one month reported in days.

^{1 &}lt; 1 month/< 12 months

The three core questionnaires (the Household Questionnaire, the Woman's Questionnaire, and the Man's Questionnaire) used in NFHS-3 are presented in this appendix. These questionnaires were used in all 29 states. However, since the fieldwork for NFHS-3 was conducted in two phases that spanned parts of two calendar years (2005 and 2006), the reference period for questions/sections that were reference-period specific was different for Phase 1 and Phase 2 states¹. The table below gives a list of the affected sections and questions with the reference year for the two phases of fieldwork.

		Refere	nce year
Questionnaire	Section and question number	Phase 1 states	Phase 2 states
Household	Biomarkers for children (Qs. 69-84)	2000	2001
Woman's	Section 2: Q. 225, Q. 226, Q. 228, Q. 229, and Qs. 233-239 Section 3: Q. 302, Q. 314, Q. 343, and Q. 344 Section 4: Qs. 401-477 Section 4: Qs. 478-482 Section 5: Qs. 501-556 and Q. 576 Section 5A: Qs. 577-591 Calendar	2000 2000 2000 2002 2000 1999 2000	2001 2001 2001 2003 2001 2000 2001

NFHS-3 questionnaires, shown here in English, were translated into 18 languages. Questionnaires in each state were bilingual, with questions in both the principal language of the state and English.

¹ Fieldwork was conducted from November 2005 to May 2006 (Phase 1) in Andhra Pradesh, Assam, Chhattisgarh, Delhi, Gujarat, Maharashtra, Meghalaya, Orissa, Punjab, Rajasthan, Uttar Pradesh, and West Bengal. Fieldwork was conducted from April 2006 to August 2006 (Phase 2) in Arunachal Pradesh, Bihar, Goa, Haryana, Himachal Pradesh, Jammu and Kashmir, Jharkhand, Karnataka, Kerala, Manipur, Madhya Pradesh, Mizoram, Nagaland, Sikkim, Tamil Nadu, Tripura, and Uttaranchal.

CONFIDENTIAL For research purposes only

Questionnaire Number_

NATIONAL FAMILY HEALTH SURVEY, INDIA 2005-2006 (NFHS- 3) HOUSEHOLD QUESTIONNAIRE [STATE NAME]

		IDENTIFICATION								
STATE				. 🗆						
DISTRICT				_						
TEHSIL/TALUK	TEHSIL/TALUK									
CITY/TOWN/VILLAGE				-						
MEGA CITY/LARGE CITY (MEGA CITY=1, LARGE C										
PSU NUMBER										
HOUSEHOLD NUMBER										
NAME OF HOUSEHOLD I	HEAD			_						
ADDRESS OF HOUSEHO	DLD			-						
HOUSEHOLD IS SELECT (YES = 1, NO = 2)		EW?								
HOUSEHOLD IS SELECT (YES = 1, NO = 2)										
		INTERVIEWER VISITS								
	1	2	3	FINAL VISIT						
DATE INTERVIEWER'S NAME RESULT*				DAY MONTH YEAR INT. NUMBER RESULT CODE						
NEXT VISIT: DATE				TOTAL NUMBER OF VISITS						
*RESULT CODES: 1 COMPL 2 NO HO HOME. 3 ENTIRE 4 POSTP 5 REFUS 6 DWELL 7 DWELL 8 DWELL 9 OTHER	TOTAL PERSONS IN HOUSEHOLD TOTAL ELIGIBLE WOMEN TOTAL ELIGIBLE MEN LINE NO. OF RESPONDENT TO HOUSEHOLD QUESTIONNAIRE									
SUPERVI		FIELD EDIT		OFFICE EDITOR KEYED BY						
NAME	1 1 1 11	IAME	·							
DATE	. [] [DATE	. LLL							

INTRODUCTION AND INFORMED CONSENT

,	and I am working with (NAME OF ORGANIZATION). We
are conducting a national survey about the he	ealth of women, men, and children, including information on household membership,
	We would very much appreciate the participation of your household in this survey.
, ,	t your household. The survey usually takes about 25 minutes to complete.
Whatever information you provide will be kep	ot strictly confidential.
	ou can choose not to answer any question or all of the questions. However, we hope
that you will participate in this survey since yo	our participation is important.
At this time, do you want to ask me anything	•
ANSWER ANY QUESTIONS AND ADDRES	5 RESPONDENT 5 CONCERNS.
In case you need more information about the GIVE CARD WITH CONTACT INFORMATION	
OIVE CARD WITH CONTACT IN ORWATIC	JV.
May I begin the interview now?	
Signature of interviewer:	Date:
RESPONDENT AGREES TO BE INTERVIE	WED 1 RESPONDENT DOES NOT AGREE TO BE INTERVIEWED 2→ END
The state of the s	TEST OF THE TOTAL TO BE INTERVIEWED 2 YEAR
BEG	GIN INTERVIEW

HOUSEHOLD SCHEDULE

Now we would like some information about the people who usually live in your household or who are staying with you now.

LINE NO.	ve would like some information abou USUAL RESIDENTS AND VISITORS	RELATIONSHIP TO HEAD OF HOUSEHOLD	SEX		DENCE	AGE	MARITAL STATUS	i	ELIGIBILIT	ГҮ	BIRTH REGIS- TRATION
	Please give me the names of the persons who usually live in your household and guests of the household who stayed here last night, starting with the head of the household.	What is the relationship of (NAME) to the head of the household? (A)	Is (NAME) male or female?	Does (NAME) usually live here?	Did (NAME) stay here last night?	How old is (NAME)? (B)	IF AGE 10 OR OLDER What is the current marital status of (NAME)? (C)	CIRCLE LINE NUMBER OF ALL WOMEN AGE 15-49	CIRCLE LINE NUMBER OF ALL MEN AGE 15-54	CIRCLE LINE NUMBER OF ALL CHILDREN UNDER AGE 6	IF AGE 0-4 Does (NAME) have a birth certificate? IF NO: Has (NAME)'s birth ever been regis- tered with the civil authority?(D)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
01			M F	YES NO	YES NO	IN YEARS		01	01	01	C R N DK
02			1 2	1 2	1 2			02	02	02	1 2 3 8
03			1 2	1 2	1 2			03	03	03	1 2 3 8
04			1 2	1 2	1 2			04	04	04	1 2 3 8
05			1 2	1 2	1 2			05	05	05	1 2 3 8
06			1 2	1 2	1 2			06	06	06 07	1 2 3 8
08			1 2	1 2	1 2			08	08	08	1 2 3 8
09			1 2	1 2	1 2			09	09	09	1 2 3 8
10			1 2	1 2	1 2			10	10	10	1 2 3 8
11			1 2	1 2	1 2			11	11	11	1 2 3 8
12			1 2	1 2	1 2			12	12	12	1 2 3 8
13			1 2	1 2	1 2			13	13	13	1 2 3 8
14			1 2	1 2	1 2			14	14	14	1 2 3 8
15			1 2	1 2	1 2			15	15	15	1 2 3 8

LINE NO.		URVIVORSHIP AND RESIDENCE OF BIOLOGICAL PARENTS EDUCATION								
	IF AGE 0-1	17 YEARS	IF AGE 5 YEARS OR OLDER					IF AGE 5-18 YEARS		
	Does (NAME)'s natural mother live in this household or did she stay here last night? IF YES: What is her name? RECORD MOTHER'S LINE NUMBER. IF NO: Is she alive? IF DEAD, RECORD '95'. IF ALIVE BUT NOT LISTED IN THE HOUSEHOLD, RECORD '00'.	Does (NAME)'s natural father live in this household or did he stay here last night? IF YES: What is his name? RECORD FATHER'S LINE NUMBER. IF NO: Is he alive? IF DEAD, RECORD '95'. IF ALIVE BUT NOT LISTED IN THE HOUSEHOLD, RECORD '00'.	Can (NAME) read and write?	Has (NAME) ever attended school?	What is the highest standard (NAME) has completed? (E)	Did (NAME) attend school or college at any time during the 2005 - 2006 school year?	During this/that school year, what standard/ year is/was (NAME) attending? (E)	Did (NAME) attend school or college at any time during the previous school year, that is, 2004 - 2005?	During that school year, what standard/ year did (NAME) attend? (E)	IF NO ON Q.18 What is the main reason (NAME) is not attending school? (F)
(12A)	(13)	(14)	(15) YES NO	(16) YES NO	(17) STANDARD	(18) YES NO	(19) STANDARD	(20) YES NO	(21) STANDARD	(22) REASON
01			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		ILI.JON
02			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
03			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
04			1 2	1 2 GO TO 23	Щ	1 2 GO TO 20	Щ	1 2 GO TO 22		
05			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
06			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
07			1 2	GO TO 23		1 2 GO TO 20		GO TO 22		
08			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
09				1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
10				1 2 GO TO 23		1 2 GO TO 20		GO TO 22		
11				1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
13				GO TO 23		GO TO 20		GO TO 22		
14			1 2	GO TO 23		GO TO 20		GO TO 22		
15			1 2	GO TO 23		GO TO 20		GO TO 22		
10			1 2	GO TO 23		GO TO 20		GO TO 22		

LINE NO.								
			ı.	ACE 5 44 VEADS	`			
	During the past week, did (NAME) do any kind of work for someone who is not a member of this household? IF YES: For pay? 1 YES, FOR PAY (CASH OR KIND) 2 YES, UNPAID 3 NO	week, did NAME) do any about how many hours did he/she or someone who is not a member of this ousehold? YES: IF MORE THAN ONE JOB, INCLUDE ALL YES, FOR PAY (CASH OR KIND) YES, UNPAID YES, UNPAID The past year, did (NAME) week, did (NAME) help with household chores such as shopping, collecting firewood, cleaning, fetching water, or caring for children?		Since last (DAY OF THE WEEK), about how many hours did he/she spend doing these chores? (G)	During the past week, did (NAME) do any other family work, such as work on the farm, or in a business or selling goods in the street?	Since last (DAY OF THE WEEK), about how many hours did he/she do this work? (G)		
(22A)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
	YES	HOURS	YES	YES NO	HOURS	YES NO	HOURS	
01	PAID UNPAID NO 1 2 3		PAID UNPAID NO 1 2 3	1 2		1 2		
	GO TO 25	GO TO 26		GO TO 28		GO TO NEXT LINE		
02	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 GO TO 28		1 2 ↓ GO TO NEXT LINE		
03	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 GO TO 28		1 2 GO TO NEXT LINE		
04	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 GO TO 28		1 2 GO TO NEXT LINE		
05	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 GO TO 28		1 2 GO TO NEXT LINE		
06	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 GO TO 28		1 2 GO TO NEXT LINE		
07	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 GO TO 28		1 2 GO TO NEXT LINE		
08	1 2 3 GO TO 25	│ <u> </u>	1 2 3	1 2 GO TO 28		1 2 GO TO NEXT LINE		
09	1 2 3 GO TO 25	▎	1 2 3	1 2 GO TO 28		1 2 GO TO NEXT LINE		
10	1 2 3 GO TO 25	│	1 2 3	1 2 GO TO 28		1 2 GO TO NEXT LINE		
11	1 2 3 GO TO 25			↓ GO TO 28		1 2 GO TO NEXT LINE		
12	1 2 3 GO TO 25			1 2 GO TO 28		1 2 ↓ GO TO NEXT LINE		
13	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 GO TO 28		1 2 ↓ GO TO NEXT LINE		
14	1 2 3 GO TO 25	▎ └─┴───	1 2 3	1 2 ↓ GO TO 28		1 2 GO TO NEXT LINE		
15	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 ↓ GO TO 28		1 2 GO TO NEXT LINE		

TICK HERE IF CONTINUATION QUESTIONNAIRE USED	(A) CODES FOR Q. 3 RELATIONSHIP TO HEAD OF HOUSEHOLD:	(B) CODES FOR Q. 7 AGE 00 = AGE LESS THAN ONE YEAR
4A Just to make sure that I have a complete household listing:	01 = HEAD	95 = AGE 95 YEARS OR MORE
	02 = WIFE OR HUSBAND	
a) Are there any other persons such as small children or ENTER EACH	03 = SON OR DAUGHTER	(C) CODES FOR Q. 8
infants that we have not listed?	04 = SON-IN-LAW OR	MARITAL STATUS
	DAUGHTER-IN-LAW	1 = CURRENTLY MARRIED
b) Are there any other people who may not be members of ENTER EACH	05 = GRANDCHILD	2 = MARRIED, BUT GAUNA NOT
your family such as domestic servants, lodgers or YES IN TABLE NO	06 = PARENT	PERFORMED
friends who usually live here?	07 = PARENT-IN-LAW	3 = WIDOWED
	08 = BROTHER OR SISTER	4 = DIVORCED
c) Are there any guests or temporary visitors staying ENTER EACH	09= BROTHER-IN-LAW OR	5 = SEPARATED
here, or anyone else who stayed here last night, who YES IN TABLE NO	SISTER-IN-LAW	6 = DESERTED
have not been listed?	10 = NIECE/NEPHEW	7 = NEVER MARRIED
	11 = OTHER RELATIVE	8 = DON'T KNOW
	12 = ADOPTED/FOSTER/STEP-	
	CHILD	(D) CODES FOR Q. 12
	13 = DOMESTIC SERVANT	BIRTH REGISTRATION
	14 = OTHER NOT RELATED	C = CERTIFICATE
	98 = DON'T KNOW	R = REGISTRATION
		N = NEITHER

(E) CODES FOR Qs. 17, 19, AND 21 **EDUCATION STANDARD:**

00 = LESS THAN 1 YEAR COMPLETED (FOR Q.17 ONLY. THIS CODE IS NOT ALLOWED FOR Qs. 19 AND 21) 98 = DON'T KNOW

(F) CODES FOR Q. 22

REASON FOR NOT ATTENDING SCHOOL

01 = SCHOOL TOO FAR AWAY 02 = TRANSPORT NOT AVAILABLE 03 = FURTHER EDUCATION NOT CONSIDERED NECESSARY 04 = REQUIRED FOR HOUSEHOLD WOR 12 = NOT INTERESTED

05 = REQUIRED FOR WORK ON FARM/FAMILY BUSINESS 06 = REQUIRED FOR OUTSIDE WORK 14 = GOT MARRIED FOR PAYMENT IN CASH OR KIND 15= DID NOT GET ADMISSION

07 = COSTS TOO MUCH 08 = NO PROPER SCHOOL FACILITIES FOR GIRLS

09=NOT SAFE TO SEND GIRLS 10 = NO FEMALE TEACHER 11 = REQUIRED FOR CARE

IN STUDIES

OF SIBLINGS

13 = REPEATED FAILURES

96 = OTHER 98 = DON'T KNOW

(G) CODES FOR Qs. 24, 27, AND 29 HOURS WORKED:

00 = LESS THAN 1 HOUR 95 = 95 HOURS OR MORE

DK = DON'T KNOW

NO.	QUESTIONS AND FILTERS		CODING CATEGORIES	SKIP
30	Does any usual resident of your household suffer from tuberculosis?		YES	→ 32
31			31A FOR EACH PERSON, ASK:	
	Anyone else?		Has (NAME) received medical treatment	
	RECORD LINE NUMBER(S). IF NO MORE TB CASES, RECORD '95'.		for the tuberculosis? YES NO	
		LINE	' 	
		NO. LINE	1 2	
		NO.	1 2	
		NO.	1 2	
		NO.	1 2	
32	What is the main source of drinking water for members of your household?		PIPED WATER PIPED INTO DWELLING 11 PIPED TO YARD/PLOT 12 PUBLIC TAP/STANDPIPE 13 TUBE WELL OR BOREHOLE 21 DUG WELL PROTECTED WELL 31 UNPROTECTED WELL 32 WATER FROM SPRING PROTECTED SPRING 41 UNPROTECTED SPRING 45 LUNPROTECTED SPRING 47 STANKER TRUCK 61 CART WITH SMALL TANK 71 SURFACE WATER (RIVER/DAM/LAKE/POND/STREAM/CANAL/IRRIGATION CHANNEL) 81 BOTTLED WATER 96	→ 37 → 34 → 34 → 34
33	What is the main source of water used by your household for other purposes such as cooking and handwashing?		(SPECIFY) PIPED WATER PIPED INTO DWELLING 11 PIPED TO YARD/PLOT 12 PUBLIC TAP/STANDPIPE 13 TUBE WELL OR BOREHOLE 21 DUG WELL 31 PROTECTED WELL 32 WATER FROM SPRING 41 UNPROTECTED SPRING 41 UNPROTECTED SPRING 42 RAINWATER 51 TANKER TRUCK 61 CART WITH SMALL TANK 71 SURFACE WATER (RIVER/DAM/ LAKE/POND/STREAM/CANAL/ IRRIGATION CHANNEL) 81 OTHER 96	→ 37
34	Where is the water source located?		(SPECIFY) IN OWN DWELLING	_
J.			IN OWN YARD/PLOT 2 ELSEWHERE 3	<u> </u>

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
35	How long does it take to go there, get water, and come back in one trip?	MINUTES	
		ON THE PREMISES 996 DON'T KNOW 998	→ 37
36	Who usually goes to this source to fetch the water for your household?	ADULT WOMAN 1 ADULT MAN 2 FEMALE CHILD UNDER AGE 15 YEARS 3 MALE CHILD UNDER AGE 15 YEARS 4	
		OTHER 6 (SPECIFY)	
37	Do you treat your water in any way to make it safer to drink?	YES 1 NO 2 DON'T KNOW 8	<u> 39</u>
38	What do you usually do to the water to make it safer to drink? Anything else? RECORD ALL MENTIONED.	BOIL A USE ALUM B ADD BLEACH/CHLORINE TABLETS C STRAIN THROUGH A CLOTH D USE WATER FILTER (CERAMIC/ SAND/COMPOSITE/ETC.) E USE ELECTRONIC PURIFIER F LET IT STAND AND SETTLE G OTHER X	
		DON'T KNOW Z	
39	What kind of toilet facility do members of your household usually use?	FLUSH OR POUR FLUSH TOILET FLUSH TO PIPED SEWER SYSTEM	→ 42
40	Do you share this toilet facility with other households?	YES	→ 42
41	How many households use this toilet facility?	NO. OF HOUSEHOLDS IF LESS THAN 10 10 OR MORE HOUSEHOLDS DON'T KNOW 95	
		1	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
42	When members of your household get sick, where do they generally go for treatment?	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSPITAL/PHC 14 SUB-CENTRE 15 ANGANWADI/ICDS CENTRE 16 GOVT. MOBILE CLINIC 17 OTHER PUBLIC SECTOR HEALTH FACILITY 18 NGO OR TRUST HOSPITAL/CLINIC 21	→ 44
		PRIVATE MEDICAL SECTOR PVT. HOSPITAL 31 PVT. DOCTOR/CLINIC 32 PVT. PARAMEDIC 33 VAIDYA/HAKIM/HOMEOPATH 34 TRADITIONAL HEALER 35 PHARMACY/DRUGSTORE 36 DAI (TBA) 37 OTHER PRIVATE SECTOR HEALTH FACILITY 38	
		OTHER SHOP	
		OTHER 96 (SPECIFY)	
43	Why don't members of your household generally go to a government facility when they are sick? Any other reason?	NO NEARBY FACILITY A FACILITY TIMING NOT CONVENIENT B HEALTH PERSONNEL OFTEN ABSENT C WAITING TIME TOO LONG D POOR QUALITY OF CARE E	
	RECORD ALL MENTIONED.	OTHERX	
44	What is the religion of the head of the household?	HINDU 01 MUSLIM 02 CHRISTIAN 03 SIKH 04 BUDDHIST/NEO-BUDDHIST 05 JAIN 06 JEWISH 07 PARSI/ZOROASTRIAN 08 NO RELIGION 09 OTHER 96 (SPECIFY)	
45	What is the caste or tribe of the head of the household?	CASTE 1 (SPECIFY) 2 (SPECIFY) 2 NO CASTE/TRIBE 3 DON'T KNOW 8	→ 47
46	Is this a scheduled caste, a scheduled tribe, other backward class, or none of them?	SCHEDULED CASTE 1 SCHEDULED TRIBE 2 OBC 3 NONE OF THEM 4	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
47	Does your household have:		
	FI 41110	YES NO	
	Electricity?	ELECTRICITY 1 2	
	A mattress?	MATTRESS	
	A pressure cooker?	PRESSURE COOKER 1 2	
	A chair?	CHAIR 1 2	
	A cot or bed?	COT/BED 1 2	
	A table?	TABLE 1 2	
	An electric fan?	ELECTRIC FAN 1 2	
	A radio or transistor?	RADIO/TRANSISTOR 1 2	
	A black and white television?	B & W TELEVISION 1 2	
	A colour television?	COLOUR TELEVISION 1 2	
	A sewing machine?	SEWING MACHINE 1 2	
	A mobile telephone?	MOBILE TELEPHONE 1 2	
	Any other type of telephone?	ANY OTHER TELEPHONE 1 2	
	A computer?	COMPUTER 1 2	
	A refrigerator?	REFRIGERATOR 1 2	
	A watch or clock?	WATCH/CLOCK 1 2	
	A bicycle?	BICYCLE 1 2	
	A motorcycle or scooter?	MOTORCYCLE/SCOOTER 1 2	
	An animal-drawn cart?	ANIMAL-DRAWN CART 1 2	
	A car?	CAR 1 2	
	A water pump?	WATER PUMP 1 2	
	A thresher?	THRESHER	
	A tractor?	TRACTOR 1 2	
48	What type of fuel does your household mainly use for cooking?	ELECTRICITY 01	h
	3	LPG/NATURAL GAS	→ 51
		BIOGAS	
		KEROSENE	Γ
		COAL/LIGNITE	
		CHARCOAL	
		WOOD07	
		STRAW/SHRUBS/GRASS 08	
		AGRICULTURAL CROP WASTE 09	
		DUNG CAKES	
		OTHER 96	
		(SPECIFY)	
		, ,	
49	In this household, is food cooked on a stove, a chullah	STOVE 1	
	or an open fire?	CHULLAH 2	
		OPEN FIRE 3	
		OTHER	
		OTHER6 (SPECIFY)	
		(SPECIFT)	
50	Is the cooking done under a chimney?	YES 1	
		NO 2	
51	Is the cooking usually done in the house, in a separate building,	IN THE HOUSE 1	
٥.	or outdoors?	IN A SEPARATE BUILDING	h
	5. 5d.d55.0.	OUTDOORS 3	→ 53
		3.233.6	
		OTHER 6	Ц
		(SPECIFY)	
			1
52	Do you have a separate room which is used as a kitchen?	YES 1	
		NO 2	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
53	MAIN MATERIAL OF THE FLOOR.	NATURAL FLOOR	
	DECORD ORCEDVATION	MUD/CLAY/EARTH	
	RECORD OBSERVATION.	SAND	
		RUDIMENTARY FLOOR	
		RAW WOOD PLANKS	
		PALM/BAMBOO 22	
		BRICK	
		STONE 24 FINISHED FLOOR	
		PARQUET OR POLISHED WOOD 31	
		VINYL OR ASPHALT	
		CERAMIC TILES 33	
		CEMENT 34	
		CARPET 35 POLISHED STONE/MARBLE/	
		GRANITE	
		OTHER 96	
		(SPECIFY)	
54	MAIN MATERIAL OF THE ROOF.	NATURAL ROOFING	
	DECORD OPERIVATION	NO ROOF	
I	RECORD OBSERVATION.	THATCH/PALM LEAF/ REED/GRASS12	
		MUD	
		SOD/MUD AND GRASS MIXTURE 14	
		PLASTIC/POLYTHENE SHEETING 15	
		RUDIMENTARY ROOFING	
		RUSTIC MAT	
		RAW WOOD PLANKS/TIMBER 23	
		UNBURNT BRICK	
		LOOSELY PACKED STONE 25	
		FINISHED ROOFING	
		METAL/GI 31	
		WOOD 32 CALAMINE/CEMENT FIBER 33	
		ASBESTOS SHEETS	
		RCC/RBC/CEMENT/CONCRETE 35	
		ROOFING SHINGLES	
		TILES 37	
		SLATE	
		OTHER 96 (SPECIFY)	
55	MAIN MATERIAL OF THE EXTERIOR WALLS.	NATURAL WALLS	
		NO WALLS	
	RECORD OBSERVATION.	CANE/PALM/TRUNKS/BAMBOO 12	
I		MUD	
I		RUDIMENTARY WALLS	
		BAMBOO WITH MUD	
		STONE WITH MUD 22	
		PLYWOOD	
		CARDBOARD 24 UNBURNT BRICK 25	
		RAW WOOD/REUSED WOOD 26	
		FINISHED WALLS	
		CEMENT/CONCRETE 31	
		STONE WITH LIME/CEMENT 32	
		BURNT BRICKS	
		CEMENT BLOCKS	
		GI/METAL/ASBESTOS SHEETS 36	
		OTHER	
		OTHER 96 (SPECIFY)	
		(SPECIFT)	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
56	TYPE OF WINDOWS. RECORD OBSERVATION.	ANY WINDOWS 1 2 WINDOWS WITH GLASS 1 2 WINDOWS WITH SCREENS 1 2 WINDOWS WITH CURTAINS OR SHUTTERS 1 2	
57	How many rooms in this household are used for sleeping?	ROOMS	
58	Does this household own this house or any other house?	YES	
59	Does this household own any agricultural land?	YES	
60	How much agricultural land does this household own?	ACRES	
	(IF NOT IN ACRES, SPECIFY SIZE AND UNIT)		
61	Out of this land, how much is irrigated?	ACRES	
	(IF NOT IN ACRES, SPECIFY SIZE AND UNIT)	NONE 9995	
62	Does your household own any of the following animals:	YES NO	
	Cows, bulls, or buffaloes?	COWS/BULLS/BUFFALOES 1 2	
	Camels?	CAMELS 1 2	
	Horses, donkeys, or mules?	HORSES/DONKEYS/MULES 1 2	
	Goats?	GOATS 1 2	
	Sheep?	SHEEP 1 2	
	Chickens or ducks?	CHICKENS/DUCKS 1 2	
63	Does any usual member of this household have a bank account or a post office account?	YES	
64	Is any usual member of this household covered by a health scheme or health insurance?	YES	<u></u> 66
65	What type of health scheme or health insurance? Any other type? RECORD ALL MENTIONED.	EMPLOYEES STATE INSURANCE SCHEME (ESIS) A CENTRAL GOVERNMENT HEALTH SCHEME (CGHS) B COMMUNITY HEALTH INSURANCE PROGRAMME C OTHER HEALTH INSURANCE THROUGH EMPLOYER D MEDICAL REIMBURSEMENT FROM EMPLOYER E OTHER PRIVATELY PURCHASED COMMERCIAL HEALTH INSURANCE F	
		(SPECIFY)	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
66	Does this household have a BPL card?	YES 1 NO 2 DON'T KNOW 8	
67	Does this household have any mosquito nets that can be used for sleeping?	YES	
68	ASK RESPONDENT FOR A TEASPOONFUL OF COOKING SALT. TEST SALT FOR IODINE. RECORD PPM (PARTS PER MILLION)	0 PPM (NO IODINE) 1 LESS THAN 15 PPM 2 MORE THAN 15 PPM 3 NO SALT IN HOUSEHOLD 4 SALT NOT TESTED (SPECIFY REASON)	

QUESTIONS ON SECURITY OF TENURE ASKED ONLY IN MUMBAI AND KOLKATA

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
58*	Does this household own this house or any other house?	THIS HOUSE ONLY 1 OTHER HOUSE(S) ONLY 2 BOTH THIS AND OTHER HOUSE(S) 3 NEITHER 4	→ 58B → 58B
58A	Do you or someone else in this household have a document for the ownership of this dwelling?	YES	→ 58D
58B	Do you or someone else in this household pay rent for this dwelling, live here as part of your employment terms, or have some other arrangement?	RENT 1 PART OF EMPLOYMENT AGREEMENT 2 OTHER ARRANGEMENT 3], _{58D}
58C	Do you have a written rental contract for this dwelling?	YES	
58D	Do you feel secure from eviction from this dwelling?	YES	
58E	DWELLING LOCATED IN OR NEAR: RECORD OBSERVATION	YES NO	

^{*} In Mumbai and Kolkata, this version of Q. 58 was used.

TABLE FOR SELECTION OF WOMEN FOR THE HOUSEHOLD RELATIONS QUESTIONS

INSTRUCTIONS

LOOK AT THE LAST DIGIT OF THE QUESTIONNAIRE NUMBER ON THE COVER PAGE. THIS IS THE ROW NUMBER YOU SHOULD CIRCLE. CHECK THE TOTAL NUMBER OF ELIGIBLE WOMEN ON THE COVER SHEET OF THE HOUSEHOLD QUESTIONNAIRE. THIS IS THE COLUMN NUMBER YOU SHOULD CIRCLE. FIND THE BOX WHERE THE CIRCLED ROW AND THE CIRCLED COLUMN MEET AND CIRCLE THE NUMBER THAT APPEARS IN THE BOX. THIS IS THE NUMBER OF THE ELIGIBLE WOMAN WHO WILL BE ASKED THE HOUSEHOLD RELATIONS QUESTIONS. THEN, GO TO COLUMN (9) IN THE HOUSEHOLD SCHEDULE AND PUT A * NEXT TO THE HOUSEHOLD LINE NUMBER OF THE SELECTED ELIGIBLE WOMAN AND RECORD THIS HOUSEHOLD LINE NUMBER IN THE TWO BOXES AT THE BOTTOM OF THIS TABLE.

FOR EXAMPLE, IF THE HOUSEHOLD QUESTIONNAIRE NUMBER IS '3716', GO TO ROW 6 AND CIRCLE THE ROW NUMBER ('6'). IF THERE ARE THREE ELIGIBLE WOMEN IN THE HOUSEHOLD, GO TO COLUMN 3 AND CIRCLE THE COLUMN NUMBER ('3'). DRAW LINES FROM ROW 6 AND COLUMN 3 AND FIND THE BOX WHERE THE TWO MEET, AND CIRCLE THE NUMBER IN IT ('2'). THIS MEANS YOU HAVE TO SELECT THE SECOND ELIGIBLE WOMAN. SUPPOSE THE HOUSEHOLD LINE NUMBERS OF THE THREE ELIGIBLE WOMEN ARE '02', '03', AND '07'; THEN THE ELIGIBLE WOMAN FOR THE HOUSEHOLD RELATIONS QUESTIONS IS THE SECOND ELIGIBLE WOMAN, I.E., THE WOMAN WITH HOUSEHOLD LINE NUMBER '03'. PUT A * NEXT TO THIS WOMAN'S LINE NUMBER IN COLUMN (9) OF THE HOUSEHOLD SCHEDULE AND ALSO ENTER THE TWO DIGIT LINE NUMBER IN THE TWO BOXES AT THE BOTTOM OF THIS TABLE.

LAST DIGIT OF THE		TOTAL NUMBER OF ELIGIBLE WOMEN IN THE HOUSEHOLD						
QUESTIONNAIRE NUMBER	1	2	3	4	5	6	7	8
0	1	2	2	4	3	6	5	4
1	1	1	3	1	4	1	6	5
2	1	2	1	2	5	2	7	6
3	1	1	2	3	1	3	1	7
4	1	2	3	4	2	4	2	8
5	1	1	1	1	3	5	3	1
6	1	2	2	2	4	6	4	2
7	1	1	3	3	5	1	5	3
8	1	2	1	4	1	2	6	4
9	1	1	2	1	2	3	7	5

HOUSEHOLD LINE NUMBER OF WOMAN SELECTED	
FOR HOUSEHOLD RELATIONS SECTION	

WEIGHT, HEIGHT AND BIOMARKER MEASUREMENT

CHECK COLUMNS (9), (10), AND (11): RECORD THE LINE NUMBER, NAME, AND AGE OF ALL WOMEN AGE 15-49 AND CHILDREN UNDER AGE 6. IF THE HOUSEHOLD IS SELECTED FOR MEN'S INTERVIEWS, ALSO RECORD THE LINE NUMBER, NAME, AND AGE OF ALL MEN AGE 15-54.

	S INTERVIEWS, ALSO RECORD THE LIN WOMEN			OT THE INCITATION TO		AND HEIGHT MEASU	REMENT OF WOME	N 15-49
LINE NO. FROM COL. (9)	NAME FROM COL. (2)	AGE FROM COL. (7)	NEVER MARRIED CHECK COL.(8):	CURRENTLY PREGNANT CHECK Q.227 IN WOMAN'S QUESTIONNAIRE	WEIGHT (KILOGRAMS)	HEIGHT (CENTIMETERS)	MEASURED LYING DOWN OR STANDING UP	RESULT 1 MEASURED 2 NOT PRESENT 3 REFUSED 6 OTHER
(69)	(70)	(71)	(72A)	(72B)	(73)	(74)	(75)	(76)
		YEARS	YES NO	YES NO/DK				
			1 2	1 2				
			1 2	1 2				
	MEN 1	15-54			WEIGH	T AND HEIGHT MEAS	UREMENT OF MEN	
NO. FROM COL. (10)	NAME FROM COL. (2)	AGE FROM COL. (7)	NEVER MARRIED CHECK COL. (8): IS COL.(8) =7?		WEIGHT (KILOGRAMS)	HEIGHT (CENTIMETERS)		RESULT 1 MEASURED 2 NOT PRESENT 3 REFUSED 6 OTHER
(69)	(70)	(71)	(72A)		(73)	(74)		(76)
		YEARS	YES NO					
			1 2					
			1 2					
			1 2					
	CHILDREN UI	NDER AGE 6	i		WEIGH	T AND HEIGHT MEASI BORN IN 2001 (DREN
LINE NO. FROM COL. (11)	NAME FROM COL. (2)	AGE FROM COL. (7)		NAME'S) date irth?*	WEIGHT (KILOGRAMS)	HEIGHT (CENTIMETERS)	MEASURED LYING DOWN OR STANDING UP	RESULT 1 MEASURED 2 NOT PRESENT 3 REFUSED 6 OTHER
(69)	(70)	(71)		(72C)	(73)	(74)	(75)	(76)
			DAY MONTH	H YEAR			LYING STAND.	
					0 .		1 2	
					0 .		1 2	
					0		1 2	П
TIO:	OF IF CONTINUATION OF FOR						1 2	
TICK HEF	RE IF CONTINUATION QUESTIONNA	NIKE USED						

^{*}COPY MONTH AND YEAR FROM 215 IN THE MOTHER'S BIRTH HISTORY AND ASK DAY. FOR CHILDREN NOT INCLUDED IN ANY BIRTH HISTORY, ASK DAY, MONTH, AND YEAR.

HAEMOGLOBIN AND HIV FOR WOMEN 15-49								
CHECK COLUMN (71) AND (72A): IS RESPONDENT AGE 15-17 AND NEVER MARRIED?	LINE NO. OF PARENT/ RESPONSIBLE ADULT. RECORD '00' IF NOT LISTED IN HOUSEHOLD SCHEDULE.	READ CONSENT STATEMENT FOR ANAEMIA TESTING TO WOMAN/PARENT/RESPONSIBLE ADULT. CIRCLE CODE (AND SIGN)	READ CONSENT STATEMENT FOR HIV TESTING TO WOMAN/PARENT/ RESPONSIBLE ADULT. CIRCLE CODE (AND SIGN)	HAEMOGLOBIN LEVEL (G/DL)				
(77)	(78)	(79)	(80)	(81)				
YES NO	(10)	GRANTED REFUSED	GRANTED REFUSED	(01)				
125		KEIGGES	NEI GOED					
1 2 GO TO 79 ♣ J		1 SIGN	1 SIGN					
1 GO TO 79 ♣J		1 2 SIGN	1 SIGN					
1 2 GO TO 79 ♣ J		1 2 SIGN	1 2 SIGN					
		HAEMOGLOBIN AND HIV FOR M	EN 15-54					
CHECK COLUMN (71) AND	LINE NO. OF PARENT/	READ CONSENT STATEMENT FOR ANAEMIA	READ CONSENT STATEMENT FOR HIV	HAEMOGLOBIN				
(72A): IS RESPONDENT AGE 15-17 AND NEVER MARRIED?	RESPONSIBLE ADULT. RECORD '00' IF NOT LISTED IN HOUSEHOLD SCHEDULE.	TESTING TO MAN/PARENT/RESPONSIBLE ADULT. CIRCLE CODE (AND SIGN)	TESTING TO MAN/PARENT/RESPONSIBLE ADULT. CIRCLE CODE (AND SIGN)	LEVEL (G/DL)				
(77)	(78)	(79)	(80)	(81)				
YES NO		GRANTED REFUSED	GRANTED REFUSED					
1 2 GO TO 79 ← J		1 2 SIGN	1 2 SIGN					
1 2 GO TO 79 ♣ J		1 2 SIGN	1 2 SIGN					
1 2 GO TO 79 ♣J		1 2 SIGN	1 2 SIGN					
		HAEMOGLOBIN MEASUREMENT OF CHILDREN BO	ORN IN 2001 OR LATER					
CHECK COLUMN (72C): CHILD BORN IN MONTH OF INTERVIEW OR PREVIOUS 5 MONTHS?	LINE NO. OF PARENT/ RESPONSIBLE ADULT. RECORD '00' IF NOT LISTED IN HOUSEHOLD SCHEDULE.	READ CONSENT STATEMENT TO PARENT/RESPONSIBLE ADULT. CIRCLE CODE (AND SIGN)		HAEMOGLOBIN LEVEL (G/DL)				
(77)	(78)	(79)		(81)				
YES NO		GRANTED REFUSED						
1 2 NEXT CHILD		1 2 SIGN NEXT LINE 4						
1 NEXT CHILD 2		1 2 SIGN NEXT LINE 2						
1 2 NEXT CHILD		1 2 SIGN NEXT LINE 4						
1 2 L NEXT CHILD		1 2 SIGN NEXT LINE 4						

HAEMOGLOBIN RESULT 1 MEASURED 2 NOT PRESENT 3 REFUSED 6 OTHER	HIV RESULT 1 COLLECTED 2 NOT PRESENT 3 REFUSED 6 OTHER	PLACE BAR CODE BELOW
(82)	(83)	(84)
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENT'S FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENT'S FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENT'S FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
HAEMOGLOBIN RESULT 1 MEASURED 2 NOT PRESENT 3 REFUSED 6 OTHER	HIV RESULT 1 COLLECTED 2 NOT PRESENT 3 REFUSED 6 OTHER	PLACE BAR CODE BELOW
(82)	(83)	(84)
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENT'S FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENT'S FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENT'S FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
HAEMOGLOBIN RESULT 1 MEASURED 2 NOT PRESENT 3 REFUSED 6 OTHER (82)		

INFORMED CONSENT FOR ANAEMIA TESTING

As part of this survey, we are studying anaemia among women, men, and children under age 6 years. Anaemia is a serious health problem that usually results from poor nutrition, infection, or chronic disease. This information will assist the government to develop programmes to prevent and treat anaemia.

We request that (you/you and (NAME OF RESPONDENT'S CHILD(REN)/CHILD(REN) IN RESPONDENT'S CARE) born in 2001 or later participate in the anaemia testing part of this survey by giving a few drops of blood from a finger. The test uses disposable sterile instruments that are clean and completely safe. The blood will be tested with new equipment and the results of the test will be given to you immediately. The results will be kept confidential.

Do you have any questions?

ANSWER ANY QUESTIONS AND ADDRESS RESPONDENT'S/GUARDIAN'S CONCERNS.

May I now ask that (you/you and NAME OF RESPONDENT'S CHILD(REN)/CHILD(REN) IN RESPONDENT'S CARE) participate in the anaemia testing. However, if you decide not to have the test(s) done, it is your right and we will respect your decision. Now please tell me if you agree to have the test(s) done.

GO TO COLUMN 79. CIRCLE THE APPROPRIATE CODE. AND SIGN.

IF RESPONDENT IS AGE 15-17 AND NEVER MARRIED, ASK PARENT/GUARDIAN: Now, will you tell me if you accept that (NAME OF YOUTH(S)) participate in the anaemia testing? GO TO COLUMN 78 AND WRITE THE LINE NUMBER OF THE PARENT/GUARDIAN. ASK FOR THEIR CONSENT. IF THE PARENT/GUARDIAN DOES NOT AGREE, CIRCLE CODE '2' IN COLUMN 79 AND SIGN. IF THE PARENT/GUARDIAN AGREES, READ THE PRECEDING PARAGRAPHS TO THE YOUTH FOR HIS/HER CONSENT, RECORD THE APPROPRIATE CODE IN COLUMN 79, AND SIGN. CIRCLE CODE '1' FOR 'GRANTED' ONLY IF BOTH THE PARENT/GUARDIAN AND THE YOUTH AGREE TO THE TESTING.

INFORMED CONSENT FOR HIV TEST FOR MEN AND WOMEN

In addition to studying anaemia, we are also studying HIV. HIV is the virus that causes AIDS.

In order to determine how prevalent HIV is in India, we are asking women and men throughout India to give a few drops of blood. The drops of blood will be collected from your finger (at the same time as we do your anaemia test) and sent to a laboratory for testing. To ensure complete confidentiality of the collected blood, no individual names will be attached to the blood sample. This means that no one, including me, will be able to trace the blood sample or the test result back to you. Since we are only collecting blood on a filter paper with no other identifying information, we cannot give you the result of the HIV test.

However, whether or not you choose to participate in this effort to estimate the prevalence of HIV in India, you will be given a voucher for a free HIV test at a health clinic where you can get your blood tested for HIV if you want and receive your results.

Do you have any questions?

ANSWER ANY QUESTIONS AND ADDRESS RESPONDENT'S CONCERNS.

I hope you will agree to give a few drops of blood from your finger for this very important country-wide effort, as it will help the government to develop programmes to prevent the spread of HIV and AIDS. However, if you decide not to participate, it is your right and we will respect your decision.

Do you agree to give a few drops of blood for anonymous HIV testing?

GO TO COLUMN 80 AND CIRCLE THE APPROPRIATE CODE AND SIGN.

IF RESPONDENT IS AGE 15-17 AND NEVER MARRIED, ASK THE PARENT/GUARDIAN: Now, will you tell me if you accept that (NAME OF YOUTH(S)) participate in the HIV testing? IF THE PARENT/GUARDIAN DOES NOT AGREE, CIRCLE CODE '2' IN COLUMN 80 AND SIGN. IF THE PARENT/GUARDIAN AGREES, READ THE PRECEDING PARAGRAPHS TO THE YOUTH FOR HIS/HER CONSENT, RECORD THE APPROPRIATE CODE IN COLUMN 80, AND SIGN. CIRCLE CODE '1' FOR 'GRANTED' ONLY IF BOTH THE PARENT/GUARDIAN AND THE YOUTH AGREE TO THE TESTING.

85	CHECK 81:						
	NUMBER OF PERSONS WITH HAE	MOGLOBIN LEVEL BELOW	THE CUTOFF P	OINT OF 7 G/DL.			
	ONE OR MORE			NONE			
	•	ļ		↓			
	GIVE EACH WOMAN/MAN/PARENT ANAEMIA PAMPHLET WITH RESUL MEASUREMENT AND CONTINUE V	T OF HAEMOGLOBIN	ANAEMIA PAM	DMAN/MAN/PARENT/RESPONSIBLE ADULT PHLET WITH RESULT OF HAEMOGLOBIN IT AND END INTERVIEW.			
86	We detected a low level of haemoglobin in (your blood/the blood of NAME OF CHILD(REN)). This indicates that (you/NAME OF CHILD(REN)) have severe anaemia, which is a serious health problem. We would like to inform the doctor at about (your condition/the condition of NAME OF CHILD(REN)). This will assist you in obtaining appropriate treatment for the condition. Do you agree that the information about the level of haemoglobin in (your blood/the blood of NAME OF CHILD(REN)) may be given to the doctor?						
NAME	OF PERSON WITH HAEMOGLOBIN BELOW 7 G/DL	NAME OF PARENT/RE ADULT	SPONSIBLE	AGREES TO REFERRAL?			
		WOMEN AGE 18-49 AND N	MEN AGE 18-54				
				YES			
				YES			
				YES			
				YES			
	W	OMEN AND MEN AGE 15-1	7 AND CHILDRE	N			
				YES			
				YES			
				YES			
				YES			
				YES			
				YES			
				YES			
				YES			
<u> </u>				YES			

^{*} If more than one woman, man, or child is below the cutoff point, read the statement in Q. 86 to each adult who is below the cutoff point and to each parent/responsible adult of a child who is below the cutoff point. For persons age 15-17, circle code `1' only if both the person and the parent/guardian agree that the information may be provided to the doctor.

CONFIDENTIAL For research purposes only

		IDENTIFICATION		
STATE DISTRICT				
TEHSIL/TALUK			_	
CITY/TOWN/VILLAGE				
		WN/SMALL TOWN/RURAL ARGE TOWN=4, SMALL T		
PSU NUMBER				
HOUSEHOLD NUMBER				
NAME AND LINE NUMBE	ER OF WOMAN			
ADDRESS OF HOUSEHO	OLD			
		USEHOLD RELATIONS (SE	,	
		INTERVIEWER VISITS		
	1	2	3	FINAL VISIT
DATE				DAY MONTH
INTERVIEWER'S NAME				YEAR INT. NO.
RESULT*				RESULT CODE
NEXT VISIT: DATE				TOTAL NUMBER OF VISITS
RESULT CODES: 1 COMPLE 2 NOT AT H 3 POSTPON	OME 5 PARTL	Y COMPLETED	7 OTHER	(SPECIFY)
02 BENGALI 07 03 ENGLISH 08 04 GUJARATI 09	5 KANNADA 11 N 7 KASHMIRI 12 N 8 KONKANI 13 C 9 MALAYALAM 14 F	MARATHI 16 TAMIL NEPALI 17 TELUG DRIYA 18 URDU PUNJABI 19 OTHEF SINDHI	GU	
SUPERVI	SOR	FIELD EDITO	OR	OFFICE KEYED BY EDITOR
NAME	N	AME		
DATE		ATE		

SECTION 1. RESPONDENT'S BACKGROUND

INTRODUCTION AND INFORMED CONSENT

conduction survey. sexual if to bette will be if Participy you will this to ANSWE	Namaste. My name is and I am working with (NAME OF ORGANIZATION). We are conducting a national survey about the health of women, men, and children. We would very much appreciate your participation in this survey. Several different health-related topics will be discussed including use of health services, the quality of health care, marital and sexual relationships, and infectious diseases. This information will help the government to assess health and information needs and to better plan health services. The survey usually takes between 30 and 60 minutes to complete. Whatever information you provide will be kept strictly confidential and will not be shown to other persons. Participation in this survey is voluntary and if you choose to participate, you may withdraw at any time. However, we hope that you will take part in this survey since your participation is important. At this time, do you want to ask me anything about the survey? ANSWER ANY QUESTIONS AND ADDRESS RESPONDENT'S CONCERNS. In case you need more information about the survey, you may contact the person listed on the card that has already been given to you							
househ Mav I b	egin the interview now?							
Signat	ure of interviewer:	Date:	_					
RESP	ONDENT AGREES TO BE INTERVIEWED 1 RESPONDENT	DOES NOT AGREE TO BE INTERVIEWED 2	→ END					
NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP					
101	RECORD THE TIME.	HOUR						
102	How long have you been living continuously in (NAME OF CURRENT PLACE OF RESIDENCE)?	YEARS						
	IF LESS THAN ONE YEAR, RECORD '00' YEARS.	ALWAYS] 104					
103	Just before you moved here, did you live in a city, in a town, or in the countryside?	CITY 1 TOWN 2 COUNTRYSIDE 3						
104	In what month and year were you born?	MONTH DON'T KNOW MONTH 98 YEAR DON'T KNOW YEAR 9998						
105	How old were you at your last birthday? COMPARE AND CORRECT 104 AND/OR 105 IF INCONSISTENT.	AGE IN COMPLETED YEARS						
106	Have you ever attended school?	YES	→ 109					
107	What is the highest standard you completed?	STANDARD						

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
108	CHECK 107: STANDARD 0-5 STANDARD 6 AND ABOVE		112
109	Now I would like you to read this sentence to me. SHOW A SENTENCE FROM THE LITERACY CARD TO THE RESPONDENT. IF RESPONDENT CANNOT READ WHOLE SENTENCE, PROBE:	CANNOT READ AT ALL	
	Can you read any part of the sentence to me?	BLIND/VISUALLY IMPAIRED 5	
110	Have you ever participated in a literacy programme or any other programme that involves learning to read or write (not including primary school)?	YES	
111	CHECK 109: CODE '2', '3' OR '4' CIRCLED CODE '1' OR '5' CIRCLED		113
112	Do you read a newspaper or magazine almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY 1 AT LEAST ONCE A WEEK 2 LESS THAN ONCE A WEEK 3 NOT AT ALL 4	
113	Do you listen to the radio almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY 1 AT LEAST ONCE A WEEK 2 LESS THAN ONCE A WEEK 3 NOT AT ALL 4	
114	Do you watch television almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY 1 AT LEAST ONCE A WEEK 2 LESS THAN ONCE A WEEK 3 NOT AT ALL 4	
115	Do you usually go to a cinema hall or theatre to see a movie at least once a month?	YES 1 NO 2	
116	What is your religion?	HINDU 01 MUSLIM 02 CHRISTIAN 03 SIKH 04 BUDDHIST/NEO-BUDDHIST 05 JAIN 06 JEWISH 07 PARSI/ZOROASTRIAN 08 NO RELIGION 09 OTHER	
117	What is your caste or tribe?	CASTE 1	→ 201
118	Do you belong to a scheduled caste, a scheduled tribe, other backward class, or none of these?	SCHEDULED CASTE 1 SCHEDULED TRIBE 2 OBC 3 NONE OF THEM 4	

SECTION 2. REPRODUCTION

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
201	Now I would like to ask about all the births you have had during your life. Have you ever given birth?	YES	→ 206
202	Do you have any sons or daughters to whom you have given birth who are now living with you?	YES	→ 204
203	How many sons live with you? And how many daughters live with you? IF NONE, RECORD '00'. Do you have any sons or daughters to whom you have given	SONS AT HOME DAUGHTERS AT HOME YES	
-	birth who are alive but do not live with you?	NO 2	→ 206
205	How many sons are alive but do not live with you? And how many daughters are alive but do not live with you? IF NONE, RECORD '00'.	SONS ELSEWHERE	
206	Have you ever given birth to a boy or girl who was born alive but later died? IF NO, PROBE: Any baby who cried or showed signs of life but did not survive?	YES	→ 208
207	How many boys have died? And how many girls have died? IF NONE, RECORD '00'.	BOYS DEAD	
208	SUM ANSWERS TO 203, 205, AND 207, AND ENTER TOTAL. IF NONE, RECORD '00'.	TOTAL	
209	CHECK 208: Just to make sure that I have this right: you have had in TOTAL births during your life. Is that correct? PROBE AND CORRECT 201-208 AS NECESSARY.		
210	CHECK 208: ONE OR MORE BIRTHS NO BIRTHS		→ 227

			THE BIRTHS IN 212 AN 12 BIRTHS, USE					LINES.	
212 What name was given to your (first/next) baby?	213 Were any of these births twins?	214 Is (NAME) a boy or a girl?	215 In what month and year was (NAME) born? PROBE: What is his/her birthday?	216 Is (NAME) still alive?	217 IF ALIVE: How old was (NAME) at his/her last birthday? RECORD AGE IN COM- PLETED YEARS.	218 IF ALIVE: Is (NAME) living with you?	219 IF ALIVE: RECORD HOUSE- HOLD LINE NUMBER OF CHILD (RECORD '00' IF CHILD NOT LISTED IN HOUSE- HOLD).	220 IF DEAD: How old was (NAME) when he/she died? IF '1 YR', PROBE: How many months old was (NAME)? RECORD DAYS IF LESS THAN 1 MONTH; MONTHS IF LESS THAN TWO YEARS; OR YEARS.	Were there any other live births between (NAME OF PREVIOUS BIRTH) and (NAME), including any children who died after birth?
(NAME) 01			MONTH		AGE IN		LINE NUMBER	DAYS 1	
	SING 1 MULT 2	BOY 1 GIRL 2	YEAR	YES 1	YEARS	YES 1 NO 2	(NEXT BIRTH)	MONTHS 2	
				▼ 220			(NEXI BIRTH)	TEARS 3	
02	SING 1	BOY 1	MONTH YEAR	YES 1	AGE IN YEARS	YES 1	LINE NUMBER	DAYS 1 MONTHS 2	YES 1
	MULT 2	GIRL 2		NO 2 ↓ 220		NO 2	(GO TO 221)	YEARS 3	NO 2
03	SING 1	BOY 1	MONTH	YES 1	AGE IN YEARS	YES 1	LINE NUMBER	DAYS 1	YES 1
	MULT 2	GIRL 2	YEAR	NO 2		NO 2	(GO TO 221)	YEARS 3	NO 2
04	SING 1	BOY 1	MONTH	YES 1	AGE IN YEARS	YES 1	LINE NUMBER	DAYS 1	YES 1
	MULT 2	GIRL 2	YEAR	NO 2		NO 2	(GO TO 221)	MONTHS 2 YEARS 3	NO 2
05	SING 1	BOY 1	MONTH	220 YES 1	AGE IN YEARS	YES 1	LINE NUMBER	DAYS 1	YES 1
	MULT 2	GIRL 2	YEAR	NO 2		NO 2	(GO TO 221)	MONTHS 2 YEARS 3	NO 2
06			MONTH	220	AGE IN		LINE NUMBER	DAYS 1	
00	SING 1	BOY 1	YEAR	YES 1	YEARS	YES 1	LINE NOWIDER	MONTHS 2	YES 1
	MULT 2	GIRL 2		NO 2 ↓ 220		NO 2	(GO TO 221)	YEARS 3	NO 2
07	SING 1	BOY 1	MONTH	YES 1	AGE IN YEARS	YES 1	LINE NUMBER		YES 1
	MULT 2	GIRL 2	YEAR	NO 2		NO 2	(GO TO 221)	MONTHS 2 YEARS 3	NO 2

212 What name was given to your next baby?	213 Were any of these births twins?	214 Is (NAME) a boy or a girl?	215 In what month and year was (NAME) born? PROBE: What is his/her birthday?	216 Is (NAME) still alive?	217 IF ALIVE: How old was (NAME) at his/her last birthday? RECORD AGE IN COM-PLETED YEARS.	218 IF ALIVE: Is (NAME) living with you?	IF ALIVE: RECORD HOUSE- HOLD LINE NUMBER OF CHILD (RECORD '00' IF CHILD NOT LISTED IN HOUSE- HOLD).	220 IF DEAD: How old was (NAME) when he/she died? IF '1 YR', PROBE: How many months old was (NAME)? RECORD DAYS IF LESS THAN 1 MONTH; MONTHS IF LESS THAN TWO YEARS; OR YEARS.	Were there any other live births between (NAME OF PREVIOUS BIRTH) and (NAME), including any children who died after birth?
08	SING 1	BOY 1 GIRL 2	MONTH YEAR	YES 1 NO 2 220	AGE IN YEARS	YES 1 NO 2	LINE NUMBER (GO TO 221)	DAYS 1 MONTHS 2 YEARS 3	YES 1 NO 2
09	SING 1	BOY 1	MONTH YEAR	YES 1 NO 2 220	AGE IN YEARS	YES 1 NO 2	LINE NUMBER (GO TO 221)	DAYS 1 MONTHS 2 YEARS 3	YES 1 NO 2
10	SING 1	BOY 1 GIRL 2	MONTH YEAR	YES 1 NO 2 220	AGE IN YEARS	YES 1 NO 2	LINE NUMBER (GO TO 221)	DAYS 1 MONTHS 2 YEARS 3	YES 1 NO 2
11	SING 1	BOY 1	MONTH YEAR	YES 1 NO 2 220	AGE IN YEARS	YES 1 NO 2	LINE NUMBER (GO TO 221)	DAYS 1 MONTHS 2 YEARS 3	YES 1 NO 2
12	SING 1	BOY 1 GIRL 2	MONTH YEAR	YES 1 NO 2 220	AGE IN YEARS	YES 1 NO 2	LINE NUMBER (GO TO 221)	DAYS 1 MONTHS 2 YEARS 3	YES 1 NO 2
222	•	•	births since the birth	•					
223	Before the	birth of (NA	ES, RECORD BIRT AME OF FIRST BIR IF YES, RECORD	TH), did yo	u have	YES			1
224	any other live births? IF YES, RECORD BIRTH(S) IN TABLE. NO								
225	CHECK 215 IF NONE, R		ER THE NUMBER	OF BIRTH	S IN 2000 OF	LATER.			

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP				
226	FOR EACH BIRTH SINCE JANUARY 2001, ENTER 'B' IN THE MONTH OF BIRTH IN COLUMN 1 OF THE CALENDAR. WRITE THE NAME OF THE CHILD TO THE LEFT OF THE 'B' CODE. FOR EACH BIRTH, ASK THE NUMBER OF MONTHS THE PREGNANCY LASTED AND RECORD 'P' IN EACH OF THE PRECEDING MONTHS ACCORDING TO THE DURATION OF PREGNANCY. (NOTE: THE NUMBER OF P'S MUST BE ONE LESS THAN THE NUMBER OF MONTHS THAT THE PREGNANCY LASTED.) FOR EACH BIRTH ASK: At any time when you were pregnant with (NAME), did you have an ultrasound test? RECORD 'Y' IF YES AND 'N' IF NO IN COLUMN 2 IN THE MONTH OF BIRTH.						
227	Are you pregnant now?	YES	1 →231				
228	How many months pregnant are you? RECORD NUMBER OF MONTHS PREGNANT. ENTER 'P's IN <u>COLUMN 1</u> OF CALENDAR, BEGINNING WITH THE MONTH OF INTERVIEW AND FOR THE REMAINING NUMBER OF MONTHS PREGNANT.	MONTHS					
229	At any time during this pregnancy, have you had an ultrasound test? RECORD 'Y' IF YES AND 'N' IF NO IN COLUMN 2 OF THE CALENDAR IN THE CURRENT MONTH.						
230	At the time you became pregnant did you want to become pregnant then, did you want to wait until later, or did you not want to have any (more) children at all?	THEN 1 LATER 2 NOT AT ALL 3					
231	Have you ever had a pregnancy that miscarried, was aborted, or ended in a stillbirth?	YES	→ 240				
232	When did the last such pregnancy end?	MONTHYEAR					
233	CHECK 232: LAST PREGNANCY ENDED IN JANUARY 2001 OR LATER LAST PREGNANCY ENDED BEFORE JANUARY 2001						
234	How many months pregnant were you when the last such pregnancy ended? RECORD NUMBER OF MONTHS THE PREGNANCY LASTED. ENTER 'T' IN COLUMN 1 OF CALENDAR IN THE MONTH THAT THE PREGNANCY TERMINATED AND 'P' FOR THE REMAINING NUMBER OF MONTHS.	MONTHS					
235	At any time during this pregnancy, did you have an ultrasound test? RECORD 'Y' IF YES AND 'N' IF NO IN COLUMN 2 OF THE CALEND PREGNANCY WAS TERMINATED.	PAR IN THE MONTH IN WHICH THE					

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
236	Since January 2001, have you had any other pregnancies that did not result in a live birth?	YES	→ 238
237	ASK THE DATE AND THE DURATION OF PREGNANCY FOR EAC BACK TO JANUARY 2001.	H EARLIER NON-LIVE BIRTH PREGNANCY	
	ENTER 'T' IN <u>COLUMN 1</u> OF CALENDAR IN THE MONTH THAT EA FOR THE REMAINING NUMBER OF MONTHS.	ACH PREGNANCY TERMINATED AND 'P'	
	FOR EACH TERMINATED PREGNANCY ASK: At any time this p	regnancy, did you have an ultrasound test?	
	RECORD 'Y' IF YES AND 'N' IF NO IN <u>COLUMN 2</u> OF THE CALEND PREGNANCY WAS TERMINATED.	OAR IN THE MONTH IN WHICH THE	
238	Did you have any pregnancies that terminated before January 2001 that did not result in a live birth?	YES	→ 240
239	When did the last such pregnancy that terminated before January 2001 end?	MONTH	
240			
	When did your last menstrual period start?	DAYS AGO	
		MONTHS AGO 3	
	(DATE, IF GIVEN)	YEARS AGO 4	
		IN MENOPAUSE/ HAS HAD HYSTERECTOMY 994	
		BEFORE LAST BIRTH 995	
		NEVER MENSTRUATED 996	
241	From one menstrual period to the next, are there certain days when a woman is more likely to become pregnant if she has sexual relations?	YES	301
242	Is this time just before her period begins, during her period, right after her period has ended, or halfway between two periods?	JUST BEFORE HER PERIOD BEGINS 1 DURING HER PERIOD 2 RIGHT AFTER HER PERIOD HAS ENDED 3 HALFWAY BETWEEN TWO PERIODS 4 OTHER 6 (SPECIFY) DON'T KNOW 8	

SECTION 3A. MARRIAGE AND COHABITATION

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
301	What is your current marital status?	CURRENTLY MARRIED 1 MARRIED, GAUNA NOT 2 PERFORMED 2 WIDOWED 3 DIVORCED 4 SEPARATED 5 DESERTED 6 NEVER MARRIED 7	303 306 308
302	ENTER '0' IN <u>COLUMN 3</u> OF CALENDAR IN THE MONTH OF INTER' JANUARY 2001	VIEW, AND IN EACH MONTH BACK TO	→ 316
303	Are you living with your husband now, or is he staying elsewhere?	LIVING WITH HUSBAND	→ 305
304	For how long have you and your husband not been living together?	MONTHS	
	IF LESS THAN 1 YEAR, RECORD MONTHS; OTHERWISE RECORD COMPLETED YEARS.	YEARS 2	
305	RECORD THE HUSBAND'S NAME AND LINE NUMBER FROM THE HOUSEHOLD QUESTIONNAIRE. IF HE IS NOT LISTED IN THE HOUSEHOLD, RECORD '00'.	NAME	
306	Besides yourself, does your husband have other wives?	YES 1 NO 2 DON'T KNOW 8	308
307	How many other wives does your husband have?	NUMBER OF OTHER WIVES	
308	Have you been married only once or more than once?	ONLY ONCE 1 MORE THAN ONCE 2	→ 309A
309	In what month and year did you get married?	MONTH	
309A	Now I would like to ask about when you married your first husband. In what month and year was that?	DON'T KNOW MONTH 98 YEAR 9998	→→ 311
310	How old were you when you (first) got married?	AGE	
311	CHECK 301: CODE '2' CIRCLED CODE '2' NOT CIRCLED		→ 314

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
312	CHECK 308:		
	MARRIED MORE THAN ONCE In what month and year Now I would like to ask about	MONTH 98	
	did you start living with when you started living with your husband? your first husband. In what month and year was that?	YEAR	→ 314
313	How old were you when you first started living with him?	AGE	
314	FOR CURRENTLY MARRIED WOMEN WHO HAVE BEEN MARRIED ARE MARRIED BUT GAUNA NOT PERFORMED: DETERMINE MONTHS MARRIED OR MARRIED BUT GAUNA NOT PENTER 'X' IN COLUMN 3 OF CALENDAR FOR EACH MONTH MARR MARRIED BUT GAUNA NOT PERFORMED, AND '0' FOR EACH MONTH MARRIED BUT GAUNA NOT PERFORMED, AND '0' FOR EACH MONTH MARRIED WOMEN WHO HAVE BEEN MARRIED PROBE FOR DATE WHEN CURRENT MARRIAGE STARTED AND, IF FOR STARTING AND TERMINATION DATES OF ANY PREVIOUS MARRIED MARRIED WOMEN WHO HAVE BEEN MARRIED PROBE FOR DATE WHEN CURRENT MARRIAGE STARTED AND, IF	PERFORMED SINCE JANUARY 2001. IED, 'N' FOR EACH MONTH ITH NOT MARRIED. MORE THAN ONCE: FAPPROPRIATE,	
	FOR WOMEN WHO ARE NOT CURRENTLY MARRIED: PROBE FOR DATE WHEN LAST MARRIAGE STARTED, WHEN SHE WAS NOT PERFORMED, TERMINATION DATE AND, IF APPROPRIA TERMINATION DATES OF ANY PREVIOUS MARRIAGES.		
315	CHECK 301: CODE '2' CIRCLED CODE '2' NOT CIRCLED		→ 317
316	CHECK FOR THE PRESENCE OF OTHERS. BEFORE CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY. Now I need to ask you some questions about sexual life in order to gain a better understanding of some family life issues. Let me assure you again that your answers are completely confidential and will not be told to anyone. If you do not want to answer, just let me know and I will skip to the next question. Have you ever had sexual intercourse?	YES	
317	CHECK FOR THE PRESENCE OF OTHERS. BEFORE	NO 2	→ 318
3	CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY. (Now I need to ask you some questions about sexual activity in order to gain a better understanding of some family life issues. Let me assure you again that your answers are completely confidential and will not be told to anyone. If you do not want to answer, just let me know and I will skip to the next question.) How old were you when you had sexual intercourse for the very first time?	NEVER HAD SEXUAL INTERCOURSE	

SECTION 3B. CONTRACEPTION

	SECTION 3B. CONT	TRACEF HON		
318	Now I would like to talk about family planning - the various avoid a pregnancy.	s ways or methods that a couple	can use to delay or	
	Which ways or methods have you heard about? FOR METHODS NOT MENTIONED SPONTANEOUSLY, ASK:			
	Have you ever heard of (METHOD)? CIRCLE CODE '1' IN 318 FOR EACH METHOD MENTIO THEN PROCEED DOWN COLUMN 318 READING THE I OF EACH METHOD NOT MENTIONED SPONTANEOUS IF METHOD IS RECOGNIZED AND CODE '2' IF NOT RE PERFORM THE CHECK AT THE BOTTOM OF THE COL OR NOT ASKED, ASK 320 FOR EACH METHOD WITH (320 Have you ever used (METHOD)?		
01	FEMALE STERILIZATION Women can have an operation to avoid having any more children.	YES 1 NO 27	Have you ever had an operation to avoid having any more children? YES	
02	MALE STERILIZATION Men can have an operation to avoid having any more children.	YES 1 NO 27	Has your husband/partner ever had an operation to avoid having any more children? YES	
03	PILL Women can take a pill every day or every week to avoid becoming pregnant.	YES 1 NO 27	YES	
04	IUD OR LOOP Women can have a loop or coil placed inside them by a doctor or a nurse.	YES 1 NO 27	YES	
05	INJECTABLES Women can have an injection by a health provider that stops them from becoming pregnant for one or more months.	YES 1 NO 27	YES	
06	CONDOM OR NIRODH Men can put a rubber sheath on their penis before sexual intercourse.	YES 1 NO 27	YES	
07	FEMALE CONDOM Women can place a sheath in their vagina before sexual intercourse.	YES 1 NO 27	YES	
08	RHYTHM METHOD Every month that a woman is sexually active she can avoid pregnancy by not having sexual intercourse on the days of the month she is most likely to get pregnant.	YES 1 NO 27	YES	
09	WITHDRAWAL Men can be careful and pull out before climax.	YES 1 NO 27	YES	
10	EMERGENCY CONTRACEPTION Women can take pills up to three days after sexual intercourse to avoid becoming pregnant.	YES 1 NO 27	YES	
11	Have you heard of any other ways or methods that women or men can use to avoid pregnancy?	YES 1 (SPECIFY)	YES	
		(SPECIFY) NO 2	YES	
319		CHECK 316: YES OR GO TO 320 NOT FOR KNOWN ASKED METHODS NO SKIP TO 323		

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
321	CHECK 320:		
	NOT A SINGLE AT LEAST ONE YES" YES"		→ 325
	(NEVER USED) ↓ (EVER USED)		020
322	Have you ever used anything or tried in any way to delay or avoid	YES 1	→ 324
322	Have you ever used anything or tried in any way to delay or avoid getting pregnant?	NO 2	324
	gotting programm		
323	ENTER '0' IN <u>COLUMN 1</u> OF CALENDAR IN EACH BLANK MONTH.		→ 353
204	Mile A leaves viscous and an demand		
324	What have you used or done? CORRECT 320 AND 321(AND 318 IF NECESSARY).		
	GOTALEGY 320 / AND 321 (/ AND 310 II ALGEGO, ANT).		
325	CHECK 208:		
	ONE OR MORE NO BIRTHS		- h 007
	BIRTHS -		→ 327
326	Now I would like to ask you about the first time that you did		
020	something or used a method to avoid getting pregnant.		
	How many living children did you have at that time, if any?		
	IF NONE, RECORD '00'.	NUMBER OF CHILDREN	
	116.112, 112.66.13		
327	CHECK 320(01):		
321			
	WOMAN NOT WOMAN STERILIZED STERILIZED		→ 330A
	VIEWEZES VIEWEZES		7 00071
220	OUTON 207.		
328	CHECK 227:		
	NOT PREGNANT PREGNANT OR UNSURE		→ 344
	OK GROOKE		044
329	Are you currently doing compething or using any mathed to delay	YES 1	
329	Are you currently doing something or using any method to delay or avoid getting pregnant?	YES	→ 344
330	Which method are you using?	FEMALE STERILIZATION A	
		MALE STERILIZATION B	→ 335
	CIRCLE ALL MENTIONED.	PILL	_
	IF MORE THAN ONE METHOD MENTIONED, FOLLOW SKIP	INJECTABLES E	→ 334
	INSTRUCTION FOR HIGHEST METHOD ON LIST.	IMPLANTS F	ل
		CONDOM/NIRODH	<u> </u>
		DIAPHRAGM	→ 334
330A	CIRCLE 'A' FOR FEMALE STERILIZATION.	FOAM/JELLY J	<u> </u>
		RHYTHM METHOD K	
		WITHDRAWAL L	→ 341A
		OTHER X	
		(SPECIFY)	_
331	May I see the package of (pills/condoms) you are using?	PACKAGE SEEN 1	7
- = -			
	RECORD NAME OF BRAND.	PRAND	→ 333
		BRAND (SPECIFY)	
		(0. 20. 1)	
		PACKAGE NOT SEEN 2	
332	Do you know the brand name of the (pills/condoms) you are using?		
	, ,	BRAND NAME	
	RECORD NAME OF BRAND.	(SPECIFY)	
		DON'T KNOW 998	
			ı

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
333	How many (pill cycles/condoms) did you get the last time?	NUMBER OF PILL CYCLES/CONDOMS	
		DON'T KNOW 998	
334	The last time you obtained (CURRENT METHOD IN 330), how much did you pay in total, including the cost of the method and any consultation you may have had?	COST Rs. 9995 DON'T KNOW 9998	→ 341A
335	In what facility did the sterilization take place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSPITAL/PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 CAMP 17 OTHER PUBLIC SECTOR HEALTH FACILITY 18	
	(NAME OF PLACE)	NGO OR TRUST HOSPITAL/CLINIC 21 PRIVATE MEDICAL SECTOR 31 PVT. HOSPITAL 31 PVT. DOCTOR/CLINIC 32 PVT. MOBILE CLINIC 33 OTHER PRIVATE HEALTH 34 OTHER 96 (SPECIFY) 98	
336	CHECK 330/330A:		
	CODE 'A' CIRCLED NOT CIRCLED		→ 341
337	Before your sterilization operation, were you told that you would not be able to have any (more) children because of the operation?	YES	
338	How would you rate the care you received during and immediately after the operation: very good, all right, not so good, or bad?	VERY GOOD 1 ALL RIGHT 2 NOT SO GOOD 3 BAD 4	
339	How much did you pay in total for the sterilization, including any consultation you may have had?	COST Rs	
340	Do you regret that you had the sterilization?	YES	
341	In what month and year was the sterilization performed?		
341A	In what month and year did you start using (CURRENT METHOD) continuously? PROBE: For how long have you been using (CURRENT METHOD) now without stopping?	MONTH	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
342	CHECK 341/341A, 215 AND 232:		
	ANY BIRTH OR PREGNANCY TERMINATION AFTER MONTH AND YEAR OF START OF USE OF CONTRACEPTION IN 341/341A?	YES P	
	FOR METHODS OTHER THAN STERILIZATION: GO BACK TO 341/34 RECORD MONTH AND YEAR AT START OF CONTINUOUS USE OF (MUST BE AFTER LAST BIRTH OR PREGNANCY TERMINATION).	l l	
	FOR FEMALE STERILIZATION: GO BACK TO 329. ASK 329 AND FOL SKIP PATTERN.	LOW CORRECT	
343	CHECK 341/341A:		
	YEAR IS 2001 OR LATER	YEAR IS 2000 OR EARLIER	
	INTERVIEW IN COLUMN 1 OF THE CALENDAR AND IN INTE	TER CODE FOR METHOD USED IN MONTH OF ERVIEW IN <u>COLUMN 1</u> OF THE CALENDAR AND CH MONTH BACK TO JANUARY 2001	
	THEN CONTINUE WITH 344.	N SKIP TO → 351	
344	I would like to ask you some questions about the times you or your husb method to avoid getting pregnant during the last few years. USE CALENDAR TO PROBE FOR EARLIER PERIODS OF USE AND NUSE, BACK TO JANUARY 2001. USE NAMES OF CHILDREN, DATES OF BIRTH, AND PERIODS OF PROBLEM OF THE NAMES OF CHILDREN, DATES OF BIRTH, AND PERIODS OF PROBLEM OF THE NAMES OF CHILDREN, DATES OF BIRTH, AND PERIODS OF PROBLEM OF THE NAMES OF CHILDREN, DATES OF BIRTH, AND PERIODS OF PROBLEM OF THE NAMES OF CODE OR '0' FOR NONUSE IN ILLUSTRATIVE QUESTIONS: When was the last time you used a method with the new order of the new of the	NONUSE, STARTING WITH MOST RECENT REGNANCY AS REFERENCE POINTS. EACH BLANK MONTH. I? Which method was that? IV long after the birth of (NAME)? ME ROW AS THE LAST MONTH OF ER OF INTERRUPTIONS OF FOLLOWED, ASK WHETHER SHE OD OR DELIBERATELY STOPPED	
	IF DELIBERATELY STOPPED TO BECOME PREGNANT, ASK: * How many months did it take you to get pre	egnant after you stopped using (METHOD)? N COLUMN 1	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
345	CHECK 330/330A: CIRCLE METHOD CODE: IF MORE THAN ONE METHOD CODE CIRCLED IN 330/330A, CIRCLE CODE FOR HIGHEST METHOD IN LIST.	NO CODE CIRCLED 00 FEMALE STERILIZATION 01 MALE STERILIZATION 02 PILL 03 IUD/LOOP 04 INJECTABLES 05 IMPLANTS 06 CONDOM/NIRODH 07 FEMALE CONDOM 08 DIAPHRAGM 09 FOAM/JELLY 10 RHYTHM METHOD 11 WITHDRAWAL 12 OTHER METHOD 96	→ 353 → 356 → 352 → 349 → 356
346	You started using (CURRENT METHOD) in (DATE). At that time, were you told about side effects or problems you might have with the method?	YES	→ 348
347	Were you ever told by a health or family planning worker about side effects or problems you might have with the method?	YES	→ 349
348	Were you told what to do if you experienced side effects or problems?	YES	
349	CHECK 346: CODE '1' CIRCLED At that time, were you told about other methods of family planning that you could use? When you obtained (CURRENT METHOD) in (DATE), were you told about other methods of family planning that you could use?	YES	> 351
350	Were you ever told by a health or family planning worker about other methods of family planning that you could use?	YES	
351	CHECK 330/330A: CIRCLE METHOD CODE: IF MORE THAN ONE METHOD CODE CIRCLED IN 330/330A, CIRCLE CODE FOR HIGHEST METHOD IN LIST.	FEMALE STERILIZATION 01 MALE STERILIZATION 02 PILL 03 IUD/LOOP 04 INJECTABLES 05 IMPLANTS 06 CONDOM/NIRODH 07 FEMALE CONDOM 08 DIAPHRAGM 09 FOAM/JELLY 10 RHYTHM METHOD 11 WITHDRAWAL 12 OTHER METHOD 96	356 → 356

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
352	Where did you obtain (CURRENT METHOD) the last time? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSPITAL/PHC 14 SUB-CENTRE/ANM 15 GOVT. MOBILE CLINIC 16 CAMP 17 ANGANWADI/ICDS CENTRE 18 ASHA 19 OTHER COMMUNITY- BASED WORKER 20 OTHER PUBLIC MEDICAL SECTOR 21	
	(NAME OF PLACE)	NGO OR TRUST HOSPITAL/CLINIC 31 PRIVATE MEDICAL SECTOR PVT. HOSPITAL 41 PVT. DOCTOR/CLINIC 42 PVT. MOBILE CLINIC 43 VAIDYA/HAKIM/HOMEOPATH 44 TRADITIONAL HEALER 45 PHARMACY/DRUGSTORE 46 DAI (TBA) 47 OTHER PRIVATE MEDICAL SECTOR 48 OTHER SOURCE	→ 356
		OTHER SOURCE SHOP 51 HUSBAND 52 FRIEND/RELATIVE 53 OTHER 96 (SPECIFY)	
353	Were you ever told by a health or family planning worker about any methods of family planning that you can use to avoid pregnancy?	YES	
354	Do you know of a place where you can obtain a method of family planning?	YES	→ 356
355	Where is that? Any other place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISPENSARY B UHC/UHP/UFWC C CHC/RURAL HOSPITAL/PHC D SUB-CENTRE/ANM E GOVT. MOBILE CLINIC F CAMP G ANGANWADI/ICDS CENTRE H ASHA I OTHER COMMUNITY- BASED WORKER J OTHER PUBLIC MEDICAL SECTOR K	
	(NAME OF PLACE(S)) RECORD ALL PLACES MENTIONED.	NGO OR TRUST HOSPITAL/CLINIC L PRIVATE MEDICAL SECTOR PVT. HOSPITAL M PVT. DOCTOR/CLINIC N PVT. MOBILE CLINIC O VAIDYA/HAKIM/HOMEOPATH P TRADITIONAL HEALER Q PHARMACY/DRUGSTORE R DAI (TBA) S OTHER PRIVATE MEDICAL SECTOR T OTHER SOURCE SHOP U FRIEND/RELATIVE V OTHER X	

SECTION 3C. CONTACTS WITH HEALTH PERSONNEL

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
356	Now I would like to talk to you about any contacts you have had recently with an ANM or Lady Health Visitor. In the last three months have you met with an ANM or LHV?	YES	<u></u> 358
357	In the last three months, how many times did you meet with (this person/these persons):		
	a. At home?	HOME	
	b. At the anganwadi centre?	AWC	
	c. At a health facility or camp?	HEALTH FACILITY/CAMP .	
	d. Anywhere else?	ELSEWHERE	
358	In the last three months, have you met with an anganwadi worker or other community health worker?	YES	 361
359	Who did you meet?	ANGANWADI WORKER	
	Anyone else?	MPW C	
	RECORD ALL MENTIONED.	OTHER X (SPECIFY)	
360	In the last three months, how many times did you meet with (this person/these persons):		
	a. At home?	HOME	
	b. At the anganwadi centre?	AWC	
	c. At a health facility or camp?	HEALTH FACILITY/CAMP .	
	d. Anywhere else?	ELSEWHERE	
361	CHECK 356 AND 358: AT LEAST ONE 'YES' BOTH 'NO'		→367
362	During (this contact/all these contacts) with [PERSONS MENTIONED IN 356 AND 359] in the last three months, what were the different services provided and matters talked about? Anything else?	FAMILY PLANNING A IMMUNIZATION B ANTENATAL CARE C DELIVERY CARE D DELIVERY PREPAREDNESS E POSTNATAL CARE F DISEASE PREVENTION G MEDICAL TREATMENT FOR SELF H TREATMENT FOR SICK CHILD I	
	RECORD ALL MENTIONED.	TREATMENT FOR OTHER PERSON J MALARIA CONTROL	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
363	Who did you meet during your (most recent) contact?	ANM 1 LHV 2 ANGANWADI WORKER 3 ASHA 4 MPW 5 OTHER 6 (SPECIFY)	
364	Did she/he talk to you nicely, somewhat nicely, or not nicely?	NICELY 1 SOMEWHAT NICELY 2 NOT NICELY 3	
365	When she/he explained something to you, did she/he try to make sure that you understood the information?	YES 1 NO 2 NO EXPLANATION NEEDED 3	
366	CHECK 357c AND 360c: 357c AND 360c = 00 OR BLANK		→368
367	In the last three months, have you visited a health facility or camp for any reason for yourself (or for your children)?	YES	→ 401
368	What type of health facility did you visit most recently for yourself (or for your children)? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	PUBLIC MEDICAL SECTOR	
369	What service did you go for? Any other service? RECORD ALL MENTIONED.	FAMILY PLANNING A IMMUNIZATION B ANTENATAL CARE C DELIVERY CARE D POSTNATAL CARE E DISEASE PREVENTION F MEDICAL TREATMENT FOR SELF G TREATMENT FOR CHILD H TREATMENT FOR OTHER PERSON I GROWTH MONITORING OF CHILD J HEALTH CHECK-UP K OTHER X (SPECIFY)	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
370	How long did you have to wait before you received the service you went for?	MINUTES 1	
		HOURS 2	
		NO WAIT AT ALL	 373
371	Was the person who provided the service to you responsive to your problems and needs?	YES	
372	Did she/he respect your need for privacy if you needed it?	YES	
373	Would you say that the (camp/health facility) was very clean, somewhat clean, or not clean?	VERY CLEAN 1 SOMEWHAT CLEAN 2 NOT CLEAN 3	

SECTION 4. PREGNANCY, DELIVERY, POSTNATAL CARE AND CHILDREN'S NUTRITION

401	CHECK 225:			
	ONE OR MORE BIRTHS		o Is	→ 556
	IN 2001 OR LATER	I		
402	ENTER IN THE TABLE BELOW THE L ASK THE QUESTIONS ABOUT ALL O (IF THERE ARE MORE THAN 3 BIRTH	INE NUMBER, NAME, AND SURVIV F THESE BIRTHS. BEGIN WITH TH	/AL STATUS OF EACH BIRTH HE LAST BIRTH.	
	Now I would like to ask you some quest about each separately.)	tions about the health of all your child	dren born in the last five years.	(We will talk
403		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
	LINE NUMBER FROM 212	LINE NUMBER	LINE NUMBER	LINE NUMBER
404		NAME	NAME	NAME
	FROM 212 AND 216	LIVING DEAD	LIVING DEAD	LIVING DEAD DEAD
405	At the time you became pregnant with (NAME), did you want to become pregnant then, did you want to wait until later, or did	THEN 1 (SKIP TO 407) ← J LATER 2	THEN 1 (SKIP TO 435) ← 2	THEN
	you <u>not want</u> to have any (more) children at all?	NOT AT ALL 3 (SKIP TO 407) ← J	NOT AT ALL 3 (SKIP TO 435) ← J	NOT AT ALL 3 (SKIP TO 435) ← J
406	How much longer would you have liked to wait?	MONTHS 1 YEARS 2	MONTHS 1	MONTHS 1 YEARS 2
		DON'T KNOW 998	DON'T KNOW 998	DON'T KNOW 998
407	Was this pregnancy registered with the ANM?	YES		
408	Did you get a card from the ANM?	YES		
409	Did you see anyone for antenatal care for this pregnancy?	HEALTH PERSONNEL DOCTOR A ANM/NURSE/ MIDWIFE/LHV B		
	IF YES: Whom did you see?	OTHER HEALTH PERSONNEL C		
	Anyone else?	OTHER PERSON DAI/TBA D ANGANWADI/ICDS WORKER E		
	PROBE FOR THE TYPE OF PERSON AND RECORD ALL PERSONS SEEN.	OTHERX (SPECIFY) NO ONE		

NO	OUESTIONS AND SILTEDS	LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
410	Where did you receive antenatal care for this pregnancy?	HOME YOUR HOME A PARENTS' HOME B OTHER HOME C		
	Any other place?			
		PUB. MED. SECTOR GOVT./MUNIC. HOSPITAL D GOVT. DISP E UHC/UHP/UFWC F CHC/RUR. HOSP./		
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE	PHC G SUB-CENTRE H ANGANWADI/ICDS CENTRE I VILLAGE CLINIC		
	PLACE(S).	BY ANM J OTHER PUBLIC SECT. HEALTH FACILITY K		
	(NAME OF PLACE(S))	NGO/TRUST HOSP./ CLINIC L		
	RECORD ALL PLACES MENTIONED.	PVT. MED. SECTOR PVT. HOSP./ MATERNITY HOME/CLINIC M OTHER PVT. SECT. HEALTH FACILITY N		
		OTHER (SPECIFY) X		
411	How many months pregnant were you when you first received antenatal care for this pregnancy?	MONTHS		
		DON'T KNOW 98		
412	How many times did you receive antenatal care during this pregnancy?	NUMBER OF TIMES		
	programoy:	DON'T KNOW 98		

		LAST BIRTH		NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	_	NAME	NAME
413	As part of your antenatal care during this pregnancy, were any of the following done at least once?	YES NO	0		
	a. Were you weighed?	WEIGHT 1 2	2		
	b. Was your blood pressure measured?	BP 1 2	2		
	c. Did you give a urine sample?	URINE 1 2	2		
	d. Did you give a blood sample?	BLOOD 1 2	2		
	e. Was your abdomen checked?	ABDOMEN 1 2	2		
	f. Were you told your expected delivery date?	DELIVERY DATE 1 2	2		
	g. Were you advised to deliver in a hospital or health facility?	DELIVERY ADVICE 1 2	2		
	Were you advised about proper nutrition during pregnancy?	NUTRITION ADVICE 1 2	2		
414	During (any of) your antenatal care visit(s), were you told about the following signs of pregnancy complications?	YES N	0		
	a. Vaginal bleeding?	BLEEDING 1 2	2		
	b. Convulsions?	CONVULSIONS 1 2	2		
	c. Prolonged labour?	PROLONGED LABOUR 1 2	2		
415	Were you told where to go if you had any pregnancy complications?	YES			
416	Was (NAME'S) father present during (any of) your antenatal visits?	YES			
417	During this pregnancy, were you given an injection to prevent you and the baby from getting tetanus?	YES	2		
418	During this pregnancy, how many times did you get a tetanus injection?	TIMES B	3		

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
419	CHECK 418:	2 OR MORE OTHER TIMES (SKIP TO 422)		
420	At any time before this pregnancy, did you receive any tetanus injections?	YES		
421	How many years ago did you receive the last tetanus injection before this pregnancy?	YEARS AGO		
422	During this pregnancy, were you given or did you buy any iron folic acid tablets or syrup? SHOW TABLETS/SYRUP.	YES		
423	During the whole pregnancy, for how many days did you take the tablets or syrup? IF ANSWER IS NOT NUMERIC, PROBE FOR APPROXIMATE NUMBER OF DAYS.	NUMBER OF DAYS DON'T KNOW 998		
424	During this pregnancy, did you take any drug to get rid of worms in your intestines?	YES		
425	During this pregnancy, did you have difficulty with your vision during daylight?	YES		
426	During this pregnancy, did you suffer from night blindness [USE LOCAL TERM]?	YES		
427	During this pregnancy, did you have convulsions not from fever?	YES		
428	During this pregnancy, did you have swelling of the legs, body or face?	YES		
429	During this pregnancy, did you feel excessive fatigue?	YES		

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
430	During this pregnancy, did you have any vaginal bleeding?	YES		
431	Did you receive any supplementary nutrition from the anganwadi centre during this pregnancy?	YES		
432	During this pregnancy, were you always able to get the supplementary nutrition from the anganwadi centre when you wanted it?	YES, ALWAYS 1 NO 2		
433	During the last three months of this pregnancy, did you meet with an ANM, Lady Health Visitor, anganwadi worker, or other community health worker?	HOME ONLY		
	IF YES: Where did you meet this/ these person(s)?	DID NOT MEET		
434	During any of these meetings in the last three months of this pregnancy, did you receive advice on the following at least once?	YES NO		
	a. Breastfeeding?	BREASTFEED 1 2		
	b. Keeping the baby warm?	BABY WARM 1 2		
	c. The need for cleanliness at the time of delivery?	CLEANLINESS 1 2		
	d. Family planning or delaying your next child?	FAMILY PLAN 1 2		
435	When (NAME) was born, was he/she very large, larger than average, average, smaller than average, or very small?	VERY LARGE 1 LARGER THAN AVERAGE 2 AVERAGE 3 SMALLER THAN AVERAGE 4 VERY SMALL 5 DON'T KNOW 8	VERY LARGE 1 LARGER THAN AVERAGE 2 AVERAGE 3 SMALLER THAN AVERAGE 4 VERY SMALL 5 DON'T KNOW 8	VERY LARGE
436	Was (NAME) weighed at birth?	YES	YES	YES

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
437	How much did (NAME) weigh? RECORD WEIGHT IN KILOGRAMS FROM HEALTH CARD, IF AVAILABLE.	KG FROM CARD 1 KG FROM RECALL 2 DON'T KNOW 99.998	KG FROM CARD 1 KG FROM RECALL 2 DON'T KNOW 99.998	KG FROM CARD 1
438	Who assisted with the delivery of (NAME)? Anyone else? PROBE FOR THE TYPE OF PERSON AND RECORD ALL PERSONS ASSISTING. IF RESPONDENT SAYS NO ONE ASSISTED, PROBE TO DETERMINE WHETHER ANY ADULTS WERE PRESENT AT THE DELIVERY.	HEALTH PERSONNEL DOCTOR A ANM/NURSE/ MIDWIFE/LHV B OTHER HEALTH PERSONNEL C OTHER PERSON DAI (TBA) D FRIEND/RELATIVE E OTHER X (SPECIFY) NO ONE Y	HEALTH PERSONNEL DOCTOR A ANM/NURSE/ MIDWIFE/LHV . B OTHER HEALTH PERSONNEL . C OTHER PERSON DAI (TBA) D FRIEND/RELATIVE E OTHER	HEALTH PERSONNEL DOCTOR A ANM/NURSE/ MIDWIFE/LHV . B OTHER HEALTH PERSONNEL . C OTHER PERSON DAI (TBA) D FRIEND/RELATIVE E OTHER
439	Where did you give birth to (NAME)? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	HOME YOUR HOME	HOME YOUR HOME	HOME YOUR HOME

			1	T
		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
440	How long after (NAME) was delivered did you stay there? IF LESS THAN ONE DAY, RECORD HOURS. IF LESS THAN ONE WEEK, RECORD DAYS.	HOURS	HOURS . 1 DAYS 2 DON'T KNOW 998	HOURS . 1
441	Was (NAME) delivered by caesarean section?	YES	YES	YES
442	Before you were discharged (FROM PLACE IN 439) after (NAME) was born, did any health personnel check on your health?	YES	YES	YES
443	How long after delivery did the first check take place? IF LESS THAN ONE DAY, RECORD HOURS. IF LESS THAN ONE WEEK, RECORD DAYS.	HOURS 1 DAYS 2 WEEKS 3 DON'T KNOW 998		
444	Who checked on your health at that time? PROBE FOR MOST QUALIFIED PERSON.	HEALTH PERSONNEL DOCTOR		
445	In the two months after you were discharged, did any health personnel, anganwadi worker, or traditional birth attendant [dai] check on your health?	YES	YES	YES

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
446	Why didn't you deliver in a health facility? PROBE: Any other reason? RECORD ALL MENTIONED.	COSTS TOO MUCH A FACILITY NOT OPEN B TOO FAR/ NO TRANSPORTATION . C DON'T TRUST FACILITY/POOR QUALITY SERVICE . D NO FEMALE PROVID- ER AT FACILITY . E HUSBAND/FAMILY DID NOT ALLOW . F NOT NECESSARY G NOT CUSTOMARY H OTHER X		
447	At the time of delivery of (NAME) were the following done? a. Was a disposable delivery kit used? b. Was the baby immediately wiped dry and then wrapped without being bathed? c. Was a clean blade used to	YES NO DK DDK USED 1 2 8 WIPE AND WRAP 1 2 8		
	cut the cord?	BLADE 1 2 8		
448	In the two months after (NAME) was born, did any health personnel, anganwadi worker, or a traditional birth attendant check on your health?	YES	YES 1 NO 2	YES
449	How many hours, days or weeks after delivery did the first check take place? IF LESS THAN ONE DAY, RECORD HOURS. IF LESS THAN ONE WEEK, RECORD DAYS.	HOURS 1		
450	Who checked on your health at that time? PROBE FOR MOST QUALIFIED PERSON.	HEALTH PERSONNEL DOCTOR 11 ANM/NURSE/ MIDWIFE/LHV 12 OTHER HEALTH PERSONNEL 13 OTHER PERSON DAI (TBA) 21 OTHER		

		1		
		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
451	Where did this first check take place?	HOME YOUR HOME 11 PARENTS' HOME 12 OTHER HOME 13		
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	PUB. MED. SECTOR GOVT./MUNIC. HOSPITAL 21 GOVT. DISP. 22 UHC/UHP/UFWC 23 CHC/RUR. HOSP/ PHC 24 SUB-CENTRE 25 ANGANWADI/ICDS		
	(NAME OF PLACE)	CENTRE 26 OTHER PUB. SECT. HEALTH FACILITY 27		
		NGO/TRUST HOSP./ CLINIC		
		PVT. MED. SECTOR PVT. HOSP./ MATERNITY HOME/CLINIC 41 OTHER PVT. SECT. HEALTH FACILITY 42		
		OTHER96 (SPECIFY)		
452	CHECK 445:	YES NOT ASKED (SKIP TO 459)		
453	Was the health of (NAME) also checked at this time?	YES		
454	Was this the first time the health of (NAME) was checked?	YES		
455	In the two months after (NAME) was born, did any health personnel or a traditional birth attendant check on his/her health?	YES		

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
456	How many hours, days or weeks after the birth of (NAME) did the first check take place? IF LESS THAN ONE DAY, RECORD HOURS. IF LESS THAN ONE WEEK, RECORD DAYS.	HRS AFTER BIRTH 1 DAYS AFTER BIRTH 2 WKS AFTER BIRTH 3 DON'T KNOW 998		
457	Who checked on (NAME)'s health at that time? PROBE FOR MOST QUALIFIED PERSON.	HEALTH PERSONNEL DOCTOR		
458	Where did this first check of (NAME) take place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	HOME YOUR HOME		
		OTHER96 (SPECIFY)		

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
459	In the first two months after delivery, did you have: a) Massive vaginal bleeding? b) Very high fever?	YES		
460	Has your menstrual period returned since the birth of (NAME)?	YES		
461	Did your period return between the birth of (NAME) and your next pregnancy?		YES	YES
462	For how many months after the birth of (NAME) did you <u>not</u> have a period?	MONTHS 98	MONTHS DON'T KNOW 98	MONTHS 98
463	CHECK 227: IS RESPONDENT PREGNANT?	NOT PREGNANT PREG- NANT UNSURE (SKIP TO 465)		
464	Have you resumed sexual relations since the birth of (NAME)?	YES		
465	For how many months after the birth of (NAME) did you not have sexual relations?	MONTHS 98	MONTHS DON'T KNOW 98	MONTHS 98
466	Did you ever breastfeed (NAME)?	YES	YES	YES
467	How long after birth did you first put (NAME) to the breast? IF LESS THAN HALF AN HOUR, CIRCLE '000'. IF LESS THAN 24 HOURS, RECORD HOURS. OTHERWISE, RECORD DAYS.	IMMEDIATELY/ WITHIN HALF AN HOUR		
468	In the first three days after delivery, was (NAME) given anything to drink other than breast milk?	YES		

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
469	What was (NAME) given to drink? Anything else? RECORD ALL LIQUIDS MENTIONED.	MILK (OTHER THAN BREAST MILK) A PLAIN WATER B SUGAR OR GLU- COSE WATER C GRIPE WATER D SUGAR-SALT-WATER SOLUTION E FRUIT JUICE F INFANT FORMULA G TEA H HONEY I JANAM GHUTTI J OTHER X (SPECIFY)		
470	CHECK 404: IS CHILD LIVING?	LIVING DEAD (SKIP TO 472)	LIVING DEAD (SKIP TO 472)	LIVING DEAD (SKIP TO 472)
471	Are you still breastfeeding (NAME)?	YES	YES	YES
472	For how many months did you breastfeed (NAME)?	MONTHS 98	MONTHS DON'T KNOW 98	MONTHS 98
473	CHECK 404: IS CHILD LIVING?	LIVING (GO BACK TO 405 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO (SKIP TO 476) TO 478)	LIVING DEAD (GO BACK TO 405 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO (SKIP TO 476) TO 478)	(GO BACK TO 405 IN NEXT-TO-LAST COLUMN OF NEW QUESTIONNAIRE; OR, IF NO MORE (SKIP TO 476) BIRTHS, GO TO 478)
474	How many times did you breastfeed last night between sunset and sunrise? IF ANSWER IS NOT NUMERIC, PROBE FOR APPROXIMATE NUMBER.	NUMBER OF NIGHT TIME FEEDINGS .		
475	How many times did you breastfeed yesterday during the daylight hours? IF ANSWER IS NOT NUMERIC, PROBE FOR APPROXIMATE NUMBER.	NUMBER OF DAYLIGHT FEEDINGS .		
476	Did (NAME) drink anything from a bottle with a nipple yesterday or last night?	YES	YES	YES
477		GO BACK TO 405 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 478.	GO BACK TO 405 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 478.	GO BACK TO 405 IN NEXT-TO-LAST COLUMN OF NEW QUESTIONNAIRE; OR, IF NO MORE BIRTHS, GO TO 478.

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP	
478	CHECK 215 AND 218: HAS AT LEAST ONE CHILD BORN IN 2003 OR LATER AND LIVING WITH HER RECORD NAME OF YOUNGEST CHILD LIVING WITH HER (AND CONTINUE WITH 479) (NAME)			
479				
	Now I would like to ask you about liquids (NAME FROM 478) drank yesterday during the day or at night.			
	Did (NAME FROM 478) drink:	YES NO DK		
	a. Plain water?	PLAIN WATER 1 2 8		
	b. Commercially produced infant formula?	FORMULA 1 2 8		
	c. Any other milk such as tinned, powdered, or fresh animal milk?	MILK 1 2 8		
	d. Fruit juice?	JUICE 1 2 8		
	e. Tea or coffee? TEA/COFFEE			
	f. Any other liquids?	OTHER LIQUIDS 1 2 8		

NO.	QUESTIONS AND FILTERS CODING CATEGORIES			
480	Now I would like to ask you about the food (NAME FROM 478) ate yesterday during the day or at night, either separately or combined with other foods.			
	Did (NAME FROM 478) eat:	YES NO DK		
	a. Any porridge or gruel?	a 1 2 8		
	b. Any commercially fortified baby food such as Cerelac or Farex?	b 1 2 8		
	c. Any bread, roti, chapati, rice, noodles, biscuits, idli, or any other foods made from grains?	c 1 2 8		
	d. Any pumpkin, carrots, or sweet potatoes that are yellow or orange inside?	d 1 2 8		
	e. Any white potatoes, white yams, cassava, or any other foods made from roots?	e 1 2 8		
	f. Any dark green, leafy vegetables?	f 1 2 8		
	g. Any ripe mangoes, papayas, cantaloupe, or jackfruit?	g 1 2 8		
	h. Any other fruits or vegetables?	h 1 2 8		
	i. Any liver, kidney, heart or other organ meats?	i 1 2 8		
	j. Any chicken, duck or other birds?	j 1 2 8		
	k. Any other meat?	k 1 2 8		
	I. Any eggs?	I 1 2 8		
	m. Any fresh or dried fish or shellfish?	m 1 2 8		
	n. Any foods made from beans, peas, or lentils?	n		
	o. Any nuts?	0		
	p. Any cheese, yogurt or other milk products?	p 1 2 8		
	q. Any food made with oil, fat, ghee or butter?	q 1 2 8		
	r. Any other solid or semi-solid food?	r		
481	CHECK 480: AT LEAST ONE "YES"	NOT A SINGLE "YES"	→ 501	
482	How many times did (NAME) eat solid, semisolid, or soft foods other than liquids yesterday during the day or at night?	NUMBER OF TIMES		
	IF 7 OR MORE TIMES, RECORD '7'.	DON'T KNOW 8		

SECTION 5. IMMUNIZATION, HEALTH, AND WOMEN'S NUTRITION

501	ASK THE QUESTIONS	ENTER IN THE TABLE THE LINE NUMBER, NAME, AND SURVIVAL STATUS OF EACH BIRTH IN 2001 OR LATER. ASK THE QUESTIONS ABOUT ALL OF THESE BIRTHS. BEGIN WITH THE LAST BIRTH. (IF THERE ARE MORE THAN 3 BIRTHS, USE LAST 2 COLUMNS OF ADDITIONAL QUESTIONNAIRES).					
502	LINE NUMBER FROM 212	LAST BIRTH LINE NUMBER	NEXT-TO-LAST BIRTH LINE NUMBER	SECOND-FROM-LAST BIRTH LINE NUMBER			
503	FROM 212 AND 216	LIVING DEAD (GO TO 503 IN NEXT COLUMN OR, IF NO MORE BIRTHS, GO TO 553)	LIVING DEAD (GO TO 503 IN NEXT COLUMN OR, IF NO MORE BIRTHS, GO TO 553)	LIVING DEAD (GO TO 503 IN NEXT-TO-LAST COLUMN OF NEW QUESTIONNAIRE, OR IF NO MORE BIRTHS, GO TO 553)			
504	Has (NAME) ever received a vitamin A dose (like this/any of these)? SHOW COMMON AMPULES/SYRUPS/ CAPSULES	YES	YES	YES			
505	How many times has (NAME) received a vitamin A dose? IF 7 OR MORE TIMES, RECORD '7'	TIMES 8	TIMES 8	TIMES 8			
506	How many months ago did (NAME) take the last dose?	MONTHS AGO	MONTHS AGO	MONTHS AGO			
507	Is (NAME) currently taking iron pills or iron syrup (like this/ any of these)? SHOW COMMON CAPSULES/SYRUPS.	YES	YES	YES			
508	Has (NAME) taken any drug to get rid of intestinal worms in the past 6 months?	YES	YES	YES			

		LAST BIRTH		NEXT-TO-LAST BIRTH					SECOND-FROM-LAST BIRTH																
NO.	QUESTIONS AND FILTERS	NA	NAME			NAME			N	NAME			_												
509	Do you have a card where (NAME'S) vaccinations are written down? IF YES: May I see it please?	ΥI	YES, SEEN			YES, SEEN				YES, SEEN															
510	Did you ever have a vaccination card for (NAME)?		(5	KIP	ТО	514) ←	\dashv	YES				YES												
511	(2) WRITE '44' IN 'DA (3) IF ONLY PART O	ATION DATE FOR EACH VACCINE FROM THE DAY' COLUMN IF CARD SHOWS THAT A VACO OF DATE IS SHOWN ON CARD, RECORD '98' MATION IS NOT GIVEN. LAST BIRTH NE DAY MONTH YEAR DAY			OR XT-	TIC '999 TO-	ON V 98' F LAS	OR	'DOI	N'T Î	KNOV		HE	E C	OLI RO	JMN M-L	FOI AST	R	ГН						
	BCG							всо	}								BCG								
	POLIO 0 (POLIO GIVEN AT BIRTH)							P		Н					+		P0		╬						
	POLIO 1							P [·]	1	П							P1		T						
	POLIO 2							Pź	2								P2		T						
	POLIO 3							P	3								P3		Ī						
	DPT 1							D.	1								D1								
	DPT 2							D2	2								D2								
	DPT 3							D:	3	Ш							D3								
	MEASLES							MEA	ا_ا								MEA								
	VITAMIN A (LAST DOSE)							VIT A								\	/IT A								
	VITAMIN A (NEXT-TO-LAST DOSE)							VIT A	\							\	/IT A								
512	CHECK 511:	' M	BCG' T EASLE FILLI P TO !	ES' [ED		ОТ	HER		'ME	CG' T ASLE FILL	ES' ED			ОТН	HER	₽		BCG MEAS FIL KIP TO	LE LE	ES' ED		0.	ГНЕ	R F]

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST
NO.	QUESTIONS AND FILTERS	NAME	NAME	BIRTH NAME
513	Has (NAME) received any vaccinations that are not recorded on this card, including vaccinations received in a Pulse Polio campaign? RECORD 'YES' ONLY IF RESPONDENT MENTIONS BCG, POLIO 0-3, DPT 1-3, AND/OR MEASLES VACCINES.	YES	YES	YES
514	Did (NAME) ever receive any vaccinations to prevent him/her from getting diseases, including vaccinations received in a Pulse Polio campaign?	YES	YES	YES
515	Please tell me if (NAME) received any of the following vaccinations:			
515A	A BCG vaccination against tuberculosis, that is, an injection in the arm or shoulder that usually causes a scar?	YES	YES	YES
515B	Polio vaccine, that is, drops in the mouth, including vaccine received in a Pulse Polio campaign?	YES	YES	YES
515C	Was the first polio vaccine received in the first two weeks after birth or later?	FIRST 2 WEEKS 1 LATER 2	FIRST 2 WEEKS 1 LATER 2	FIRST 2 WEEKS 1 LATER 2
515D	How many times was the polio vaccine received? IF MORE THAN 7, RECORD '7'.	NUMBER OF TIMES	NUMBER OF TIMES	NUMBER OF TIMES
515E	A DPT vaccination, that is, an injection given in the thigh or buttocks, sometimes at the same time as polio drops?	YES	YES	YES

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
515F	How many times was a DPT vaccination received?	NUMBER OF TIMES	NUMBER OF TIMES	NUMBER OF TIMES
515G	An injection to prevent measles?	YES	YES	YES
516	CHECK 511 AND 514: ANY VACCINATIONS RECEIVED?	YES NO (SKIP TO 518)	YES NO (SKIP TO 518)	YES NO (SKIP TO 518)
517	Where did (NAME) receive most of his/her vaccinations? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISP 12 UHC/UHP/UFWC 13 CHC/RUR. HOSP/ PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 CAMP 17 ANGANWADI/ICDS CENTRE 18 PULSE POLIO 19 OTHER PUBLIC SECT. HEALTH FACILITY 20 NGO/TRUST HOSP./ CLINIC 31 PVT. MED. SECTOR PVT. HOSPITAL 41 PVT. DOCTOR/ CLINIC 42 PVT. PARAMEDIC 43 VAIDYA/HAKIM/ HOMEOPATH 44 PHARMACY/ DRUGSTORE 45 OTHER PVT. HEALTH FAC 46 OTHER 96 (SPECIFY)	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISP 12 UHC/UHP/UFWC 13 CHC/RUR. HOSP/ PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 CAMP 17 ANGANWADI/ICDS CENTRE 18 PULSE POLIO 19 OTHER PUBLIC SECT. HEALTH FACILITY 20 NGO/TRUST HOSP./ CLINIC 31 PVT. MED. SECTOR PVT. HOSPITAL 41 PVT. DOCTOR/ CLINIC 42 PVT. PARAMEDIC 43 VAIDYA/HAKIM/ HOMEOPATH 44 PHARMACY/ DRUGSTORE 45 OTHER PVT. HEALTH FAC 46 OTHER 96 (SPECIFY)	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISP 12 UHC/UHP/UFWC 13 CHC/RUR. HOSP/ PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 CAMP 17 ANGANWADI/ICDS CENTRE 18 PULSE POLIO 19 OTHER PUBLIC SECT. HEALTH FACILITY 20 NGO/TRUST HOSP./ CLINIC 31 PVT. MED. SECTOR PVT. HOSPITAL 41 PVT. DOCTOR/ CLINIC 42 PVT. PARAMEDIC 43 VAIDYA/HAKIM/ HOMEOPATH 44 PHARMACY/ DRUGSTORE 45 OTHER PVT. HEALTH FAC 46 OTHER 96 (SPECIFY)
518	Has (NAME) had diarrhoea in the last 2 weeks?	YES	YES	YES
519	How long ago did the diarrhoea start? IF LESS THAN ONE WEEK, RECORD NUMBER OF DAYS AGO; OTHERWISE RECORD WEEKS AGO.	NO. OF 1 0 NO. OF 2 WEEKS AGO DON'T KNOW 998	NO. OF 1 0 NO. OF 2 WEEKS AGO DON'T KNOW 998	NO. OF 1 0 NO. OF 2 WEEKS AGO DON'T KNOW 998

NO.	QUESTIONS AND FILTERS	LAST BIRTH	NEXT-TO-LAST BIRTH NAME	SECOND-FROM-LAST BIRTH NAME
520	Was there any blood in the stools?	YES	YES	YES
521	Now I would like to know how much (NAME) was given to drink during the diarrhoea. Was he/she given less than usual to drink, about the same amount, or more than usual to drink? IF LESS, PROBE: Was he/she given much less than usual to drink or somewhat less?	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 NOTHING TO DRINK 5 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 NOTHING TO DRINK 5 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 NOTHING TO DRINK 5 DON'T KNOW 8
522	When (NAME) had diarrhoea, was he/she given less than usual to eat, about the same amount, more than usual, or nothing to eat? IF LESS, PROBE: Was he/she given much less than usual to eat or somewhat less?	MUCH LESS 1 SOMEWHAT LESS 2 ABOUT THE SAME 3 MORE 4 STOPPED FOOD 5 NEVER GAVE FOOD 6 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 STOPPED FOOD . 5 NEVER GAVE FOOD . 6 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 STOPPED FOOD . 5 NEVER GAVE FOOD 6 DON'T KNOW 8
523	Did you seek advice or treatment for the diarrhoea from any source?	YES	YES	YES

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST
NO.	QUESTIONS AND FILTERS	NAME	NAME	BIRTH NAME
524	Where did you seek advice or treatment?	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B UHC/UHP/UFWC C	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B UHC/UHP/UFWC C	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B UHC/UHP/UFWC C
	Anywhere else?	CHC/OHP/OFWC C CHC/RUR. HOSP/ PHC D SUB-CENTRE/ ANM E	CHC/OHP/OFWC C CHC/RUR. HOSP/ PHC D SUB-CENTRE/ ANM E	CHC/OHP/OFWC C CHC/RUR. HOSP/ PHC D SUB-CENTRE/ ANM E
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	GOVT. MOBILE CLINIC	GOVT. MOBILE CLINIC	GOVT. MOBILE CLINIC
		OTHER PUB. SECT. HEALTH FACILITY J	OTHER PUB. SECT. HEALTH FACILITY J	OTHER PUB. SECT. HEALTH FACILITY J
		NGO/TRUST HOSP./ CLINIC K	NGO/TRUST HOSP./ CLINIC K	NGO/TRUST HOSP./ CLINIC K
525	(NAME OF PLACE(S)) RECORD ALL SOURCES MENTIONED.	PVT. MED. SECTOR PVT. HOSPITAL L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE Q OTHER PVT. HEALTH FAC. R OTHER SOURCE SHOP S FRIEND/RELATIVE T OTHERX (SPECIFY)	PVT. MED. SECTOR PVT. HOSPITAL L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE Q OTHER PVT. HEALTH FAC. R OTHER SOURCE SHOP S FRIEND/RELATIVE T OTHER	PVT. MED. SECTOR PVT. HOSPITAL L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE Q OTHER PVT. HEALTH FAC. R OTHER SOURCE SHOP S FRIEND/RELATIVE T OTHER
525	CHECK 524:	MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 527)	MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 527)	MORE ONE CODES CODE CIRCLED (SKIP TO 527)
526	Where did you first seek advice or treatment? USE LETTER CODE FROM 524.	FIRST PLACE	FIRST PLACE	FIRST PLACE
527	How many days after the diarrhoea began did you first seek advice or treatment for (NAME)? IF THE SAME DAY, RECORD '00'.	DAYS	DAYS	DAYS

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST
NO.	QUESTIONS AND FILTERS	NAME	NAME	BIRTH NAME
528	Does (NAME) still have diarrhoea?	YES	YES	YES
529	Was he/she given any of the following to drink at any time since he/she started having the diarrhoea:	YES NO DK	YES NO DK	YES NO DK
	A fluid made from a special packet called [LOCAL NAME FOR ORS PACKET]?	FLUID FROM ORS PKT 1 2 8	FLUID FROM ORS PKT 1 2 8	FLUID FROM ORS PKT 1 2 8
	b. Gruel made from rice [OR OTHER LOCAL GRAIN]?	GRUEL 1 2 8	GRUEL 1 2 8	GRUEL 1 2 8
530	Was anything (else) given to treat the diarrhoea?	YES	YES	YES
531	What (else) was given to treat the diarrhoea? Anything else? RECORD ALL TREATMENTS GIVEN.	PILL OR SYRUP ANTIBIOTIC	PILL OR SYRUP ANTIBIOTIC A ANTIMOTILITY B ZINC C OTHER (NOT ANTI- BIOTIC, ANTI- MOTILITY, OR ZINC) D UNKNOWN PILL OR SYRUP E	PILL OR SYRUP ANTIBIOTIC
		INJECTION ANTIBIOTIC F NON-ANTIBIOTIC G UNKNOWN INJECTION H	INJECTION ANTIBIOTIC F NON-ANTIBIOTIC G UNKNOWN INJECTION H	INJECTION ANTIBIOTIC F NON-ANTIBIOTIC G UNKNOWN INJECTION H
		INTRAVENOUS (IV) . I HOME REMEDY/ HERBAL MED- ICINE J	INTRAVENOUS (IV) . I HOME REMEDY/ HERBAL MED- ICINE J	INTRAVENOUS (IV) . I HOME REMEDY/ HERBAL MED- ICINE J
		OTHER X (SPECIFY)	OTHER X X	OTHER X (SPECIFY)
532	Has (NAME) been ill with a fever at any time in the last 2 weeks?	YES	YES	YES
533	Has (NAME) been ill with a cough at any time in the last 2 weeks?	YES	YES	YES

NO.	QUESTIONS AND FILTERS	LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH NAME
534	When (NAME) had an illness with a cough, did he/she breathe faster than usual with short, rapid breaths or have difficulty breathing?	YES	YES	YES
535	When (NAME) had this illness, did he/she have a problem in the chest or a blocked or runny nose?	CHEST ONLY 1 7 NOSE ONLY 2 7 BOTH 3 7 OTHER (SPECIFY) DON'T KNOW 8 7 (SKIP TO 537)	CHEST ONLY 1 7 NOSE ONLY 2 7 BOTH 3 7 OTHER (SPECIFY) DON'T KNOW 8 7 (SKIP TO 537)	CHEST ONLY 1 ¬ NOSE ONLY 2 ¬ BOTH 3 ¬ OTHER (SPECIFY) DON'T KNOW 8 ¬ (SKIP TO 537)
536	CHECK 532: HAD FEVER?	YES NO OR DK ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	YES NO OR DK ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	YES NO OR DK ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
537	How long ago did the (fever/cough) start? IF LESS THAN ONE WEEK, RECORD NUMBER OF DAYS AGO; OTHERWISE RECORD WEEKS AGO.	NO. OF 1 DAYS AGO NO. OF 2 WEEKS AGO DON'T KNOW 998	NO. OF 1 0 NO. OF 2 WEEKS AGO DON'T KNOW 998	NO. OF 1 DAYS AGO NO. OF 2 WEEKS AGO DON'T KNOW 998
538	Now I would like to know how much (NAME) was given to drink during the illness with a (fever/cough). Was he/she given less than usual to drink, about the same amount, or more than usual to drink? IF LESS, PROBE: Was he/she given much less than usual to drink or somewhat less?	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 NOTHING TO DRINK 5 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 NOTHING TO DRINK 5 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 NOTHING TO DRINK 5 DON'T KNOW 8
539	When (NAME) had a (fever/cough), was he/she given less than usual to eat, about the same amount, more than usual, or nothing to eat? IF LESS, PROBE: Was he/she given much less than usual to eat or somewhat less?	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 STOPPED FOOD . 5 NEVER GAVE FOOD . 6 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 STOPPED FOOD . 5 NEVER GAVE FOOD . 6 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 STOPPED FOOD . 5 NEVER GAVE FOOD 6 DON'T KNOW 8

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST
NO.	QUESTIONS AND FILTERS	NAME	NAME	BIRTH NAME
540	Did you seek advice or treatment for the illness from any source?	YES	YES	YES
541	Where did you seek advice or treatment? Anywhere else?	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B UHC/UHP/UFWC C CHC/RUR. HOSP/ PHC D SUB-CENTRE/	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B UHC/UHP/UFWC C CHC/RUR. HOSP/ PHC D SUB-CENTRE/	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B UHC/UHP/UFWC C CHC/RUR. HOSP/ PHC D SUB-CENTRE/
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	ANM E ANGANWADI/ICDS CENTRE F GOVT. MOBILE CLINIC G CAMP H OTHER PUB. SECT. HEALTH FACILITY I ASHA J	ANM E ANGANWADI/ICDS CENTRE F GOVT. MOBILE CLINIC G CAMP H OTHER PUB. SECT. HEALTH FACILITY I ASHA J	ANM E ANGANWADI/ICDS CENTRE F GOVT. MOBILE CLINIC G CAMP H OTHER PUB. SECT. HEALTH FACILITY I ASHA J
	(NAME OF PLACE(S))	NGO/TRUST HOSP./ CLINIC K	NGO/TRUST HOSP./ CLINIC K	NGO/TRUST HOSP./ CLINIC K
	RECORD ALL SOURCES MENTIONED.	PVT. MED. SECTOR PVT. HOSPITAL . L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE . Q OTHER PVT. HEALTH FAC R	PVT. MED. SECTOR PVT. HOSPITAL . L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE . Q OTHER PVT. HEALTH FAC R	PVT. MED. SECTOR PVT. HOSPITAL . L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE . Q OTHER PVT. HEALTH FAC R
		OTHER SOURCE SHOP S FRIEND/RELATIVE T	OTHER SOURCE SHOP S FRIEND/RELATIVE T	OTHER SOURCE SHOP S FRIEND/RELATIVE T
		OTHER X (SPECIFY)	OTHER X (SPECIFY)	OTHER (SPECIFY) X
542	CHECK 541:	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 544)	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 544)	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 544)
543	Where did you first seek advice or treatment? USE LETTER CODE FROM 541.	FIRST PLACE	FIRST PLACE	FIRST PLACE

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST
NO.	QUESTIONS AND FILTERS	NAME	NAME	BIRTH NAME
544	How many days after the illness began did you first seek advice or treatment for (NAME)? IF THE SAME DAY, RECORD '00'.	DAYS	DAYS	DAYS
545	Is (NAME) still sick with a (fever/cough)?	FEVER ONLY 1 COUGH ONLY 2 BOTH FEVER AND 3 COUGH 3 NO, NEITHER 4 DON'T KNOW 8	FEVER ONLY 1 COUGH ONLY 2 BOTH FEVER AND COUGH 3 NO, NEITHER 4 DON'T KNOW 8	FEVER ONLY 1 COUGH ONLY 2 BOTH FEVER AND 3 COUGH 3 NO, NEITHER 4 DON'T KNOW 8
546	At any time during the illness, did (NAME) take any drugs for the illness?	YES	YES	YES
547	What drugs did (NAME) take? Any other drugs? RECORD ALL MENTIONED.	ANTIMALARIAL DRUGS CHLOROQUINE A PRIMAQUINE B SP/FANSIDAR CC COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG G OTHER DRUGS ASPIRIN H ACETA- MINOPHEN H IBUPROFEN J OTHER X (SPECIFY) UNKNOWN DRUG Z	ANTIMALARIAL DRUGS CHLOROQUINE A PRIMAQUINE B SP/FANSIDAR C COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG G OTHER DRUGS ASPIRIN H ACETA- MINOPHEN I IBUPROFEN J OTHERX (SPECIFY) UNKNOWN DRUG Z	ANTIMALARIAL DRUGS CHLOROQUINE A PRIMAQUINE B SP/FANSIDAR C COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG . G OTHER DRUGS ASPIRIN H ACETA- MINOPHEN I IBUPROFEN J OTHER X (SPECIFY) UNKNOWN DRUG . Z
548	CHECK 547: ANY CODE A-G CIRCLED?	YES NO (SKIP TO 552)	YES NO (SKIP TO 552)	YES NO (SKIP TO 552)
549	Did you already have (NAME OF DRUG FROM 547) at home when the child became ill? IF YES, CIRCLE CODE FOR THAT DRUG. ASK SEPARATELY FOR EACH ANTIMALARIAL OR ANTIBIOTIC DRUG GIVEN IN 547.	ANTIMALARIAL DRUGS CHLOROQUINE A PRIMAQUINE B SP/FANSIDAR C COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG G NONE OF THEM AT HOME Y	ANTIMALARIAL DRUGS CHLOROQUINE A PRIMAQUINE B SP/FANSIDAR C COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG G NONE OF THEM AT HOME Y	ANTIMALARIAL DRUGS CHLOROQUINE A PRIMAQUINE B SP/FANSIDAR C COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG G NONE OF THEM AT HOME Y

NO.	QUESTIONS AND FILTERS	LAST BIRTH NAME	NEXT-TO-LAST BIRTH NAME	SECOND-FROM-LAST BIRTH NAME
550	CHECK 547: ANY CODE A-F CIRCLED?	YES NO □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	YES NO □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	YES NO (SKIP TO 552)
551	How long after the fever started, did (NAME) first take (DRUG(S) FROM 547 A-F)?	SAME DAY 1 NEXT DAY 2 TWO DAYS AFTER FEVER 3 THREE DAYS AFTER FEVER 4 FOUR OR MORE DAYS AFTER FEVER 5 DON'T KNOW 8	SAME DAY 1 NEXT DAY 2 TWO DAYS AFTER FEVER 3 THREE DAYS AFTER FEVER 4 FOUR OR MORE DAYS AFTER FEVER 5 DON'T KNOW 8	SAME DAY 1 NEXT DAY 2 TWO DAYS AFTER FEVER 3 THREE DAYS AFTER FEVER 4 FOUR OR MORE DAYS AFTER FEVER 5 DON'T KNOW 8
552		GO BACK TO 503 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 553.	GO BACK TO 503 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 553.	GO TO 503 IN NEXT-TO-LAST COLUMN OF NEW QUESTIONNAIRE; OR, IF NO MORE BIRTHS, GO TO 553.

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
553	CHECK 215 AND 218, ALL ROWS:		
	NUMBER OF CHILDREN BORN IN 2001 OR LATER LIVING WITH	THE RESPONDENT	
	ONE OR MORE NONE		→ 556
	<u> </u>		
554	The last time (NAME OF YOUNGEST CHILD) passed stools, what was done to dispose of the stools?	CHILD USED TOILET OR LATRINE 01 PUT/RINSED INTO TOILET OR LATRINE 02 PUT/RINSED INTO DRAIN OR DITCH 03 THROWN INTO GARBAGE 04 BURIED 05 LEFT IN THE OPEN 06 OTHER 96 (SPECIFY) DON'T KNOW 98	
555	CHECK 529(a), ALL COLUMNS:		
	NO CHILD ANY CI		. 557
		VED FLUID L	→ 557
556	★ Have you ever heard of a special product called [LOCAL NAME	YES	
	FOR ORS PACKET] you can get for the treatment of diarrhoea?	NO 2	
	IF SHE HAS NEVER HEARD OF ORS, SHOW GOVERNMENT AND COMMERCIAL ORS PACKETS AND ASK:		
	Have you ever seen a packet like one of these before?		
557	Now I would like to ask you some questions about medical care for you yourself.		
	Many different factors can prevent women from getting medical advice or treatment for themselves. When you are sick and want to get medical advice or treatment, is each of the following a big problem, a small problem, or no problem?	BIG SMALL NO PROB- PROB- PROB- LEM LEM LEM	
	a. Getting permission to go?	PERMISSION 1 2 3	
	b. Getting money needed for treatment?	GETTING MONEY 1 2 3	
	c. The distance to the health facility?	DISTANCE 1 2 3	
	d. Having to take transport?	TAKING TRANSPORT . 1 2 3	
	e. Finding someone to go with you?	FINDING SOMEONE 1 2 3	
	f. Concern that there may not be a female health provider?	NO FEMALE PROVIDER 1 2 3	
	g. Concern that there may not be any health provider?	NO PROVIDER . 1 2 3	
	h. Concern that there may be no drugs available?	NO DRUGS 1 2 3	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES			SKIP		
558	How often do you yourself consume the following food items: daily, weekly, occasionally, or never?		DAILY	WEEKLY 2	occ.	NEVER	
	a. Milk or curd?	a.	1	2	3	4	
	b. Pulses or beans?	b.	1	2	3	4	
	c. Dark green leafy vegetables?	C.	1	2	3	4	
	d. Fruits?	d.	1	2	3	4	
	e. Eggs?	e.	1	2	3	4	
	f. Fish?	f.	1	2	3	4	
	g. Chicken or meat?	g.	1	2	3	4	
559	Now I would like to ask you some questions about any injections you have had in the last 12 months. Have you had an injection for any reason in the last 12 months?	NUMBER OF INJECTIONS					
	IF YES: How many injections have you had? IF NUMBER OF INJECTIONS IS GREATER THAN 90, OR DAILY FOR 3 MONTHS OR MORE, RECORD '90'. IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.	NO	NE			00	≯ 564
560	CHECK 559:						
	ONE INJECTION Was this injection administered by a doctor, a nurse, a pharmacist, a dentist, or any other health worker? IF YES, RECORD '01'. Among these injections, how many were administered by a doctor, a nurse, a pharmacist, a dentist, or any other health worker? IF NUMBER OF INJECTIONS IS GREATER THAN 90, OR DAILY FOR 3 MONTHS OR MORE, RECORD '90'. IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.					00	≯564

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
561	The last time you had an injection given to you by a health worker, where did you go to get the injection? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSPITAL/PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 CAMP 17 ANGANWADI/ICDS CENTRE 18 OTHER PUBLIC MEDICAL SECTOR 19 NGO OR TRUST HOSPITAL/CLINIC 21	
	(NAME OF PLACE)	PRIVATE MEDICAL SECTOR PVT. HOSPITAL	
		SHOP	
562	Did the person who gave you that injection take the syringe and needle from a new, unopened package?	YES	→ 564
563	As far as you know, was the needle sterilized?	YES	
564	Have you ever had a blood transfusion?	YES	
565	Do you currently smoke cigarettes or bidis?	YES	→ 567
566	In the last 24 hours, how many cigarettes or bidis did you smoke?	CIGARETTES/BIDIS	
567	Do you currently smoke or use tobacco in any other form?	YES	→ 569
568	In what other form do you currently smoke or use tobacco? Any other form? RECORD ALL MENTIONED.	CIGAR/PIPE A PAAN MASALA B GHUTKA C OTHER CHEWING TOBACCO D SNUFF E OTHER X (SPECIFY)	
569	Do you drink alcohol?	YES	→ 571

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
570	How often do you drink alcohol: almost every day, about once a week or less often?	ALMOST EVERY DAY 1 ABOUT ONCE A WEEK 2 LESS OFTEN 3	
571	Have you ever heard of an illness called tuberculosis or TB?	YES	→ 575
572	How does tuberculosis spread from one person to another? PROBE: Any other ways?	THROUGH THE AIR WHEN COUGHING OR SNEEZING A THROUGH SHARING UTENSILS B THROUGH TOUCHING A PERSON WITH TB	
	RECORD ALL MENTIONED.	THROUGH SEXUAL CONTACT E THROUGH MOSQUITO BITES F	
		OTHER X	
573	Can tuberculosis be cured?	YES	
574	If a member of your family got tuberculosis, would you want it to remain a secret from the neighbours or not?	YES, REMAIN A SECRET 1 NO 2 DON'T KNOW/NOT SURE/ 8	
575	Do you currently have :	DON'T YES NO KNOW	
	a. Diabetes?	DIABETES 1 2 8	
	b. Asthma?	ASTHMA 1 2 8	
	c. Goiter or any other thyroid disorder?	GOITER/THYROID . 1 2 8	
576	CHECK 215: ANY LIVE BIRTH IN 2000 OR LATER?		
	YES T	NO	→ 601

SECTION 5A. UTILIZATION OF ICDS SERVICES

577	7 ENTER IN THE TABLE THE LINE NUMBER, NAME, AND SURVIVAL STATUS OF EACH BIRTH IN 2000 OR LATER. ASK THE QUESTIONS ABOUT ALL OF THESE BIRTHS. BEGIN WITH THE LAST BIRTH. (IF THERE ARE MORE THAN 5 BIRTHS, USE ADDITIONAL QUESTIONNAIRES).					
578		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM- LAST BIRTH	THIRD-FROM- LAST BIRTH	FOURTH-FROM- LAST BIRTH
	LINE NUMBER FROM 212	LINE NUMBER	LINE NUMBER	LINE NUMBER	LINE NUMBER	LINE NUMBER
579		NAME	NAME	NAME	NAME	NAME
	FROM 212 AND 216	LIVING DEAD (GO TO 587)	LIVING DEAD (GO TO 587)	LIVING DEAD (GO TO 587)	LIVING DEAD (GO TO 587)	LIVING DEAD (GO TO 587)
580	During the last 12 months, has (NAME) received any benefits from the anganwadi or ICDS centre? IF NO, PROBE:					
	Any benefits such as supplementary food, growth monitoring, immunizations, health check-ups or education?	YES . 1 NO 2 (GO TO 587) ✓	YES . 1 NO 2 (GO TO 587)	YES . 1 NO 2 (GO TO 587) ✓	YES . 1 NO 2 (GO TO 587) ✓	YES . 1 NO 2 (GO TO 587) ✓
581	In the last 12 months, how often has (NAME) received food from the anganwadi/ICDS centre? IF CHILD RECEIVES TAKE- HOME RATIONS FOR DAILY CONSUMPTION WEEKLY OR MONTHLY CODE '1'.	NOT AT ALL 0 ALMOST DAILY . 1 AT LEAST ONCE A WEEK 2 AT LEAST ONCE A MONTH 3 LESS OFTEN 4 DON'T KNOW 8	NOT AT ALL 0 ALMOST DAILY . 1 AT LEAST ONCE A WEEK 2 AT LEAST ONCE A MONTH 3 LESS OFTEN 4 DON'T KNOW 8	NOT AT ALL 0 ALMOST DAILY 1 AT LEAST ONCE A WEEK 2 AT LEAST ONCE A MONTH 3 LESS OFTEN 4 DON'T KNOW 8	ALMOST DAILY . 1 AT LEAST ONCE A WEEK 2 AT LEAST ONCE A MONTH 3	NOT AT ALL 0 ALMOST DAILY . 1 AT LEAST ONCE A WEEK 2 AT LEAST ONCE A MONTH 3 LESS OFTEN 4 DON'T KNOW 8
582	In the last 12 months, how often has (NAME) had a health check-up from the anganwadi/ICDS centre?	NOT AT ALL 0 AT LEAST ONCE A MONTH 1 LESS OFTEN 2 DON'T KNOW 8	NOT AT ALL 0 AT LEAST ONCE A MONTH 1 LESS OFTEN 2 DON'T KNOW 8	NOT AT ALL 0 AT LEAST ONCE A MONTH 1 LESS OFTEN 2 DON'T KNOW 8	LESS OFTEN 2	NOT AT ALL 0 AT LEAST ONCE A MONTH 1 LESS OFTEN 2 DON'T KNOW 8
583	In the last 12 months, has (NAME) received any immunizations through the anganwadi/ ICDS centre?	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES	YES	YES
584	In the last 12 months, how often did (NAME) go to the anganwadi/ICDS centre for early childhood care or for preschool: regularly, occasionally, or not at all?	REG	REG	REG	REG	REG

		LAST BIRTH	NEXT-TO-LAST	SECOND-FROM-	THIRD-FROM-	FOURTH-FROM-
			BIRTH	LAST BIRTH	LAST BIRTH	LAST BIRTH
	NAME FROM 212	NAME	NAME	NAME	NAME	NAME
585	In the last 12 months, how often has (NAME's) weight been measured by the anganwadi/ICDS centre?	NOT AT ALL 0 (GO TO 587) ← AT LEAST ONCE A MONTH 1 AT LEAST ONCE IN 3 MONTHS 2 LESS OFTEN 3 DON'T KNOW 8 (GO TO 587) ←	NOT AT ALL 0 (GO TO 587) ←	NOT AT ALL 0 (GO TO 587) AT LEAST ONCE A MONTH 1 AT LEAST ONCE IN 3 MONTHS 2 LESS OFTEN 3 DON'T KNOW 8 (GO TO 587) ■	NOT AT ALL 0 (GO TO 587) ←	NOT AT ALL 0 (GO TO 587) AT LEAST ONCE A MONTH 1 AT LEAST ONCE IN 3 MONTHS 2 LESS OFTEN 3 DON'T KNOW 8 (GO TO 587)
586	After (NAME) was weighed, did you ever receive counselling from the anganwadi/ICDS worker or ANM?	YES	YES	YES	YES	YES 1 NO 2 DON'T KNOW . 8
587	When you were pregnant with (NAME), did you receive any benefits from the anganwadi/ICDS centre?	YES 1 NO 2 (GO TO 589) ← J	YES 1 NO 2 (GO TO 589) ← J	YES	YES 1 NO 2 (GO TO 589) ← J	YES 1 NO 2 (GO TO 589) ← J
588	Did you receive any of the following benefits:	YES NO	YES NO	YES NO	YES NO	YES NO
	a. Supplementary food?	1 2	1 2	1 2	1 2	1 2
	b. Health check-ups?	1 2	1 2	1 2	1 2	1 2
	c. Health and nutrition education?	1 2	1 2	1 2	1 2	1 2
589	When you were breastfeeding (NAME) did you receive any benefits from the anganwadi/ICDS centre?	YES	YES	YES	YES	YES
590	Did you receive any of the following benefits:	YES NO	YES NO	YES NO	YES NO	YES NO
	a. Supplementary food?	1 2	1 2	1 2	1 2	1 2
	b. Health check-ups?	1 2	1 2	1 2	1 2	1 2
	c. Health and nutrition education?	1 2	1 2	1 2	1 2	1 2
591		GO TO 579 IN NEXT COLUMN; OR IF NO MORE BIRTHS, GO TO 601.	GO TO 579 IN NEXT COLUMN; OR IF NO MORE BIRTHS, GO TO 601.	GO TO 579 IN NEXT COLUMN; OR IF NO MORE BIRTHS, GO TO 601.	GO TO 579 IN NEXT COLUMN; OR IF NO MORE BIRTHS, GO TO 601.	GO TO 579 IN FIRST COLUMN OF ADDITIONAL QUESTIONNIARE; OR IF NO MORE BIRTHS, GO TO 601.

SECTION 6. SEXUAL LIFE

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
601	CHECK 316 AND 317: HAS NOT HAD SEXUAL INTERCOURSE (316 = 2 OR 317 = 00) HAS HAD SEXUAL HAS HAD SEXUAL	AL INTERCOURSE	→ 618
	READ TO RESPONDENTS Now I need to ask you some more questions about relationships and you that your answers are completely confidential. If we should come to answer, just let me know and I will skip to the next question.	3 .	
602	CHECK 105: 15-24 YEARS OLD YEARS OLD YEARS OLD		→ 606
603	How old was the person you <u>first</u> had sexual intercourse with?	AGE OF PARTNER	→ 605
604	Would you say this person was ten or more years older than you?	YES	
605	The first time you had sexual intercourse, was a condom used?	YES	
606	When was the <u>last</u> time you had sexual intercourse? IF LESS THAN 12 MONTHS, ANSWER MUST BE RECORDED IN DAYS, WEEKS, OR MONTHS AGO. IF 12 MONTHS OR MORE, ANSWER MUST BE RECORDED IN YEARS AGO.	DAYS AGO	608
		YEARS AGO 4	→ 017

NO.	QUESTIONS AND FILTERS	LAST SEXUAL PARTNER	SECOND-TO-LAST SEXUAL PARTNER
607	When was the last time you had sexual intercourse with this other person?	SEXO (E.) WITHER	DAYS AGO 1 WEEKS AGO 2 MONTHS AGO 3
608	The last time you had sexual intercourse (with this other person), was a condom used?	YES	YES
609	Did you use a condom every time you had sexual intercourse with this person in the last 12 months?	YES	YES
610	What was this person's relationship to you?	HUSBAND	HUSBAND
611	For how long (have you had/did you have) a sexual relationship with this person? IF ONLY HAD SEXUAL RELATIONS WITH THIS PERSON ONCE, RECORD '01' DAYS.	DAYS 1	DAYS 1
612	CHECK 105:	15-24 YEARS 25-49 OLD YEARS OLD (SKIP TO 615)	15-24 YEARS 25-49 OLD YEARS OLD V (SKIP TO 616) ←
613	How old is this person?	AGE OF PARTNER (SKIP TO 615) DON'T KNOW	AGE OF PARTNER (SKIP TO 616) DON'T KNOW 98
614	Would you say this person is ten or more years older than you?	YES	YES
615	Apart from this person, have you had sexual intercourse with any other person in the last 12 months?	YES	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
616	In total, with how many different people have you had sexual intercourse in the last 12 months?	NUMBER OF PARTNERS IN LAST 12 MONTHS	
	IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.	DON'T KNOW 98	
617	In total, with how many different people have you had sexual intercourse in your lifetime?	NUMBER OF PARTNERS IN LIFETIME	
	IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.	DON'T KNOW 98	
618	Do you know of a place where a person can get condoms?	YES	→ 701
619	Where is that? Any other place?	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISPENSARY B UHC/UHP/UFWC C CHC/RURAL HOSPITAL/PHC D SUB-CENTRE/ANM E	
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	GOVT. MOBILE CLINIC F CAMP G ANGANWADI/ICDS CENTRE H ASHA I OTHER COMMUNITY BASED WORKER J OTHER PUBLIC MEDICAL SECTOR K (SPECIFY)	
	(NAME OF PLACE(S))	NGO OR TRUST HOSPITAL/ CLINIC L PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL/CLINIC/ DOCTOR M PRIVATE PARAMEDIC N VAIDYA/HAKIM/HOMEOPATH O TRADITIONAL HEALER P	
	RECORD ALL SOURCES MENTIONED.	PHARMACY/DRUGSTORE Q DAI (TBA) R OTHER PRIVATE MEDICAL S SECTOR S (SPECIFY) T OTHER SHOP U VENDING MACHINE V OTHER X (SPECIFY)	
620	If you wanted to, could you yourself get a condom?	YES	

SECTION 7. FERTILITY PREFERENCES

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
701	CHECK 301: NEVER MARRIED OTHER		→ 714
702	CHECK 330/330A: CODE 'A' OR CODE 'B' CIRCLED OTHER		→ 714
703	Now I have some questions about the future. Would you like to have (a/another) child, or would you prefer not to have any (more) children? NOW I have some questions about the future. After the child you are expecting now, would you like to have another child, or would you prefer not to have any more children?	HAVE (A/ANOTHER) CHILD	→ 705 → 714 → 711 → 709
704	CHECK 227: NOT PREGNANT OR UNSURE How long would you like to wait from now before the birth of (a/another) child? After the birth of the child you are expecting now, how long would you like to wait before the birth of another child?	MONTHS	→ 709 → 714
705	CHECK 227: NOT PREGNANT OR UNSURE PREGNANT		→ 711
706	CHECK 329: USING A CONTRACEPTIVE METHOD? NOT NOT CURRENTLY USING	NTLY SING	→ 714
707		00-23 MONTHS DR 00-01 YEAR	→ 711

NO.	QUESTIONS AND FILTERS		CODING CATEGORIES		SKIP
708	CHECK 703:		NOT CURRENTLY MARRIED	Α	-
	WANTS TO HAVE A/ANOTHER CHILD You have said that you do not want (a/another) child soon, but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?	You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?	FERTILITY-RELATED REASONS NOT HAVING SEX INFREQUENT SEX MENOPAUSAL/HYSTERECTOMY SUBFECUND/INFECUND POSTPARTUM AMENORRHEIC BREASTFEEDING FATALISTIC/UP TO GOD OPPOSITION TO USE	F G	
	PROBE:	PROBE:	RESPONDENT OPPOSED		
	Any other reason?	Any other reason?	HUSBAND OPPOSED OTHERS OPPOSED RELIGIOUS PROHIBITION	K	
	RECORD ALL REASON	NS MENTIONED.	LACK OF KNOWLEDGE KNOWS NO METHOD KNOWS NO SOURCE		
			METHOD-RELATED REASONS HEALTH CONCERNS FEAR OF SIDE EFFECTS LACK OF ACCESS/TOO FAR COSTS TOO MUCH INCONVENIENT TO USE INTERFERES WITH BODY'S NORMAL PROCESSES	R S	
			DON'T LIKE EXISTING METHODS	Ü	
			OTHER	Х	
			(SPECIFY) DON'T KNOW	Z	
709	CHECK 329: USING A CONTRAC NOT ASKED NOT C	NO,	YES, RENTLY USING		→ 714
710	Do you think you will use a contract pregnancy in the next 12 months?	· ·	YES NO DON'T KNOW	1 2 8	→ 712
711	Do you think you will use a contract pregnancy at any time in the future		YES NO DON'T KNOW	1 2 8	713
712	Which contraceptive method would	d you prefer to use?	FEMALE STERILIZATION MALE STERILIZATION PILL IUD/LOOP INJECTABLES IMPLANTS CONDOM/NIRODH FEMALE CONDOM DIAPHRAGM FOAM/JELLY RHYTHM METHOD WITHDRAWAL OTHER (SPECIFY)	06 07 08 09	714
			UNSURE	98	Ц

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES					
713	What is the main reason that you think you will not use a contraceptive method at any time in the future?	FERTILITY-RELATED REASONS INFREQUENT SEX/NO SEX 11 MENOPAUSAL/HYSTERECTOMY 12 SUBFECUND/INFECUND 13 FATALISTIC 14 WANTS AS MANY CHILDREN AS POSSIBLE 15 OPPOSITION TO USE RESPONDENT OPPOSED 21 HUSBAND OPPOSED 22 OTHERS OPPOSED 23 RELIGIOUS PROHIBITION 24 LACK OF KNOWLEDGE KNOWS NO METHOD 31 KNOWS NO SOURCE 32 METHOD-RELATED REASONS HEALTH CONCERNS 41 FEAR OF SIDE EFFECTS 42 LACK OF ACCESS/TOO FAR 43 COSTS TOO MUCH 44 INCONVENIENT TO USE 45 INTERFERES WITH BODY'S NORMAL PROCESSES 46 OTHER 96 (SPECIFY) DON'T KNOW 98					
714	CHECK 216: HAS LIVING CHILDREN If you could go back to the time you did not have any children and could choose exactly the number of children to have in your whole life, how many would that be? PROBE FOR A NUMERIC RESPONSE.	NONE	→ 716 → 716				
715	How many of these children would you like to be boys, how many would you like to be girls and for how many would the sex not matter?	BOYS GIRLS EITHER NUMBER OTHER 96 (SPECIFY)					

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
716	In the last few months have you heard or seen any message about family planning:	YES NO	
	a. On the radio?	RADIO	
	b. On the television?	TELEVISION	
	c. In a newspaper or magazine?	NEWSPAPER OR MAGAZINE 1 2	
	d. On a wall painting or hoarding?	WALL PAINTING OR HOARDING . 1 2	
717	CHECK 301:		
	CURRENTLY OTHER MARRIED		→ 723
718	CHECK 330/330A:		
	CODE 'B' OR 'G' OR 'L' CIRCLED		
	NO CODE		→ 720
	CIRCLED		→ 722
	OTHER		
719	Does your husband know that you are using a method of family planning?	YES	721
720	Would you say that using contraception is mainly your decision, mainly your husband's decision, or did you both decide together?	MAINLY RESPONDENT 1 MAINLY HUSBAND 2 JOINT DECISION 3 OTHER 6	
721	CHECK 330/330A:		
	CODE 'A' OR CODE 'B' CIRCLED OTHER		→ 723
722	Do you think your husband wants the same number of children that you want, or does he want more or fewer than you want?	SAME NUMBER 1 MORE CHILDREN 2 FEWER CHILDREN 3 DON'T KNOW 8	
723	Husbands and wives do not always agree on everything. Please tell me if you think a wife is justified in refusing to have sex with her husband when:	DON'T YES NO KNOW	
	a. She knows her husband has a sexually transmitted disease.	HAS STD	
	b. She knows her husband has sex with other women.	OTHER WOMEN 1 2 8	
	c. She is tired or not in the mood.	TIRED/NOT IN MOOD . 1 2 8	

SECTION 8. HUSBAND'S BACKGROUND AND WOMAN'S WORK

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
801	CHECK 301:		906
	CURRENTLY NEVER MARRIED MARRIED MARRIED MARRIED		→ 806
	MARRIED, GAUNA NOT PERFORMED ▼	OTHER	→ 803
802	How old was your husband on his last birthday?	AGE IN COMPLETED YEARS	
803	Did your (last) husband ever attend school?	YES	→ 805
804	What was the highest standard he completed?	STANDARD	
805	CHECK 801: CURRENTLY OTHER MARRIED OR MARRIED, GAUNA NOT PERFORMED What is your husband's occupation? That is, what kind of work does he mainly do? OTHER What was your (last) husband's occupation? That is, what kind of work did he mainly do?		
806	Aside from your own housework, have you done any work in the last seven days?	YES	→ 810
807	As you know, some women take up jobs for which they are paid in cash or kind. Others sell things, have a small business or work on the family farm or in the family business. In the last seven days, have you done any of these things or any other work?	YES	→ 810
808	Although you did not work in the last seven days, do you have any job or business from which you were absent for leave, illness, vacation, maternity leave or any other such reason?	YES	→ 810
809	Have you done any work in the last 12 months?	YES	→ 817
810	What is your occupation, that is, what kind of work do you mainly do?		
811	CHECK 810: WORKS IN DOES NOT WORK AGRICULTURE IN AGRICULTURE		→ 813

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP			
812	Do you work mainly on your own land, on family land, or on land that you rent from someone else, or do you work on someone else's land?	OWN LAND 1 FAMILY LAND 2 RENTED LAND 3 SOMEONE ELSE'S LAND 4				
813	Do you do this work for a member of your family, for someone else, or are you self-employed? FOR FAMILY MEMBER 1 FOR SOMEONE ELSE 2 SELF-EMPLOYED 3					
814	Do you usually work at home or away from home?	HOME				
815	Do you usually work throughout the year, or do you work seasonally, or only once in a while?	THROUGHOUT THE YEAR				
816	Are you paid in cash or kind for this work, or are you not paid at all?	CASH ONLY 1 CASH AND KIND 2 IN KIND ONLY 3 NOT PAID 4				
817	CHECK 301: CURRENTLY MARRIED OTHER		→823			
818	CHECK 816: CODE '1' OR '2' CIRCLED OTHER					
819	Who decides how the money you earn will be used: mainly you, mainly your husband, or you and your husband jointly?	RESPONDENT 1 HUSBAND 2 RESPONDENT AND HUSBAND JOINTLY 3 OTHER 6				
820	Would you say that the money that you earn is more than what your husband earns, less than what he earns, or about the same?	MORE THAN HUSBAND 1 LESS THAN HUSBAND 2 ABOUT THE SAME 3 HUSBAND HAS NO EARNINGS 4 DON'T KNOW 8	→ 822			
821	Who decides how your husband's earnings will be used: mainly you, mainly your husband, or you and your husband jointly?	RESPONDENT 1 HUSBAND 2 RESPONDENT AND 3 HUSBAND JOINTLY 3 HUSBAND HAS 0 NO EARNINGS 4 OTHER 6				
822	Who usually makes the following decisions: mainly you, mainly your husband, you and your husband jointly, or someone else?	RESPONDENT = 1 HUSBAND = 2 RESPONDENT & HUSBAND JOINTLY = 3 SOMEONE ELSE = 4 OTHER RESPONSE= 6				
	a. Decisions about health care for yourself?	a. 1 2 3 4 6				
	b. Decisions about making major household purchases?	b. 1 2 3 4 6				
	c. Decisions about making purchases for daily household needs?	c. 1 2 3 4 6				
	d. Decisions about visits to your family or relatives?	d. 1 2 3 4 6				

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
823	Do you have any money of your own that you alone can decide how to use?	YES	
824	Are you usually allowed to go to the following places alone, only with someone else, or not at all?	WITH NOT SOMEONE AT ALONE ELSE ONLY ALL	
	a. To the market?	MKT 1 2 3	
	b. To the health facility?	HEALTH 1 2 3	
	c. To places outside this (village/community)?	OUT 1 2 3	
825	Do you have a bank or savings account that you yourself use?	YES	
826	Do you know of any programmes in this area that give loans to women to start or expand a business of their own?	YES	→ 828
827	Have you yourself ever taken a loan, in cash or in kind, from any of these programmes, to start or expand a business?	YES	
828	PRESENCE OF OTHERS AT THIS POINT (PRESENT AND LISTENING, PRESENT BUT NOT LISTENING, OR NOT PRESENT)	PRES./ PRES./ NOT LISTEN. NOT PRES. LISTEN.	
		CHILDREN < 10	
829	Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations:	DON'T YES NO KNOW	
	a. If she goes out without telling him?	GOES OUT 1 2 8	
	b. If she neglects the house or the children?	NEGL. CHILDREN . 1 2 8	
	c. If she argues with him?	ARGUES 1 2 8	
	d. If she refuses to have sex with him?	REFUSES SEX 1 2 8	
	e. If she doesn't cook food properly?	POOR COOKING 1 2 8	
	f. If he suspects her of being unfaithful?	UNFAITHFUL 1 2 8	
	g. If she shows disrespect for in-laws?	DISRESPECT 1 2 8	

SECTION 9. HIV/AIDS AND OTHER SEXUALLY TRANSMITTED INFECTIONS

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
901	Now I would like to talk about something else. Have you ever heard of an illness called AIDS?	YES	→ 927
902	From which sources of information have you learned about AIDS? Any other source?	RADIO A TELEVISION B CINEMA C NEWSPAPERS/MAGAZINES D POSTERS/HOARDINGS E EXHIBITION/MELA F HEALTH WORKERS G	
	RECORD ALL MENTIONED.	ADULT EDUC. PROGRAMME H RELIGIOUS LEADERS I POLITICAL LEADERS J SCHOOL/TEACHERS K COMMUNITY MEETINGS L HUSBAND M FRIENDS/RELATIVES N WORK PLACE O OTHER X (SPECIFY)	
903	In your opinion, can people reduce their chances of getting HIV/AIDS by having just one uninfected sex partner who has no other sex partners?	YES	
904	In your opinion, can people get HIV/AIDS from mosquito bites?	YES	
905	In your opinion, can people reduce their chances of getting HIV/AIDS by using a condom every time they have sex?	YES	
906	In your opinion, can people get HIV/AIDS by sharing food with a person who has AIDS?	YES	
907	In your opinion, can people get HIV/AIDS by hugging someone who has AIDS?	YES	
908	In your opinion, can people reduce their chance of getting HIV/AIDS by abstaining from sexual intercourse?	YES	
909	Is there anything else a person can do to avoid or reduce the chances of getting HIV/AIDS?	YES	911

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
910	What can a person do?	ABSTAIN FROM SEX A USE CONDOMS B LIMIT SEX TO ONE PARTNER/STAY FAITHFUL TO ONE PARTNER C	
	Anything else?	LIMIT NUMBER OF SEXUAL PARTNERS D AVOID SEX WITH SEX WORKERS E AVOID SEX WITH PERSONS WHO HAVE MANY PARTNERS F	
	RECORD ALL WAYS MENTIONED.	AVOID SEX WITH HOMOSEXUALS AVOID SEX WITH PERSONS WHO INJECT DRUGS HAVOID BLOOD TRANSFUSIONS USE BLOOD ONLY FROM RELATIVES JAVOID INJECTIONS KUSE ONLY NEW/STERILIZED NEEDLES LAVOID IV DRIP MAVOID SHARING RAZORS/BLADES NAVOID KISSING OAVOID MOSQUITO BITES	
		OTHER W OTHER X (SPECIFY)	
911	Is it possible for a healthy-looking person to have HIV/AIDS?	DON'T KNOW Z YES 1 NO 2 DON'T KNOW 8	
912	Can HIV/AIDS be transmitted from a mother to her baby?	YES]914
913	Are there any special medications that a doctor or a nurse can give to a woman infected with HIV/AIDS to reduce the risk of transmitting HIV/AIDS to the baby?	YES	
914	Have you heard about special antiretroviral drugs (USE LOCAL NAME(S)) that people infected with HIV/AIDS can get from a doctor or a nurse to help them live longer?	YES	
915	I don't want to know the results, but have you ever been tested to see if you have HIV/AIDS?	YES	→ 920
916	When was the last time you were tested?	LESS THAN 12 MONTHS AGO 1 12-23 MONTHS AGO 2 2 OR MORE YEARS AGO 3	
917	The last time you had the test, did you yourself ask for the test, was it offered to you and you accepted, was it required, or was it done without your consent?	ASKED FOR THE TEST 1 OFFERED AND ACCEPTED 2 REQUIRED 3 WITHOUT CONSENT 4	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
918	I don't want to know the results, but did you get the results of the test?	YES	
919	Where was the test done? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSP./PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 VCT CLINIC 17 STI CLINIC 18 OTHER PUBLIC MEDICAL SECTOR 19 (SPECIFY) NGO OR TRUST HOSPITAL/ CLINIC 21	→ 922
	(INAIVIE OF PLACE)	PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL/CLINIC/ PRIVATE DOCTOR	
920	Do you know of a place where people can go to get tested for HIV/AIDS?	YES	→ 922
921	Where is that? Any other place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISPENSARY B UHC/UHP/UFWC C CHC/RURAL HOSP./PHC D SUB-CENTRE E GOVT. MOBILE CLINIC F VCT CLINIC G STI CLINIC H OTHER PUBLIC MEDICAL SECTOR [SPECIFY]	
	(NAME OF PLACE(S)) RECORD ALL PLACES MENTIONED.	NGO OR TRUST HOSPITAL/ CLINIC J PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL/CLINIC/ PRIVATE DOCTOR K VCT CLINIC L STI CLINIC M OTHER PRIVATE MEDICAL SECTOR N (SPECIFY)	
922	Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV/AIDS?	(SPECIFY) YES 1 NO 2 DK/NOT SURE/DEPENDS 8	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP		
923	If a member of your family got infected with HIV/AIDS, would you want it to remain a secret or not?	YES, REMAIN A SECRET 1 NO 2 DK/NOT SURE/DEPENDS 8			
924	If a relative of yours became sick with the HIV/AIDS, would you be willing to care for her or him in your own household?	YES 1 NO 2 DK/NOT SURE/DEPENDS 8			
925	In your opinion, if a female teacher has HIV/AIDS but is not sick, should she be allowed to continue teaching in the school?	SHOULD BE ALLOWED 1 SHOULD NOT BE ALLOWED 2 DK/NOT SURE/DEPENDS 8			
926	In your opinion, if a male teacher has HIV/AIDS but is not sick, should he be allowed to continue teaching in the school?	SHOULD BE ALLOWED			
927	CHECK 901: HEARD ABOUT NOT HEARD ABOUT HIV/AIDS Apart from AIDS, have you heard about infections that can be transmitted through sexual contact? NOT HEARD ABOUT HIV/AIDS Have you heard about infections that can be transmitted through sexual contact?	YES			
928	CHECK 316 AND 317: HAS HAD SEXUAL INTERCOURSE (316 = 2 OR 317 = 00)				
929	CHECK 927: HEARD ABOUT OTHER SEXUALLY TRANSMITTED II	NFECTIONS?	931		
930	Now I would like to ask you some questions about your health in the last 12 months. During the last 12 months, have you had a disease which you got through sexual contact?	YES			
931	Sometimes women experience a bad smelling abnormal genital discharge. During the last 12 months, have you had a bad smelling abnormal genital discharge?	YES 1 NO 2 DON'T KNOW 8			
932	Sometimes women have a genital sore or ulcer. During the last 12 months, have you had a genital sore or ulcer?	YES			
933	CHECK 930, 931, AND 932: AT LEAST ONE 'YES' OTHER		936		
934	The last time you had (PROBLEM FROM 930/931/932), did you seek any kind of advice or treatment?	YES	→ 936		

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
935	Who did you see?	PUBLIC MEDICAL SECTOR GOVT. DOCTOR A PUBLIC HEALTH NURSE B ANM/LHV C	
	Anyone else?	MALE MPW/SUPERVISOR D ANGANWADI WORKER E VILLAGE HEALTH GUIDE F ASHA G OTHER PUBLIC SECTOR HEALTH WORKER H	
	RECORD ALL PERSONS SEEN.	NGO WORKER I PRIVATE MEDICAL SECTOR PRIVATE DOCTOR J PRIVATE NURSE K COMPOUNDER/PHARMACIST L VAIDYA/HAKIM/HOMEOPATH M DAI (TBA) N TRADITIONAL HEALER O OTHER PRIVATE SECTOR HEALTH WORKER P	
		OTHERX (SPECIFY)	

NO.	QUESTIONS AND FILTERS				(CODING C	ATEGOF	RIES		SKIP
936	Now I would like to ask your opinion about family life education for children. For each of the following, please tell me whether or not it should be taught in school, and if yes, at what age the topic should first be taught.		936E	936B: At what age should boys first be taught this topic in school?						
936A	First we will talk about boys. Should boys be taught in school about?			l		AT	AGE			
	:				<10	10-12		16 OR OLDER	DK	
	a. Moral values	YES NO	1 →	a.	1	2	3	4	8	
	b. Changes in boys' bodies at puberty	YES NO	1 → 2	b.	1	2	3	4	8	
	c. Changes in girls' bodies at puberty, including menstruation	YES NO	1 → 2	C.	1	2	3	4	8	
	d. Sex and sexual behaviour	YES NO	1 →	d.	1	2	3	4	8	
	e. Contraception	YES NO	1 → 2	e.	1	2	3	4	8	
	f. HIV/AIDS	YES NO	1 → 2	f.	1	2	3	4	8	
	g. Condom use to avoid sexually transmitted diseases	YES NO	1 → 2	g.	1	2	3	4	8	
936C	Now let us talk about girls. Should girls be taught in school about?		9360			age should	school?	be		
					<10	10-12	AGE 13-15	16 OR OLDER	DK	
	a. Moral values	YES NO	1 →	a.	1	2	3	4	8	
	b. Changes in boys' bodies at puberty	YES NO	1 → 2	b.	1	2	3	4	8	
	 c. Changes in girls' bodies at puberty, including menstruation 	YES NO	1→ 2	C.	1	2	3	4	8	
	d. Sex and sexual behaviour	YES NO	1 → 2	d.	1	2	3	4	8	
	e. Contraception	YES NO	1 → 2	e.	1	2	3	4	8	
	f. HIV/AIDS	YES NO	1 → 2	f.	1	2	3	4	8	
	g. Condom use to avoid sexually transmitted diseases	YES NO	1 → 2	g.	1	2	3	4	8	

SECTION 10. HOUSEHOLD RELATIONS

NO.	D. QUESTIONS AND FILTERS				CODING CATEGORIES					
1000	CHECK FRONT COVER: WOMAN SELECTED FOR THIS	SECTION?		1	NO					→1028
	· ↓									
1001	CHECK FOR PRESENCE OF OTHERS:									
	DO NOT CONTINUE UNTIL EFFECTIVE PRIVACY IS ENS	SURED.								
	PRIVACY OBTAINED 1 PRIV. ↓	ACY NOT POS	SSIBLE			. 2 —				→ 1027
	READ TO THE RESPONDENT									
	Now I would like to ask you questions about some other important aspects of a woman's life. I know that some of these questions are very personal. However, your answers are crucial for helping to understand the condition of women in India. Let me assure you that your answers are completely confidential and will not be told to anyone and no one else will know that you were asked these questions.									
1002	CHECK 301 AND 308:									
	CURRENTLY FORMERLY MARRIED MORE THAN ONCE MARRIED, GAUNA NOT (1003 TO 1013: READ (1003 TO 1013: REFER TO PERFORMED IN PAST TENSE) CURRENT/LAST HUSBAND ONLY)							→ 1014		
1003	First, I am going to ask you about some situations which happen to some women. Please tell me if these apply to your relationship with your (last) husband.									
	a. He (is/was) jealous or angry if you (talk/talked) to other m	en.		JEAL	LOUS	3	YE 1		DK 8	
	b. He frequently (accuses/accused) you of being unfaithful.			ACC	USE	s	1	2	8	
	c. He (does/did) not permit you to meet your female friends.			NOT MEET FRIENDS 1 2 8						
	d. He (tries/tried) to limit your contact with your family.			NO FAMILY 1 2 8						
	e. He (insists/insisted) on knowing where you (are/were) at	all times.		WHERE YOU ARE 1 2 8						
	f. He (does/did) not trust you with any money.			MONEY 1 2 8						
1004A	Now if you will permit me, I need to ask some more question about your relationship with your (last) husband.	าร					: ASK ONLY		ow	
	about your relationship with your (last) husband.				lB ⊦ tl	low often d he last 12 n	id this happer nonths: often, or not at all?	n during		
	(Does/did) your (last) husband ever:				C	OFTEN	SOME- TIMES	NOT AT AI	_L	
	Say or do something to humiliate you in front of others?	YES 1- NO 2		á	а.	1	2	3		
	b. Threaten to hurt or harm you or someone close to you?	YES 1- NO 2		k	b.	1	2	3		
	Insult you or make you feel bad about yourself?	YES 1- NO 2		C	C.	1	2	3		

NO.		QUESTIONS AND FILTERS					CODI	NG CATEGO	RIES	SKIP
1005A		did) your (last) husband ever do the following things to you:			100	5B	IF RESPONI	d this happen onths: often,	during	
							OFTEN	SOME- TIMES	NOT AT ALL	
	a.	Slap you?	YES NO	12	*	a.	1	2	3	
	b.	Twist your arm or pull your hair?	YES NO	1 ———	*	b.	1	2	3	
	C.	Push you, shake you, or throw something at you?	YES NO	12	*	C.	1	2	3	
	d.	Punch you with his fist or with something that could hurt you?	YES NO	12	*	d.	1	2	3	
	e.	Kick you, drag you or beat you up?	YES NO	12	*	e.	1	2	3	
	f.	Try to choke you or burn you on purpose?	YES NO	12	*	f.	1	2	3	
	g.	Threaten or attack you with a knife, gun, or any other weapon?	YES NO	12	*	g.	1	2	3	
	h.	Physically force you to have sexual intercourse with him even when you did not want to?	YES NO	12	•	h.	1	2	3	
	i.	Force you to perform any sexual acts you did not want to?	YES NO	12	*	i.	1	2	3	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
1006	CHECK 1005A (a-i): AT LEAST ONE 'YES' NOT A SINGLE 'YES'		1009
1007	How long after you first got married to your (last) husband did (this/any of these things) first happen?	NUMBER OF YEARS	
	IF LESS THAN ONE YEAR, RECORD '00'.	BEFORE MARRIAGE 95	
1008	Did the following ever happen as a result of what your (last) husband did to you at any time:	YES NO	
	a. You had cuts, bruises or aches?	CUTS/BRUISES 1 2	
	b. You had severe burns?	SEVERE BURNS 1 2	
	c. You had eye injuries, sprains, dislocations, or minor burns?	EYE INJURIES, SPRAINS DISLOCATIONS, ETC 1 2	
	d. You had deep wounds, broken bones, broken teeth, or any other serious injury?	OTHER SERIOUS INJURY 1 2	
1009	Have you ever hit, slapped, kicked, or done anything else to physically hurt your (last) husband at times when he was not already beating or physically hurting you?	YES	→ 1012
1010	CHECK 301: RESPONDENT IS NOT A WIDOW RESPONDENT IS A WIDOW		→ 1012
1011	In the last 12 months, how often have you done this to your husband: often, only sometimes, or not at all?	OFTEN 1 SOMETIMES 2 NOT AT ALL 3	
1012	Does (did) your husband drink alcohol?	YES	→ 1014
1013	How often does (did) he get drunk: often, only sometimes, or never?	OFTEN 1 SOMETIMES 2 NEVER 3	
1014	CHECK 301: NEVER MARRIED OR MARRIED, GAUNA NOT PERFORMED From the time you were 15 years old has anyone ever hit, slapped, kicked, or done anything else to hurt you physically? EVER MARRIED From the time you were 15 years old has anyone other than your (current/last) husband hit, slapped, kicked, or done anything else to hurt you physically?	YES 1 NO 2 REFUSED TO ANSWER/ NO ANSWER 3	1017

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES		SKIP
1015	Who has hurt you in this way? Anyone else?	MOTHER/STEP-MOTHER FATHER/STEP-FATHER SISTER/BROTHER DAUGHTER/SON OTHER RELATIVE FORMER HUSBAND/PARTNER	A B C D E F C	
	RECORD ALL MENTIONED.	CURRENT BOYFRIEND FORMER BOYFRIEND MOTHER-IN-LAW FATHER-IN-LAW OTHER IN-LAW TEACHER EMPLOYER/SOMEONE AT WORK POLICE/SOLDIER OTHER (SPECIFY)	G H J K L M N	
1016	In the last 12 months, how often have you been hit, slapped, kicked, or physically hurt by this/these person(s): often, only sometimes, or not at all?	OFTEN	1 2 3	
1017	At any time in your life, as a child or as an adult, has anyone ever forced you in any way to have sexual intercourse or perform any other sexual acts?	YES NO REFUSED TO ANSWER/ NO ANSWER	1 2 3	1021
1018	How old were you the first time you were forced to have sexual intercourse or perform any other sexual acts?	AGE IN COMPLETED YEARS	98	
1019	Who was the person who was forcing you at that time?	CURRENT HUSBAND FORMER HUSBAND CURRENT/FORMER BOYFRIEND FATHER STEP-FATHER OTHER RELATIVE IN-LAW OWN FRIEND/ACQUAINTANCE FAMILY FRIEND TEACHER EMPLOYER/SOMEONE AT WORK POLICE/SOLDIER PRIEST/RELIGIOUS LEADER STRANGER	01 02 03 04 05 06 07 08 09 10 11 12 13 14	
1020	CHECK 301: NEVER MARRIED OR MARRIED, GAUNA NOT PERFORMED In the last 12 months In the last 12 months, has	YES	1	
	has anyone forced you anyone other than your (current/last) to have sexual intercourse or perform any other sexual acts against your will? anyone other than your (current/last) husband forced you to have sexual intercourse or perform any other sexual acts against your will?	NO	3	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP				
1021	CHECK 1005A (a-i), 1014, AND 1017:						
	AT LEAST ONE NOT A SIN	GLE YES'	1025				
1022	Thinking about what you yourself have experienced among the different things we have been talking about, have you ever tried to seek help to stop the person(s) from doing this to you again?	YES					
1023	From whom have you sought help to stop this? Anyone else? RECORD ALL MENTIONED.	OWN FAMILY HUSBAND'S FAMILY CURRENT/LAST HUSBAND CURRENT/FORMER BOYFRIEND FRIEND NEIGHBOUR RELIGIOUS LEADER DOCTOR/MEDICAL PERSONNEL POLICE LAWYER SOCIAL SERVICE ORGANIZATION	→ 1025				
		OTHER (SPECIFY)	.]_				
1024	Have you ever told any one else about this?	YES					
1025	As far as you know, did your father ever beat your mother?	YES	!				
	K THE RESPONDENT FOR HER COOPERATION AND REA IERS. FILL OUT THE QUESTIONS BELOW WITH REFEREN						
1026	DID YOU HAVE TO INTERRUPT THIS SECTION OF THE INTERVIEW BECAUSE SOME ADULT WAS TRYING TO LISTEN, OR CAME INTO THE ROOM, OR INTERFERED IN ANY OTHER WAY?	YES YES, MORE ONCE THAN ONCE N HUSBAND 1 2 3 OTHER MALE ADULT 1 2 3 FEMALE ADULT 1 2 3					
1027	INTERVIEWER'S COMMENTS / EXPLANATION FOR NOT COMPLETING THE DOMESTIC VIOLENCE MODULE						
1028	RECORD THE TIME.	HOUR					

INTERVIEWER'S OBSERVATIONS

TO BE FILLED IN AFTER COMPLETING INTERVIEW

COMMENTS ABOUT RESPONDENT:		
-		
COMMENTS ON SPECIFIC QUESTIONS:		
ANY OTHER COMMENTS:		
	SUPERVISOR'S OBSERVATIONS	
NAME OF SUPERVISOR:	DATE	
NAME OF SUPERVISOR.	DATE:	
	EDITOR'S OBSERVATIONS	
	EDITOR'S OBSERVATIONS	
NAME OF EDITOR:	DATE:	

INSTRUCTIONS:					1	2	3	4			
ONLY ONE CODE SHOULD APPEAR IN ANY BOX.			DEC	01					01	DEC	
FOR COLUMNS 1 AND 3, ALL MONTHS SHOULD BE FILLED IN.		11 10	NOV	02 03					02	NOV	
INFORMATION TO BE CODED FOR EACH COLUMN		09	SEP	04					04	SEP	
OOL 4 DIDTUG DDEGNANGIEG GONTDAGEDTIVE HOE	2	08	AUG	05					05	AUG	2
COL. 1: BIRTHS, PREGNANCIES, CONTRACEPTIVE USE B BIRTHS	0	07 06	JUL JUN	06 07					06 07	JUL JUN	0
P PREGNANCIES	6	05	MAY	08					08	MAY	6
T TERMINATIONS		04	APR	09					09	APR	
0 NO METHOD		03 02	MAR FEB	10 11					10 11	MAR FEB	
1 FEMALE STERILIZATION		01	JAN	12					12	JAN	
2 MALE STERILIZATION			DEC	13					13	DEC	
3 PILL 4 IUD/LOOP		11 10	NOV	14 15					14 15	NOV	
5 INJECTABLES		09	SEP	16					16	SEP	
6 IMPLANTS	2	08	AUG	17					17	AUG	2
7 CONDOM/NIRODH 8 FEMALE CONDOM	0	07 06	JUL JUN	18 19					18 19	JUL JUN	0
9 DIAPHRAGM	5		MAY	20					20	MAY	5
J FOAM OR JELLY		04	APR	21					21	APR	
L RHYTHM METHOD M WITHDRAWAL		03 02	MAR FEB	22 23					22	MAR FEB	
X OTHER		01	JAN	24					24	JAN	
(SPECIFY)		12	DEC	25					25	DEC	
COL.2: ULTRASOUND CONDUCTED DURING PREGNANCY		11 10	NOV	26 27					26 27	NOV	
Y YES		09	SEP	28					28	SEP	
N NO	2	80	AUG	29					29	AUG	2
COL. 3: MARRIAGE	0	07 06	JUL JUN	30 31					30 31	JUL JUN	0
X MARRIED	4	05	MAY	32					32	MAY	4
N MARRIED, GAUNA NOT PERFORMED		04	APR	33					33	APR	
0 NOT MARRIED		03 02	MAR FEB	34 35					34	MAR FEB	
COL. 4: DISCONTINUATION OF CONTRACEPTIVE USE		02	JAN	36					35 36	JAN	
0 INFREQUENT SEX/HUSBAND AWAY		12	DEC	37					37	DEC	_
METHOD FAILED/BECAME PREGNANT WHILE USING		11 10		38					38	NOV	
2 WANTED TO BECOME PREGNANT		09	OCT SEP	39 40					39 40	OCT SEP	
3 HUSBAND/PARTNER DISAPPROVED	2	08	AUG	41					41	AUG	2
4 WANTED MORE EFFECTIVE METHOD 5 HEALTH CONCERNS/PROBLEMS	0	07 06	JUL JUN	42 43					42 43	JUL JUN	0
6 SIDE EFFECTS	3	05	MAY	44					44	MAY	3
7 LACK OF ACCESS/TOO FAR		04	APR	45					45	APR	
8 COSTS TOO MUCH		03	MAR	46					46	MAR	
9 INCONVENIENT TO USE F FATALISTIC		01	FEB JAN	47 48					47 48	FEB JAN	
A DIFFICULT TO GET PREGNANT/MENOPAUSAL		12	DEC	49					49	DEC	
D MARITAL DISSOLUTION/SEPARATION L LACK OF SEXUAL SATISFACTION		11 10	NOV OCT	50 51					50	NOV OCT	
M CREATED MENSTRUAL PROBLEM			SEP	52						SEP	
G GAINED WEIGHT	2		AUG	53					53	AUG	2
N DID NOT LIKE METHOD P LACK OF PRIVACY FOR USE	0		JUL JUN	54 55					54 55	JUL JUN	0
X OTHER	2		MAY	56					56		2
(SPECIFY)		04	APR	57					57	APR	
Z DON'T KNOW		03	MAR	58					58	MAR	
		02	FEB JAN	59 60					59 60	FEB JAN	
		12	DEC	61					61	DEC	
			NOV	62						NOV	
			OCT SEP	63 64					63 64	OCT SEP	
	2		AUG	65						AUG	2
	0		JUL	66					66	JUL	0
	0 1		JUN MAY	67 68					67 68		0 1
			APR	69					69	APR	
			MAR	70					70		
			FEB JAN	71 72					71 72	FEB JAN	
	_						•			-	

NATIONAL FAMILY HEALTH SURVEY, INDIA 2005-2006 (NFHS- 3)
MAN'S QUESTIONNAIRE [STATE NAME]

CONFIDENTIAL For research purposes only

		IDENTIFICATION			
STATE				_	
TEHSIL/TALUK				-	
CITY/TOWN/VILLAGE				_	
		E TOWN/SMALL TOWN/RUR/ =3, LARGE TOWN =4, SMALL			
PSU NUMBER					
HOUSEHOLD NUMBER					
NAME AND LINE NUMBE	ER OF MAN			_	
ADDRESS OF HOUSEHO	OLD				
		INTERVIEWER VISIT	s		
	1	2	3	FINAL VISIT	
DATE		-		DAY MONTH	
INTERVIEWER'S NAME		_		YEAR INT. NUMBER	
RESULT*				RESULT CODE	
NEXT VISIT: DATE		_		TOTAL NUMBER OF VISITS	
*RESULT CODES: 1 COMPLE' 2 NOT AT F 3 POSTPOI	HOME 5 PA	EFUSED IRTLY COMPLETED CAPACITATED	7 OTHER	(SPECIFY)	
NATIVE LANGUAGE OF RESPONDENT** ** LANGUAGE CODES: 01 ASSAMESE 06 KANNADA 11 MARATHI 16 TAMIL 02 BENGALI 07 KASHMIRI 12 NEPALI 17 TELUGU 03 ENGLISH 08 KONKANI 13 ORIYA 18 URDU 04 GUJARATI 09 MALAYALAM 14 PUNJABI 19 OTHER 05 HINDI 10 MANIPURI 15 SINDHI (SPECIFY)					
SUPERVI	SOR	FIELD EDIT	TOR	OFFICE KEYED BY EDITOR	
DATE		DATE			

SECTION 1. RESPONDENT'S BACKGROUND

INTRO	DUCTION AND INFORMED CONSENT		
conduction survey. Sexual to bette will be I Particip you will At this to ANSWI In case househ	te. My name is and I amounting a national survey about the health of men, women and children. We we several different health-related topics will be discussed including use of he relationships, and infectious diseases. This information will help the government plan health services. The survey usually takes about 30 minutes to complete strictly confidential and will not be shown to other persons. In this survey is voluntary and if you choose to participate, you may we have part in this survey since your participation is important. It ime, do you want to ask me anything about the survey? ER ANY QUESTIONS AND ADDRESS RESPONDENT'S CONCERNS. If you need more information about the survey, you may contact the person hold.	rould very much appreciate your participation in this ealth services, the quality of health care, marital and ment to assess health and information needs and lete. Whatever information you provide	r
Signat	uuro of intoniower	Data	
	ure of interviewer: ONDENT AGREES TO BE INTERVIEWED 1 RESPONDEN' ↓	Date: T DOES NOT AGREE TO BE INTERVIEWED	
NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
101	RECORD THE TIME.	HOUR	
102	How long have you been living continuously in (NAME OF CURRENT PLACE OF RESIDENCE)? IF LESS THAN ONE YEAR, RECORD '00' YEARS.	YEARS 95 VISITOR 96	104
103	Just before you moved here, did you live in a city, in a town, or in the countryside?	CITY 1 TOWN 2 COUNTRYSIDE 3	
104	In the last 12 months, on how many separate occasions have you traveled away from your home community for at least one night?	NUMBER OF TRIPS AWAY NONE	→106
105	In the last 12 months, have you been away from your home community for more than 1 month at a time?	YES	
106	In what month and year were you born?	MONTH	

DON'T KNOW YEAR 9998

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
107	How old were you at your last birthday?	AGE IN COMPLETED YEARS	
	COMPARE AND CORRECT 106 AND/OR 107 IF INCONSISTENT.		
108	Have you ever attended school?	YES	→ 111
109	What is the highest standard you completed?	STANDARD	
110	CHECK 109: STANDARD 0-5 AND ABOVE		→ 114
111	Now I would like you to read this sentence to me. SHOW A SENTENCE FROM THE LITERACY CARD TO RESPONDENT. IF RESPONDENT CANNOT READ WHOLE SENTENCE, PROBE: Can you read any part of the sentence to me?	CANNOT READ AT ALL	
112	Have you ever participated in a literacy programme or any other programme that involves learning to read or write (not including primary school)?	YES	
113	CHECK 1111: CODE '2', '3' OR '4' CIRCLED CODE '1' OR '5' CIRCLED		→ 115
114	Do you read a newspaper or magazine almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY	
115	Do you listen to the radio almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY	
116	Do you watch television almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY	
117	Do you usually go to a cinema hall or theatre to see a movie at least once a month?	YES	
118	What is your religion?	HINDU	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
119	What is your caste or tribe?	CASTE 1	
		TRIBE 2 (SPECIFY)	
		NO CASTE/TRIBE 3 DON'T KNOW 8	→ 121
120	Do you belong to a scheduled caste, a scheduled tribe, other backward class, or none of these?	SCHEDULED CASTE 1 SCHEDULED TRIBE 2 OBC 3 NONE OF THEM 4	
121	Have you done any work in the last seven days?	YES	→ 125
122	Although you did not work in the last seven days, do you have any job or business from which you were absent for leave, illness, vacation, or any other such reason?	YES	→ 125
123	Have you done any work in the last 12 months?	YES	→ 125
124	What have you been doing for most of the time over the last 12 months?	GOING TO SCHOOL/STUDYING 1	→ 201
125	What is your occupation, that is, what kind of work do you mainly do?		
126	CHECK 125: WORKS IN DOES NOT WORK AGRICULTURE IN AGRICULTURE		 ≯128
127	Do you work mainly on your own land, on family land, or on land that you rent from someone else, or do you work on someone else's land?	OWN LAND 1 FAMILY LAND 2 RENTED LAND 3 SOMEONE ELSE'S LAND 4	
128	Are you paid in cash or kind for this work, or are you not paid at all?	CASH ONLY 1 CASH AND KIND 2 IN KIND ONLY 3 NOT PAID 4	

SECTION 2. REPRODUCTION

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
201	Now I would like to ask about any children you have had during your life. I am interested only in the children that are biologically yours. Have you ever fathered any children with any woman?	YES	206
202	Do you have any sons or daughters that you have fathered who are now living with you?	YES	→ 204
203	How many sons live with you? And how many daughters live with you? IF NONE, RECORD '00'.	SONS AT HOME	
204	Do you have any sons or daughters you have fathered who are alive but do not live with you?	YES	→ 206
205	How many sons are alive but do not live with you? And how many daughters are alive but do not live with you? IF NONE, RECORD '00'.	SONS ELSEWHERE DAUGHTERS ELSEWHERE	
206	Have you ever fathered a son or a daughter who was born alive but later died? IF NO, PROBE: Any baby who cried or showed signs of life but did not survive?	YES	208
207	How many boys have died? And how many girls have died? IF NONE, RECORD '00'.	BOYS DEAD	
208	 (In addition to the children that you have just told me about), do you have: a. Any other living sons or daughters who are biologically your children but who are not legally yours or do not have your last/family name? b. Any other sons or daughters who died who were biologically your children but who were not legally yours or did not have your last/family name? NO TOBOTH PROBE AND CORRECT 201-207 AS NECESSARY. 		

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
209	SUM ANSWERS TO 203, 205, AND 207, AND ENTER TOTAL.	TOTAL CHILDREN	
	IF NONE, RECORD '00'.	TOTAL CHILDREN	
210	CHECK 209:		
	HAS HAD HAS HAD MORE THAN ONLY		→ 213
	ONE CHILD ↓ ONE CHILD HAS NOT HAD ANY CHILDRE		→ 301
211	Do the children that you have fathered all have the same biological mother?	YES	→ 213
212	In all, how many women have you fathered children with?	NUMBER OF WOMEN	
213	How old were you when your (first) child was born?	AGE IN YEARS	
214	How many years old is your (youngest) living child?	AGE IN YEARS	
		NO LIVING CHILD	

SECTION 3. CONTRACEPTION AND MALE INVOLVEMENT

301	Now I would like to talk about family planning - the various ways or	methods that	
	a couple can use to delay or avoid a pregnancy.		
	Which ways or methods have you heard about? FOR METHODS NOT MENTIONED SPONTANEOUSLY, ASK:		
	Have you ever heard of (METHOD)?		
	CIRCLE CODE 1 IN 301 FOR EACH METHOD MENTIONED SPO THEN PROCEED DOWN COLUMN 301, READING THE NAME A EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, F AND 09, ASK 302 IF 301 HAS CODE 1 CIRCLED.	302 Have you ever used (METHOD)?	
01	FEMALE STERILIZATION Women can have an operation to avoid having any more children.	YES 1 NO 2	
02	MALE STERILIZATION Men can have an operation to avoid having any more children.	YES 1 NO 27	Have you ever had an operation to avoid having any more children? YES
03	PILL Women can take a pill every day or every week to avoid becoming pregnant.	YES 1 NO 2	
04	IUD OR LOOP Women can have a loop or coil placed inside them by a doctor or a nurse.	YES 1 NO 2	
05	INJECTABLES Women can have an injection by a health provider that stops them from becoming pregnant for one or more months.	YES 1 NO 2	
06	CONDOM OR NIRODH Men can put a rubber sheath on their penis before sexual intercourse.	YES 1 NO 27	YES 1 NO 2
07	FEMALE CONDOM Women can place a sheath in their vagina before sexual intercourse.	YES	
08	RHYTHM METHOD Every month that a woman is sexually active, she can avoid pregnancy by not having sexual intercourse on the days of the month she is most	YES 1 NO 27	YES
	likely to get pregnant.	↓ ↓	
09	WITHDRAWAL Men can be careful and pull out before climax.	YES	YES 1
10	EMERGENCY CONTRACEPTION Women can take pills up to three days after sexual intercourse to avoid becoming pregnant.	YES	
11	Have you heard of any other ways or methods that women or men can use to avoid pregnancy?	YES 1	
		(SPECIFY)	
		(SPECIFY) NO 2	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
303	CHECK 302 (02) RESPONDENT IS STERILIZED		
	YES NO		3 10
304	Now I would like to talk about when you were sterilized. In what facility did the sterilization take place?	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSPITAL/PHC 14 SUB-CENTRE 15	
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	GOVT. MOBILE CLINIC	
	(NAME OF PLACE)	PRIVATE MEDICAL SECTOR PVT. HOSPITAL 31 PVT. DOCTOR/CLINIC 32 PVT. MOBILE CLINIC 33 OTHER PRIVATE HEALTH 34 OTHER 96 (SPECIFY) 98	
305	In what month and year was the sterilization performed?	MONTHYEAR	
306	Before your sterilization operation, were you told that you would not be able to have any (more) children because of the operation?	YES	
307	How would you rate the care you received during and immediately after the operation: very good, all right, not so good, or bad?	VERY GOOD 1 ALL RIGHT 2 NOT SO GOOD 3 BAD 4	
308	How much did you pay in total for the sterilization, including any consultation you may have had?	COST Rs. 99995 DON'T KNOW 99998	
309	Do you regret that you had the sterilization?	YES	
310	In the last few months have you heard or seen any message about family planning: a. On the radio? b. On the television?	YES NO RADIO	
	c. In a newspaper or magazine? d. On a wall painting or hoarding?	NEWSPAPER OR MAGAZINE 1 2 WALL PAINTING/HOARDING . 1 2	
			I

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
311	Now I would like to ask you about a woman's risk of pregnancy. From one menstrual period to the next, are there certain days when a woman is more likely to become pregnant if she has sexual relations?	YES	313
312	Is this time just before her period begins, during her period, right after her period has ended, or halfway between two periods?	JUST BEFORE HER PERIOD BEGINS 1 DURING HER PERIOD 2 RIGHT AFTER HER PERIOD HAS ENDED 3 HALFWAY BETWEEN TWO PERIODS 4 OTHER 6 (SPECIFY) DON'T KNOW 8	
313	Do you think that a woman who is breastfeeding her baby can become pregnant?	YES 1 NO 2 DEPENDS 3 DON'T KNOW 8	
314	I will now read you some statements about contraception. Please tell me if you agree or disagree with each one.	DIS- AGREE AGREE DK	
	Contraception is women's business and a man should not have to worry about it.	CONTRACEPTION WOMEN'S BUSINESS 1 2 8	
	b. Women who use contraception may become promiscuous.	WOMAN MAY BECOME PROMISCUOUS 1 2 8	
315	CHECK 301 (06) KNOWS MALE CONDOM		
	YES NO		→ 317
316	If a male condom is used correctly, do you think that it protects against pregnancy most of the time, only sometimes, or not at all?	MOST OF THE TIME 1 SOMETIMES 2 NOT AT ALL 3 DON'T KNOW/UNSURE 8	
317	Do you know of a place where you can obtain a method of family planning?	YES	→ 319

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES		SKIP
318	Where is that?	PUBLIC MEDICAL SECTOR		
		GOVT./MUNICIPAL HOSPITAL	Α	
		GOVT. DISPENSARY	В	
	Any other place?	UHC/UHP/UFWC	С	
	,	CHC/RURAL HOSPITAL/PHC	D	
		SUB-CENTRE/ANM	E	
		GOVT. MOBILE CLINIC	F	
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE,	CAMP	G	
	OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR.	ANGANWADI/ICDS CENTRE	-	
			H I	
	WRITE THE NAME OF THE PLACE(S).	ASHAOTHER COMMUNITY-BASED WORKER	-	
	(NAME OF PLACE(S))	OTHER PUBLIC MEDICAL	Ŭ	
	(INAIVIE OF FEACE(O))	SECTOR	K	
	RECORD ALL PLACES MENTIONED.	NGO OR TRUST HOSPITAL/CLINIC .	L	
		PRIVATE MEDICAL SECTOR		
		PVT. HOSPITAL	М	
		PVT. DOCTOR/CLINIC	N	
		PVT. MOBILE CLINIC	0	
		VAIDYA/HAKIM/HOMEOPATH	Р	
		TRADITIONAL HEALER	Q	
		PHARMACY/DRUGSTORE	R	
		DAI (TBA)OTHER PRIVATE MEDICAL	S	
		SECTOR	Т	
		OTHER SOURCE		
		SHOP	U	
		FRIEND/RELATIVE	V	
		OTHER (SPECIFY)	Χ	
240	In the last 2 months have very visited a health facility or comm	·		
319	In the last 3 months, have you visited a health facility or camp	YES	1	000
	for any reason for yourself (or for your children)?	NO	2	→ 326
320	What type of health facility did you visit most	PUBLIC MEDICAL SECTOR		
	recently for yourself (or for your children)?	GOVT./MUNICIPAL HOSPITAL	11	
	reserved for your or marchy.	GOVT. DISPENSARY		
		CHC/RURAL HOSPITAL/PHC	14	
		SUB-CENTRE		
	IF UNABLE TO DETERMINE IF A HOSPITAL. HEALTH	GOVT. MOBILE CLINIC		
	CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL			
	SECTOR, WRITE THE NAME OF THE PLACE.	ANGANWADI/ICDS CENTRE		
	OLOTON, WINTE THE WAIVIE OF THE LAGE.	OTHER PUBLIC SECTOR	10	
		HEALTH FACILITY	19	
		NGO OR TRUST HOSPITAL/CLINIC .	21	
		NGO ON TROST HOSPITAL/OLINIC .	۷1	
	(NAME OF PLACE)	PRIVATE MEDICAL SECTOR		
		PVT. HOSPITAL		
		CLINIC/PVT. MOBILE CLINIC	32	
		PHARMACY/DRUGSTORE	33	
		OTHER PRIVATE SECTOR		
		HEALTH FACILITY	34	
		OTHER	00	
		OTHER(SPECIFY)	96	
		(SFECIFI)		

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
321	What service did you go for? Any other service? RECORD ALL MENTIONED.	FAMILY PLANNING	
322	How long did you have to wait before you received the service you went for?	MINUTES	▶ 325
323	Was the person who provided the service to you responsive to your problems and needs?	YES 1 NO 2	
324	Did she/he respect your need for privacy if you needed it?	YES 1 NO 2 SAYS PRIVACY NOT NEEDED 3	
325	Would you say that the health facility/camp was very clean, somewhat clean, or not clean?	VERY CLEAN 1 SOMEWHAT CLEAN 2 NOT CLEAN 3	
326	CHECK 214: (YOUNGEST) CHILD OTHER IS AGE 0-3		→ 401
327	What is the name of your (youngest) child? WRITE NAME OF (YOUNGEST) CHILD AND ENTER THE LINE NUMBER OF THE CHILD FROM THE HOUSEHOLD QUESTIONNAIRE. IF CHILD IS NOT LISTED IN THE HOUSEHOLD SCHEDULE, WRITE '00' IN THE BOXES FOR THE LINE NUMBER. When (NAME)'s mother was pregnant with (NAME), did she have any antenatal check-ups?	(NAME OF (YOUNGEST) CHILD) LINE NUMBER OF (YOUNGEST) CHILD FROM THE HOUSEHOLD SCHEDULE YES	→ 330
329	Were you ever present during any antenatal check-up?	DON'T KNOW 8 PRESENT 1 NOT PRESENT 2	→ 331
330	What was the main reason why (NAME)'s mother did not have any antenatal check-up?	HE DID NOT THINK IT WAS NECESSARY/DID NOT ALLOW 01	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
331	At any time when (NAME)'s mother was pregnant with (NAME), did any health provider or health worker ever tell you about the following signs of pregnancy complications?	YES NO	_
	a. Vaginal bleeding?	BLEEDING 1 2	
	b. Convulsions?	CONVULSIONS 1 2	
	c. Prolonged labour?	PROLONGED LABOUR 1 2	
332	Were you ever told what to do if (NAME)'s mother had any pregnancy complication?	YES	
333	At any time during the pregnancy did any health provider or health worker speak to you about:	YES NO	
	a. The importance of delivering the baby in a hospital or health facility?	DELIVERY ADVICE 1 2	
	b. The importance of proper nutrition for the mother during pregnancy?	NUTRITION ADVICE 1 2	
	c. Family planning or delaying your next child?	FAMILY PLANNING 1 2	
334	Was (NAME) born in a hospital or any other health facility?	HOSPITAL/HEALTH FACILITY 1 SOMEWHERE ELSE 2	→ 337
335	When (NAME)'s mother was pregnant with (NAME), did anyone explain to you the importance of the following:		
	a. The need for the mother to breastfeed the baby immediately	YES NO	
	after delivery?	BREASTFEEDING 1 2	
	b. The need to keep the baby warm immediately after birth?	BABY WARM 1 2	
	c. The need for cleanliness at the time of delivery?	CLEANLINESS 1 2	
	d. The need for a new or unused blade to cut the cord?	CLEAN BLADE 1 2	
336	What was the main reason why (NAME)'s mother did not deliver in a hospital or health facility?	COSTS TOO MUCH	
	deliver in a nospital of nearth facility?	TOO FAR/NO TRANSPORTATION . 03 DON'T TRUST FACILITY/POOR	
		QUALITY SERVICE 04	
		NO FEMALE PROVIDER	
		CHILD'S MOTHER DID NOT THINK IT WAS NECESSARY 07	
		HE DID NOT THINK IT NECESSARY/ DID NOT ALLOW	
		FAMILY DID NOT THINK IT WAS	
		NECESSARY/DID NOT ALLOW . 09 OTHER 96 (SPECIFY)	
		DON'T KNOW	
337	When a child has diarrhoea, how much should he or she be given to drink: more than usual, the same amount as usual, less than	MORE THAN USUAL	
	usual, or should he or she not be given anything to drink at all?	ABOUT THE SAME	
		NOTHING TO DRINK	
		DOIN I KINOVV 8	

SECTION 4. MARRIAGE AND SEXUAL LIFE

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
401	What is your current marital status?	CURRENTLY MARRIED 1 MARRIED, GAUNA NOT 2 PERFORMED 2 WIDOWED 3 DIVORCED 4 SEPARATED 5 DESERTED 6 NEVER MARRIED 7	407
402	Do you currently have one wife or more than one wife?		
	IF ONLY ONE WIFE, RECORD '01' . IF MORE THAN ONE, ASK: How many wives do you currently have?	NUMBER OF WIVES	
403	WRITE THE LINE NUMBERS FROM THE HOUSEHOLD QUESTIO IS NOT LISTED IN THE HOUSEHOLD SCHEDULE, RECORD '00' I THE NUMBER OF LINES FILLED IN MUST BE EQUAL TO THE NU (IF RESPONDENT HAS MORE THAN FOUR WIVES, USE SPACE CHECK 402: ONLY ONE ONE ONE WIFE Please tell me the name of each of your wives, starting with the one you married first. WIFE NUMBER NAME	N THE LINE NUMBER BOXES. MBER OF WIVES.	
	1		
404	Are you living with your wife/wives now, or is she/are they staying elsewhere?	LIVING WITH WIFE/AT LEAST ONE WIFE	→ 406
405	For how long have you not been living with your wife/ any of your wives? IF LESS THAN 1 YEAR, RECORD MONTHS; OTHERWISE RECORD COMPLETED YEARS.	MONTHS 1 YEARS 2	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
406	CHECK 402: ONLY ONE		
	Have you ever been married to any woman other than your current wife? Have you ever been married to any other woman in addition to those you have told me about?	YES	408
407	Have you been married once or more than once?	ONCE	→ 409 → 409A
408	CHECK 402 AND 406: 402=01 AND OTHER 406='2'		— > 409A
409	In what month and year did you get married?	MONTH	
409A	Now I would like to ask about when you married your first wife. In what month and year was that?	YEAR	→ 411
410	How old were you when you (first) got married?	AGE	
411	CHECK 401: MARRIED, GAUNA NOT PERFORMED OTHER		→ 414
412	CHECK 402 AND 406 AND, IF 402 AND 406 NOT ASKED, CHECK 407: MARRIED ONLY ONCE (402=01 AND 406='2') OR (407='1') OR (407='2') In what month and year did you start living with your wife? Now I would like to ask about when you started living with your first wife. In what month and year was that?	MONTH	→ 415
413	How old were you when you first started living with her?	AGE	→ 415

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
414	CHECK FOR THE PRESENCE OF OTHERS. BEFORE CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY. Now I need to ask you some questions about sexual life in order to gain a better understanding of some family life issues. Let me assure you again that your answers are completely confidential and will not be told to anyone. If you do not want to answer, just let me know and I will skip to the next question. Have you ever had sexual intercourse?	YES	→ 416
415	CHECK FOR THE PRESENCE OF OTHERS. BEFORE CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY. (Now I need to ask you some questions about sexual life in order to gain a better understanding of some family life issues. Let me assure you again that your answers are completely confidential and will not be told to anyone. If you do not want to answer, just let me know and I will skip to the next question.) How old were you when you had sexual intercourse for the very first time?	NEVER HAD SEXUAL INTERCOURSE	→ 446 → 418 → 418
416	CHECK 401: NEVER OTHER MARRIED		→ 446
417	Do you intend to wait until you get married to have sexual intercourse for the first time?	YES	446
418	The first time you had sexual intercourse, was a condom used?	YES	
419	When was the <u>last</u> time you had sexual intercourse? IF LESS THAN 12 MONTHS, ANSWER MUST BE RECORDED IN DAYS, WEEKS, OR MONTHS. IF 12 MONTHS (ONE YEAR) OR MORE, ANSWER MUST BE RECORDED IN YEARS.	DAYS AGO	→ 421 → 434

		LAST SEXUAL PARTNER	SECOND-TO-LAST SEXUAL PARTNER	THIRD-TO-LAST SEXUAL PARTNER
420	When was the last time you had sexual intercourse with this person?		DAYS AGO . 1 WEEKS AGO . 2 MONTHS AGO . 3	DAYS AGO . 1 WEEKS AGO . 2 MONTHS AGO . 3
421	The last time you had sexual intercourse (with this second/third person), was a condom used?	YES	YES	YES
422	Did you use a condom every time you had sexual intercourse with this person in the last 12 months?	YES	YES	YES
423	What was this person's relationship to you?	WIFE	WIFE	WIFE
		OTHER 96 (SPECIFY)	OTHER 96 (SPECIFY)	OTHER 96 (SPECIFY)
424	For how long (have you had/did you have) a sexual relationship with this person? IF ONLY HAD SEXUAL RELATIONS WITH THIS PERSON ONCE, RECORD '01' DAYS.	DAYS . 1 MONTHS 2 YEARS 3	DAYS . 1 MONTHS 2 YEARS 3	DAYS . 1 MONTHS 2 YEARS 3
425	CHECK 107:	AGE AGE 15-24 25-54	AGE AGE 15-24 25-54	AGE AGE 15-24 25-54
426	How old is this person?	AGE OF PARTNER . (SKIP TO 428) DON'T KNOW 98	AGE OF PARTNER . (SKIP TO 428) DON'T KNOW 98	AGE OF PARTNER . (SKIP TO 429) DON'T KNOW 98
427	Would you say this person is ten or more years older than you?	YES	YES	YES
428	Apart from [this person/these two people], have you had sexual intercourse with any other person in the last 12 months?	YES	YES	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
429	In total, with how many different people have you had sex in the last 12 months?	NUMBER OF PARTNERS	
	IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.	DON'T KNOW98	
430	CHECK 423, ALL COLUMNS:	AT LEAST ONE	
	NO PARTNERS ARE SEX WORKERS	AT LEAST ONE PARTNER IS A SEX WORKER	→ 434
431	In the last 12 months, did you pay anyone in exchange for sex?	YES	→ 434
432	The last time you paid someone in exchange for sex, was a condom used?	YES	→ 434
433	Was a condom used every time you paid someone in exchange for sex in the last 12 months?	YES	
434	In total, with how many different people have you had sex in your lifetime?	NUMBER OF PARTNERS	
	IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.	DON'T KNOW98	
435	CHECK 421, COLUMN 1 (CONDOM USE WITH LAST SEXUAL PA	RTNER):	
	YES NO, BLANK		→ 442
436	You told me that the last time you had intercourse you used a condom. What brand of condom did you use the last time?	BRAND NAME (SPECIFY) DON'T KNOW	
437	Who obtained the condom: you, your partner, or someone else?	MAN HIMSELF 1 PARTNER 2 SOMEONE ELSE 3	441
438	How many condoms did you get the last time?	NUMBER	
439	The last time you obtained condoms, how much did you pay in total, including the cost of the method and any consultation you may have had?	COST Rs. 995 DON'T KNOW 998	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
440	From where did you obtain the condom the last time? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSPITAL/PHC 14 SUB-CENTRE/ANM 15 GOVT. MOBILE CLINIC 16 CAMP 17 ANGANWADI WORKER 18 ASHA 19 OTHER COMMUNITY BASED WORKER WORKER 20 OTHER PUBLIC MEDICAL 31 SECTOR 21 NGO OR TRUST HOSPITAL/CLINIC 31 PRIVATE MEDICAL SECTOR PVT. HOSPITAL/CLINIC/ DOCTOR 41 PVT. PARAMEDIC 42 VAIDYA/HAKIM/HOMEOPATH 43 TRADITIONAL HEALER 44 PHARMACY/DRUGSTORE 45 DAI (TBA) 46 OTHER PRIVATE MEDICAL SECTOR SECTOR 47 OTHER SHOP 51 OTHER SHOP 52 WIFE 53 FRIEND/RELATIVE 54 VENDING MACH	
441	This last time you used a condom, did you use it to avoid pregnancy, to avoid a sexually transmitted disease, or for some other reason? PROBE: Any other reason? RECORD ALL MENTIONED.	AVOID PREGNANCY A AVOID STD B SOME OTHER REASON C	
440	CHECK 202 (02), DESDONDENT EVED STEDILIZED		
442	CHECK 302 (02): RESPONDENT EVER STERILIZED NO YES YES		→ 445
443	The last time you had sex did you or your partner use any method (other than a condom) to avoid or prevent a pregnancy?	YES	1 → 445

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
444	What method did you or your partner use? PROBE: Did you use any other method to prevent pregnancy? RECORD ALL MENTIONED.	FEMALE STERILIZATION A PILL B IUD/LOOP C INJECTABLES D IMPLANTS E FEMALE CONDOM F DIAPHRAGM G FOAM/JELLY H RHYTHM METHOD I WITHDRAWAL J OTHER X (SPECIFY)	
445	CHECK 421, ALL COLUMNS, AND 432:		
	OTHER ANY 'YES'		→ 501
446	Do you know of a place where a person can get condoms?	YES	→ 501
447	Where is that? Any other place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISPENSARY B UHC/UHP/UFWC C CHC/RURAL HOSPITAL/PHC D SUB-CENTRE/ANM E GOVT. MOBILE CLINIC F CAMP G ANGANWADI/ICDS CENTRE H ASHA I OTHER COMMUNITY-BASED WORKER J OTHER PUBLIC MEDICAL	
	(NAME OF PLACE(S))	SECTOR K SPECIFY	
	RECORD ALL SOURCES MENTIONED.	NGO OR TRUST HOSPITAL/CLINIC L PRIVATE MEDICAL SECTOR PVT. HOSPITAL/CLINIC/ DOCTOR M PVT. PARAMEDIC N VAIDYA/HAKIM/HOMEOPATH O TRADITIONAL HEALER P PHARMACY/DRUGSTORE Q DAI (TBA) R OTHER PRIVATE MEDICAL SECTOR S OTHER SOURCE RATION SHOP T OTHER SHOP U VENDING MACHINE V OTHER SCIENT S	
448	If you wanted to, could you yourself get a condom?	YES	
		DON'T KNOW/UNSURE 8	I

SECTION 5. FERTILITY PREFERENCES

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
501	CHECK 401: CURRENTLY MARRIED OTHER OTHER		→ 506 → 503
502	CHECK 402: HAS MORE THAN ONE WIFE Is your wife currently pregnant? HAS MORE THAN ONE WIFE Are any of your wives currently pregnant?	YES	
503	CHECK 302(02): EVER STERILIZED? NO YES YES		→ 506
504	CHECK 502: YES, PREGNANT Now I have some questions about the future. After the child(ren) your wife/wives is/are expecting now, would you like to have another child or would you prefer not to have any more children at all? NOT PREGNANT, UNSURE, OR NOT ASKED Now I have some questions about the future. Would you like to have (a/another) child, or would you prefer not to have any (more) children at all?	HAVE A/ANOTHER CHILD	→ 506
505	How long would you like to wait from now before the birth of (a/another) child?	MONTHS	
506	CHECK 203 AND 205: HAS LIVING CHILDREN If you could go back to the time you did not have any children and could choose exactly the number of children to have in your whole life, how many would that be? NO LIVING CHILDREN If you could choose exactly the number of children to have in your whole life, how many would that be?	NONE	→ 601 → 601
507	How many of these children would you like to be boys, how many would you like to be girls, and for how many would the sex not matter?	BOYS GIRLS EITHER NUM- BER OTHER 96 (SPECIFY)	

SECTION 6. SELECTED HEALTH AND NUTRITION ISSUES

NO.	QUESTIONS AND FILTERS			CODING CAT	ECODIES		SKIP
601	How often do you yourself consume the following food items: daily, weekly, occasionally, or never?	[DAILY	WEEKLY	OCC.	NEVER	SKIP
	a. Milk or curd?	a.	1	2	3	4	
	b. Pulses or beans?	b.	1	2	3	4	
	c. Dark green leafy vegetables?	C.	1	2	3	4	
	d. Fruits?	d.	1	2	3	4	
	e. Eggs?	e.	1	2	3	4	
	f. Fish?	f.	1	2	3	4	
	g. Chicken or meat?	g.	1	2	3	4	
602	Now I would like to ask you some questions about any injections you have had in the last 12 months. Have you had an injection for any reason in the last 12 months? IF YES: How many injections have you had?	NU	MBER (OF INJECTIO	NS		
	IF NUMBER OF INJECTIONS IS GREATER THAN 90, OR DAILY FOR 3 MONTHS OR MORE, RECORD '90'. IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.	NO	NE			00	→ 607
603	CHECK 602: ONE INJECTION MORE THAN ONE INJECTION Was this injection Among these injections, how many were administered by a doctor, a nurse, a pharmacist, a dentist, or any other health worker? IF YES, RECORD '01'. MORE THAN ONE INJECTION Among these injections, how many were administered by a doctor, a nurse, a pharmacist, a dentist, or any other health worker?			OF INJECTIO	•	00	→ 607
	IF NUMBER OF INJECTIONS IS GREATER THAN 90, OR DAILY FOR 3 MONTHS OR MORE, RECORD '90'. IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.						

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
604	The last time you had an injection given to you by a health worker, where did you go to get the injection? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSPITAL/PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 CAMP 17 ANGANWADI/ICDS CENTRE 18 OTHER PUBLIC MEDICAL SECTOR 19	
	(NAME OF PLACE)	PRIVATE MEDICAL SECTOR PVT. HOSPITAL	
		PHARMACY/DRUGSTORE	
		OTHER 96 (SPECIFY)	
605	Did the person who gave you that injection take the syringe and needle from a new, unopened package?	YES	→ 607
606	As far as you know, was the needle sterilized?	YES 1 NO 2 DON'T KNOW 8	
607	Have you ever had a blood transfusion?	YES	
608	Do you currently smoke cigarettes or bidis?	YES	→ 610
609	In the last 24 hours, how many cigarettes or bidis did you smoke? IF NONE, RECORD '00'.	CIGARETTES/BIDIS	
610	Do you currently smoke or use tobacco in any other form?	YES	→ 612
611	In what other form do you currently smoke or use tobacco?	CIGAR/PIPE A PAAN MASALA B GHUTKA	
	Any other form? RECORD ALL MENTIONED.	OTHER CHEWING TOBACCO D SNUFF E OTHER X (SPECIFY)	
612	Do you drink alcohol?	YES	→ 614

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
613	How often do you drink alcohol: almost every day, about once a week, or less often?	ALMOST EVERY DAY 1 ABOUT ONCE A WEEK 2 LESS OFTEN 3	
614	Have you ever heard of an illness called tuberculosis or TB?	YES	618
615	How does tuberculosis spread from one person to another? Any other ways? RECORD ALL MENTIONED.	THROUGH THE AIR WHEN COUGHING OR SNEEZING A THROUGH SHARING UTENSILS B THROUGH TOUCHING A PERSON WITH TB C THROUGH FOOD D THROUGH SEXUAL CONTACT E	
		THROUGH MOSQUITO BITES F OTHER X (SPECIFY) DON'T KNOW Z	
616	Can tuberculosis be cured?	YES	
617	If a member of your family got tuberculosis, would you want it to remain a secret or not?	YES, REMAIN A SECRET 1 NO 2 DON'T KNOW/NOT SURE/ 5 DEPENDS 8	
618	Do you currently have:	DON'T YES NO KNOW	
	a. Diabetes?	DIABETES 1 2 8	
	b. Asthma?	ASTHMA 1 2 8	
	c. Goiter or another thyroid disorder?	GOITER/THYROID . 1 2 8	

SECTION 7. ATTITUDES TOWARDS GENDER ROLES

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
701	In a couple, who do you think should have the greater say in each of the following decisions: the husband, the wife or both equally:	BOTH DON'T HUS- EQUAL- KNOW/ BAND WIFE LY DEPENDS	
	a. Making major household purchases?	a. 1 2 3 8	
	b. Making purchases for daily household needs?	b. 1 2 3 8	
	c. Deciding about visits to the wife's family or relatives?	c. 1 2 3 8	
	d. Deciding what to do with the money the wife earns from her work?	d. 1 2 3 8	
	e. Deciding how many children to have?	e. 1 2 3 8	
702	Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations:	DON'T YES NO KNOW	
	a. If she goes out without telling him?	GOES OUT 1 2 8	
	b. If she neglects the house or the children?	NEGL. CHILDREN 1 2 8	
	c. If she argues with him?	ARGUES 1 2 8	
	d. If she refuses to have sex with him?	REFUSES SEX 1 2 8	
	e. If she doesn't cook food properly?	POOR COOKING 1 2 8	
	f. If he suspects her of being unfaithful?	UNFAITHFUL 1 2 8	
	g. If she shows disrespect for in-laws?	DISRESPECT 1 2 8	
703	When a wife knows her husband has a sexually transmitted disease, is she justified in asking that they use a condom?	YES	
704	Please tell me if you think a wife is justified in refusing to have sex with her husband when:	DON'T YES NO KNOW	
	a. She knows her husband has a sexually transmitted disease.	HAS STD 1 2 8	
	b. She knows her husband has sex with other women.	OTHER WOMEN 1 2 8	
	c. She is tired or not in the mood.	TIRED/NOT IN MOOD . 1 2 8	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
705	Do you think that if a woman refuses to have sex with her husband when he wants her to, he has the right to:	DON'T YES NO KNOW	
	a. Get angry and reprimand her?	ANGRY 1 2 8	
	b. Refuse to give her money or other means of financial support?	REFUSE SUPPORT 1 2 8	
	c. Use force and have sex with her even if she doesn't want to?	USE FORCE 1 2 8	
	d. Go and have sex with another woman?	SEX WITH OTHER WOMEN 1 2 8	
706	CHECK 401:		
	CURRENTLY OTHER		→ 712
707	(Is your wife/Are any of your wives) currently employed for cash?	YES	711
708	Who decides how the money your wife earns will be used: mainly you, mainly your wife, or you and your wife jointly?	RESPONDENT 1 WIFE 2 RESPONDENT AND WIFE JOINTLY 3 OTHER 6	
709	CHECK 128:		
	CODE 1 OR 2 CIRCLED OTHER OTHER		→ 712
710	Would you say that the money you earn is more than what your wife earns, less than what she earns, or about the same?	MORE THAN WIFE 1 LESS THAN WIFE 2 ABOUT THE SAME 3 DON'T KNOW 8	
711	Who decides how your earnings will be used: mainly you, mainly your wife, or you and your wife jointly?	RESPONDENT 1 WIFE 2 RESPONDENT AND WIFE JOINTLY 3 OTHER 6	
712	As far as you know, did your father ever beat your mother?	YES	

SECTION 8. HIV/AIDS AND OTHER SEXUALLY TRANSMITTED INFECTIONS

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
801	Now I would like to talk about something else. Have you ever heard of an illness called AIDS?	YES	→ 827
802	From which sources of information have you learned about AIDS? Any other source?	RADIO A TELEVISION B CINEMA C NEWSPAPERS/MAGAZINES D POSTERS/HOARDINGS E EXHIBITION/MELA F	
	RECORD ALL MENTIONED.	HEALTH WORKERS G ADULT EDUC. PROGRAMME H RELIGIOUS LEADERS I POLITICAL LEADERS J SCHOOL/TEACHERS K COMMUNITY MEETINGS L WIFE M FRIENDS/RELATIVES N WORK PLACE O	
		OTHER X (SPECIFY)	
803	In your opinion, can people reduce their chances of getting HIV/AIDS by having just one uninfected sex partner who has no other sex partners?	YES	
804	In your opinion, can people get HIV/AIDS from mosquito bites?	YES	
805	In your opinion, can people reduce their chances of getting HIV/AIDS by using a condom every time they have sex?	YES	
806	In your opinion, can people get HIV/AIDS by sharing food with a person who has AIDS?	YES	
807	In your opinion, can people get HIV/AIDS by hugging someone who has AIDS?	YES	
808	In your opinion, can people reduce their chance of getting HIV/AIDS by abstaining from sexual intercourse?	YES	
809	Is there anything else a person can do to avoid or reduce the chances of getting HIV/AIDS?	YES	3 811

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
810	What can a person do?	ABSTAIN FROM SEX A USE CONDOMS B LIMIT SEX TO ONE PARTNER/STAY	
	Anything else?	FAITHFUL TO ONE PARTNER C LIMIT NUMBER OF SEXUAL PARTNERS D	
		AVOID SEX WITH SEX WORKERS E AVOID SEX WITH PERSONS WHO HAVE MANY PARTNERS F	
	RECORD ALL WAYS MENTIONED.	AVOID SEX WITH HOMOSEXUALS G AVOID SEX WITH PERSONS WHO INJECT DRUGS	
		AVOID BLOOD TRANSFUSIONS I USE BLOOD ONLY FROM RELATIVES J	
		AVOID INJECTIONS K USE ONLY NEW/STERILIZED	
		NEEDLES L AVOID IV DRIP M AVOID SHARING RAZORS/BLADES N	
		AVOID KISSING O AVOID MOSQUITO BITES P	
		OTHER W (SPECIFY)	
		OTHER X (SPECIFY) DON'T KNOW	
811	Is it possible for a healthy-looking person to have HIV/AIDS?	YES	
	is it possible for a fleating-tooking person to have the Albo:	NO	
812	Can HIV/AIDS be transmitted from a mother to her baby?	YES	814
813	Are there any special medications that a doctor or a nurse can give to a woman infected with HIV/AIDS to reduce the risk of transmitting HIV/AIDS to the baby?	YES	
814	Have you heard about special antiretroviral drugs (USE LOCAL NAME(S)) that people infected with HIV/AIDS can get from a doctor or a nurse to help them live longer?	YES	
815	I don't want to know the results, but have you ever been tested to see if you have HIV/AIDS?	YES 1 NO 2	→ 820
816	When was the last time you were tested?	LESS THAN 12 MONTHS AGO 1 12 - 23 MONTHS AGO 2 2 OR MORE YEARS AGO 3	
817	The last time you had the test, did you yourself ask for the test, was it offered to you and you accepted, was it required, or was it done without your consent?	ASKED FOR THE TEST 1 OFFERED AND ACCEPTED 2 REQUIRED 3 WITHOUT CONSENT 4	
818	I don't want to know the results, but did you get the results of the test?	YES 1 NO 2	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
819	Where was the test done?	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSP./PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 VCT CLINIC 17 STI CLINIC 18 OTHER PUBLIC MEDICAL SECTOR 19 (SPECIFY)	→ 822
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	NGO OR TRUST HOSPITAL/ CLINIC	→ 022
	(NAME OF PLACE)	PRIVATE DOCTOR	
820	Do you know of a place where people can go to get tested for HIV/AIDS?	YES	→ 822
821	Where is that? Any other place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISPENSARY B UHC/UHP/UFWC C CHC/RURAL HOSP./PHC D SUB-CENTRE E GOVT. MOBILE CLINIC F VCT CLINIC G STI CLINIC H OTHER PUBLIC MEDICAL SECTOR I	
	(NAME OF PLACE(S))	(SPECIFY) NGO OR TRUST HOSPITAL/ CLINIC	
	RECORD ALL PLACES MENTIONED.	PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL/CLINIC/ PRIVATE DOCTOR K VCT CLINIC L STI CLINIC M OTHER PRIVATE MEDICAL N (SPECIFY) X (SPECIFY)	
822	Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV/AIDS?	YES	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
823	If a member of your family got infected with HIV/AIDS, would you want it to remain a secret or not?	YES, REMAIN A SECRET 1 NO 2 DK/NOT SURE/DEPENDS 8	
824	If a relative of yours became sick with the virus that causes AIDS, would you be willing to care for her or him in your own household?	YES 1 NO 2 DK/NOT SURE/DEPENDS 8	
825	In your opinion, if a female teacher has HIV/AIDS but is not sick, should she be allowed to continue teaching in the school?	SHOULD BE ALLOWED 1 SHOULD NOT BE ALLOWED 2 DK/NOT SURE/DEPENDS 8	
826	In your opinion, if a male teacher has HIV/AIDS but is not sick, should he be allowed to continue teaching in the school?	SHOULD BE ALLOWED 1 SHOULD NOT BE ALLOWED 2 DK/NOT SURE/DEPENDS 8	
827	Some men are circumcised. Are you circumcised?	YES	
828	CHECK 801: HEARD ABOUT AIDS Apart from AIDS, have you heard about other infections that can be transmitted through sexual contact? NOT HEARD ABOUT AIDS Have you heard about infections that can be transmitted through sexual contact?	YES	
829	CHECK 414 AND 415: HAS HAD SEXUAL INTERCOURSE (414='2' OR 415='00')		→ 837
830	CHECK 828 : HEARD ABOUT OTHER SEXUALLY TRANSMITTED YES	NFECTIONS?	→ 832
831	Now I would like to ask you some questions about your health in the last 12 months. During the last 12 months, have you had a disease which you got through sexual contact?	YES	
832	Sometimes men experience an abnormal discharge from their penis. During the last 12 months, have you had an abnormal discharge from your penis?	YES	
833	Sometimes men have a sore or ulcer on or near their penis. During the last 12 months, have you had a sore or ulcer on or near your penis?	YES	

NO.	QUESTIONS AND FILTERS		CODING CATEGORIES						SKI	P	
834	CHECK 831, 832, AND 833 :										
				7							
	AT LEAST	OTHER								→	837
	ONE YES ↓										
835	The last time you had (PROBLEM FROM 831/832/833),		,	YES					. 1		
000	did you seek any kind of advice or treatment?			NO							837
836	Who did you see?					DICAL SEC					
	Anyone else?										
	•										
				C		PUBLIC SE					
	RECORD ALL PERSONS SEEN.				HEAL	TH WORK			F		
					MODIC			(SPECIFY)	_		
				NGO	WORK	ER			. G		
						EDICAL SE					
								ST			
								гн			
				C		PRIVATE S					
					HEAL	TH WORK	ŒR		. N		
				ОТН	ER				Х		
					-		(SPECIF	Y)			
837	Now I would like to ask your opinion about family life										
	education for children.										
	For each of the following, please tell me whether or not i	it									
	should be taught in school, and if yes, at what age the										
	topic should first be taught.										
				8	37B:	At what ac	ne should	boys first b	Δ		
837A	First we will talk about boys. Should boys be taught			Ŭ	.O. D.	taught this	-	•	•		
	in school about?						•				
							AT AGE				
					<10	10-12	13-15	16 OR	DK		
								OLDER			
	a. Moral values	YES	1—	•	a. 1	2	3	4	8		
		NO	2			_	J	•	-		
	b. Changes in boys bodies at puberty	YES	1	•	b. 1	2	3	4	8		
	2. Changes in soys socios at publity	NO	2		~- 1	_	J	⊐ r	0		
	c. Changes in girls hadige at pulporty	YES	1		C. 1	2	3	4	8		
	c. Changes in girls bodies at puberty, including menstruation	NO	2	_	o. 1	2	S	4	0		
					، لم	_	•		_		
	d. Sex and sexual behaviour	YES NO	1 → 2	*	d. 1	2	3	4	8		
	e. Contraception	YES	1—	•	e. 1	2	3	4	8		
		NO	2		_						
	f. HIV/AIDS	YES	1—	*	f. 1	2	3	4	8		
		NO	2								
	g. Condom use to avoid sexually	YES	1—	•	g. 1	2	3	4	8		
	transmitted diseases	NO	2								
ı		1									

NO.	QUESTIONS AND FILTERS			CODING CATEGORIES						SKIP
837C	Now let us talk about girls. Should girls be taught in school about?			837D: At what age should girls first be taught this topic in school?						
	 -						AT AGE			
				•	<10	10-12	13-15	16 OR OLDER	DK	
	a. Moral values	YES NO	1 → 2	a.	1	2	3	4	8	
	b. Changes in boys bodies at puberty	YES NO	1 →	b.	1	2	3	4	8	
	c. Changes in girls bodies at puberty, including menstruation	YES NO	1 → 2	C.	1	2	3	4	8	
	d. Sex and sexual behaviour	YES NO	1 → 2	d.	1	2	3	4	8	
	e. Contraception	YES NO	1 → 2	e.	1	2	3	4	8	
	f. HIV/AIDS	YES NO	1 → 2	f.	1	2	3	4	8	
	g. Condom use to avoid sexually transmitted diseases	YES NO	1 → 2	g.	1	2	3	4	8	
838				IOUR IIINUTES						

INTERVIEWER'S OBSERVATIONS

TO BE FILLED IN AFTER COMPLETING INTERVIEW

COMMENTS ABOUT RESPONDENT:		
COMMENTS ON SPECIFIC QUESTIONS:		
ANY OTHER COMMENTS:		
	SUPERVISOR'S OBSERVATIONS	
	<u>odi Enviconto obcenvamento</u>	
NAME OF SUPERVISOR:	DATE:	
	EDITOR'S OBSERVATIONS	
,		
NAME OF EDITOR:	DATE:	

Σ
$\overline{\mathbf{z}}$
ᅙ
ĭĭ
Ξ
Ž
О
F
4
3
5
뜻
$\mathbf{\circ}$
ᄟ
=
_
ಸ
7,
<u>п</u>

OFPAGES	PSU COVERAGE BY ANGANWADI/ICDS CENTRE AND YEAR ESTABLISHED (IF YES)	YES1 NO2 YEAR	YES1 NO2 YEAR [[]	YES1 NO2	YES1 NO2	YES1 NO2 YEAR	YES1 NO2 YEAR	YES1 NO2
PAGE	ALTITUDE	METRES	METRES	METRES	METRES	METRES	METRES	METRES
	PSU NUMBER							
	CITY SIZE/ RURAL AREA*							
	CITY/TOWN/VILLAGE							
	TEHSIL/TALUK							
STATE	DISTRICT							

MEGA CITY=1, LARGE CITY=2, SMALL CITY=3, LARGE TOWN=4, SMALL TOWN=5, RURAL=6

* CODES FOR CITY SIZE/RURAL AREA

NAME OF SUPERVISOR_

CENSUS? YES YES YES YES YES PSU COVERAGE BY ANGANWADI/ICDS CENTRE AND YEAR ESTABLISHED (IF YES) NO...2 NO...2 NO...2 NO...2 NO...2 PAGES YES...1 YES...1 YES...1 YES...1 YES...1 P. YEAR YEAR YEAR YEAR YEAR PAGE_ PSU INFORMATION FORM (ONLY FOR 8 SPECIFIED CITIES)" .9995 3666.... 5666 9666.... 9666.... ALTITUDE < 1,000 METRES. METRES. METRES. METRES. METRES. METRES. PSU NUMBER CITY SIZE/ RURAL AREA* CITY/TOWN/VILLAGE TEHSIL/TALUK

SUPERVISOR?

IS PSU IN SLUM AREA ACCORDING TO:

9

YES

9

7

0

9

YES

9

7

7

9

YES

9

0

9

YES

9

0

0

9

YES

9

7

0

9

YES

9

YES

NO...2

YES...1

YEAR

9666

< 1,000 METRES.

METRES.

METRES.

7

9

YES

9

YES

NO...2

YES...1

* CODES FOR CITY SIZE/RURAL AREA	4,000 METKES				
	< 1,000 METRES9995	YEAR	7	-	
	METRES		2)
MEGA CITY=1, LARGE CITY=2, SMALL CITY=3, LARGE TOWN=4, SMALL TOWN=5, RUF	RAL=6	NAME OF SUPERVISOR			

"Chennai, Delhi, Hyderabad, Indore, Kolkata, Meerut, Mumbai, Nagpur

DISTRICT

STATE_



Technical assistance for NFHS-3 was provided by Macro International and assistance for the HIV component was provided by NACO and NARI. Funding assistance was provided by:











The opinions expressed in this publication do not necessarily reflect the views of the funding agencies.