

AIDS Indicator Survey

Tabulation Plan – Preliminary Report

**Macro International Inc.
Calverton, Maryland**

April 2007

Table 1 Results of the household and individual interviews

Number of households, number of interviews, and response rates, according to residence, [COUNTRY, YEAR]

Result	Residence		Total
	Urban	Rural	
Household interviews			
Households selected			
Households occupied			
Households interviewed			
Household response rate			
Interviews with women			
Number of eligible women			
Number of eligible women interviewed			
Eligible woman response rate			
Interviews with men			
Number of eligible men			
Number of eligible men interviewed			
Eligible man response rate			

Table 2 Background characteristics of respondent age 15-49

Percent distribution of women and men by selected background characteristics, [COUNTRY, YEAR].

Background characteristics	Women			Men		
	Weighted percent	Weighted number	Unweighted number	Weighted percent	Weighted number	Unweighted number
Age						
15-19						
20-24						
25-29						
30-34						
35-39						
40-44						
45-49						
Marital status						
Never married						
Married/Living together						
Divorced/Separated/						
Widowed						
Currently pregnant						
No or unsure				na	na	na
Yes				na	na	na
Education						
No education						
Primary						
Secondary						
More than secondary						
Wealth index						
Lowest						
Second						
Middle						
Fourth						
Highest						
Residence						
Urban						
Rural						
Region						
Region 1						
Region 2						
Region 3						
Total						

na = Not applicable

Table 3 Current marital status

Percent distribution of women and men 15-49 by current marital status, according to age, [COUNTRY, YEAR].

Age	Never married	Married	Living together	Widow	Divorced	Not living together	Total	Number
Women								
15-24							100.0	
15-19							100.0	
20-24							100.0	
25-29							100.0	
30-39							100.0	
40-49							100.0	
Total							100.0	
Men								
15-24							100.0	
15-19							100.0	
20-24							100.0	
25-29							100.0	
30-39							100.0	
40-49							100.0	
Total							100.0	

Table 4 Knowledge of AIDS

Percentage of women and men age 15-49 who have heard of AIDS by background characteristics, [COUNTRY, YEAR].

Background characteristics	Women		Men	
	Has heard of AIDS	Number of women	Has heard of AIDS	Number of men
Age				
15-24				
15-19				
20-24				
25-29				
30-39				
40-49				
Education				
No education				
Primary				
Secondary				
More than secondary				
Marital status				
Never married				
Ever had sex				
Never had sex				
Married/Living together				
Divorced/Separated/				
Widowed				
Wealth index				
Lowest				
Second				
Middle				
Fourth				
Highest				
Residence				
Urban				
Rural				
Region				
Region 1				
Region 2				
Region 3				
Total				

Table 5 Knowledge of HIV prevention methods

Percentages of women and men age 15-49 who, in response to a prompted question, say that people can reduce risk of getting AIDS virus by using condoms every time they have sexual intercourse, by having one sex partner who is not infected and has no partners, and by abstaining from sexual intercourse, by background characteristics, [COUNTRY, YEAR].

Background Characteristics	Women					Men				
	Using condoms	Limiting sex to one uninfected partner	Using condoms and limiting sex to one uninfected partner	Abstaining from sexual intercourse	Number of respondents	Using condoms	Limiting sex to one uninfected partner	Using condoms and limiting sex to one uninfected partner	Abstaining from sexual intercourse	Number of respondents
Age										
15-24										
15-19										
20-24										
25-29										
30-39										
40-49										
Education										
No education										
Primary										
Secondary										
More than secondary										
Marital status										
Never married										
Ever had sex										
Never had sex										
Married/Living together										
Divorced/Separated/Widowed										
Wealth index										
Lowest										
Second										
Middle										
Fourth										
Highest										
Residence										
Urban										
Rural										
Region										
Region 1										
Region 2										
Region 3										
Total										

Table 6.1 Accepting attitudes toward those living with HIV (Women)

Among respondents who have heard of HIV/AIDS, percentage expressing specific attitudes toward people with HIV, by background characteristics, [COUNTRY, YEAR].

Background characteristics	Percentage of respondents who:				Percentage expressing acceptance on all 4 measures	Number of women who have heard of HIV/AIDS
	Willing to care for family member with HIV at home	Would buy fresh vegetables from shopkeeper with AIDS	Believe HIV positive teacher should be allowed to teach	Would not want HIV+ status of family member to remain secret		
Age						
15-24						
15-19						
20-24						
25-29						
30-39						
40-49						
Education						
No education						
Primary						
Secondary						
More than secondary						
Marital status						
Never married						
Ever had sex						
Never had sex						
Married/Living together						
Divorced/Separated/Widowed						
Wealth index						
Lowest						
Second						
Middle						
Fourth						
Highest						
Residence						
Urban						
Rural						
Region						
Region 1						
Region 2						
Region 3						
Total						

Table 6.2 Accepting attitudes toward those living with HIV (Men)

Among respondents who have heard of HIV/AIDS, percentage expressing specific attitudes toward people with HIV, by background characteristics, [COUNTRY, YEAR].

Background characteristics	Percentage of respondents who:				Percentage expressing acceptance on all 4 measures	Number of men who have heard of HIV/AIDS
	Willing to care for family member with HIV at home	Would buy fresh vegetables from shopkeeper with AIDS	Believe HIV positive teacher should be allowed to teach	Would not want HIV+ status of family member to remain secret		
Age						
15-24						
15-19						
20-24						
25-29						
30-39						
40-49						
Education						
No education						
Primary						
Secondary						
More than secondary						
Marital status						
Never married						
Ever had sex						
Never had sex						
Married/Living together						
Divorced/Separated/Widowed						
Wealth index						
Lowest						
Second						
Middle						
Fourth						
Highest						
Residence						
Urban						
Rural						
Region						
Region 1						
Region 2						
Region 3						
Total						

Table 7 Recent sexual activity

Percent distribution of women and men age 15-49 by timing of last sexual intercourse, according to background characteristics, [COUNTRY, YEAR].

Background characteristics	Women					Men				
	Within 1 year	One or more years	Never had sexual intercourse	Total	Number	Within 1 year	One or more years	Never had sexual intercourse	Total	Number
Age										
15-19				100.0					100.0	
20-24				100.0					100.0	
25-29				100.0					100.0	
30-34				100.0					100.0	
35-39				100.0					100.0	
40-44				100.0					100.0	
45-49				100.0					100.0	
Education										
No education				100.0					100.0	
Primary				100.0					100.0	
Secondary				100.0					100.0	
More than secondary				100.0					100.0	
Marital status										
Never married				100.0					100.0	
Married or living together				100.0					100.0	
Divorced/separated/widowed				100.0					100.0	
Marital duration										
0-4 years				100.0					100.0	
5-9 years				100.0					100.0	
10-14 years				100.0					100.0	
15-19 years				100.0					100.0	
20-24 years				100.0					100.0	
25+ years				100.0					100.0	
Married more than once				100.0					100.0	
Wealth index										
Lowest				100.0					100.0	
Second				100.0					100.0	
Middle				100.0					100.0	
Fourth				100.0					100.0	
Highest				100.0					100.0	
Residence										
Urban				100.0					100.0	
Rural				100.0					100.0	
Region										
Region 1				100.0					100.0	
Region 2				100.0					100.0	
Region 3				100.0					100.0	
Total				100.0					100.0	

Table 8.1 Multiple sexual partners and higher risk sexual intercourse in past 12 months (Women)

Among respondents age 15-49 who had sexual intercourse in the past 12 months, the percentage who had intercourse with more than one partner and the percentage who had higher risk sexual intercourse in the past 12 months, and the mean number of sexual partners during his/her lifetime for respondents who ever had sexual intercourse, by background characteristics, [COUNTRY, YEAR].

Background characteristics	Sexual intercourse in the past 12 months			Ever had sexual intercourse	
	Percentage who had 2+ partners in the past 12 months	Percentage who had higher risk intercourse in past 12 months	Number	Mean number of sexual partners in lifetime	Number
Age					
15-24					
15-19					
20-24					
25-29					
30-39					
40-49					
Education					
No education					
Primary					
Secondary					
More than secondary					
Marital status					
Never married					
Married or living together					
Divorced/separated/widowed					
Wealth index					
Lowest					
Second					
Middle					
Fourth					
Highest					
Residence					
Urban					
Rural					
Region					
Region 1					
Region 2					
Region 3					
Total					

Table 8.2 Multiple sexual partners and higher risk sexual intercourse in past 12 months (Men)

Among respondents age 15-49 who had sexual intercourse in the past 12 months, the percentage who had intercourse with more than one partner and the percentage who had higher risk sexual intercourse in the past 12 months, and among those having higher-risk intercourse in the past 12 months, the percentage reporting that a condom was used at last higher-risk intercourse, and the mean number of sexual partners during his/her lifetime for respondents who ever had sexual intercourse, by background characteristics, [COUNTRY, YEAR].

Background characteristics	Sexual intercourse in the past 12 months			Higher risk intercourse in the past 12 months		Ever had sexual intercourse	
	Percentage who had 2+ partners in the past 12 months	Percentage who had higher risk intercourse in past 12 months	Number	Percentage reporting condom use at last higher risk sex	Number	Mean number of sexual partners in lifetime	Number
Age							
15-24							
15-19							
20-24							
25-29							
30-39							
40-49							
Education							
No education							
Primary							
Secondary							
More than secondary							
Marital status							
Never married							
Married or living together							
Divorced/separated/widowed							
Wealth index							
Lowest							
Second							
Middle							
Fourth							
Highest							
Residence							
Urban							
Rural							
Region							
Region 1							
Region 2							
Region 3							
Total							

Table 9 Payment for sexual intercourse and condom use at last paid sexual intercourse

Percentage of men age 15-49 reporting payment for sexual intercourse in the past 12 months, by background characteristics, [COUNTRY, YEAR].

Background Characteristics	Percentage who paid for sexual intercourse in the past 12 months	Number of men
Age		
15-24		
15-19		
20-24		
25-29		
30-39		
40-49		
Education		
No education		
Primary		
Secondary		
More than secondary		
Marital status		
Never married		
Ever had sex		
Never had sex		
Married/Living together		
Divorced/Separated/		
Widowed		
Wealth index		
Lowest		
Second		
Middle		
Fourth		
Highest		
Residence		
Urban		
Rural		
Region		
Region 1		
Region 2		
Region 3		
Total		

Table 10.1 Coverage of prior HIV testing (Women)

Percent distribution of respondents by whether tested for HIV and whether they received the results of the test, and the percentage of respondents who received their test results the last time they were tested for HIV in the past 12 months, according to background characteristics, [COUNTRY, YEAR].

Background characteristics	Ever tested		Never tested/DK	Total	Percentage tested and received results in last 12 months	Number of women
	Received results	No results				
Age						
15-24				100.0		
15-19				100.0		
20-24				100.0		
25-29				100.0		
30-39				100.0		
40-49				100.0		
Education						
No education				100.0		
Primary				100.0		
Secondary				100.0		
More than secondary				100.0		
Marital status						
Never married				100.0		
Ever had sex				100.0		
Never had sex				100.0		
Married/Living together				100.0		
Divorced/Separated/ Widowed				100.0		
Wealth index						
Lowest				100.0		
Second				100.0		
Middle				100.0		
Fourth				100.0		
Highest				100.0		
Residence						
Urban				100.0		
Rural				100.0		
Region						
Region 1				100.0		
Region 2				100.0		
Region 3				100.0		
Total				100.0		

Table 10.2 Coverage of prior HIV testing (Men)

Percent distribution of respondents by whether tested for HIV and whether they received the results of the test, and the percentage of respondents who received their test results the last time they were tested for HIV in the past 12 months, according to background characteristics, [COUNTRY, YEAR].

Background characteristics	Ever tested			Total	Percentage tested and received results in last 12 months	Number of men
	Received results	No results	Never tested/DK			
Age						
15-24				100.0		
15-19				100.0		
20-24				100.0		
25-29				100.0		
30-39				100.0		
40-49				100.0		
Education						
No education				100.0		
Primary				100.0		
Secondary				100.0		
More than secondary				100.0		
Marital status						
Never married				100.0		
Ever had sex				100.0		
Never had sex				100.0		
Married/Living together				100.0		
Divorced/Separated/ Widowed				100.0		
Wealth index						
Lowest				100.0		
Second				100.0		
Middle				100.0		
Fourth				100.0		
Highest				100.0		
Residence						
Urban				100.0		
Rural				100.0		
Region						
Region 1				100.0		
Region 2				100.0		
Region 3				100.0		
Total				100.0		

Table 11 Prevalence of injections

Percentage of women and men 15-49 who received at least one injection from a health worker in the last 12 months, the average number of medical injections per person and, among those who received an injection, the percentage whose health worker took the needle from a new unopened package, by background characteristics, [COUNTRY, YEAR].

Background characteristics	Women					Men				
	Percentage who received a medical injection in the past 12 months	Average number of medical injections per year	Number of respondents	Last injection, syringe and needle taken from a new unopened package	Number of respondents who received a medical injection in the past 12 months	Percentage who received a medical injection in the past 12 months	Average number of medical injections per year	Number of respondents	Last injection, syringe and needle taken from a new unopened package	Number of respondents who received a medical injection in the past 12 months
Age										
15-24										
15-19										
20-24										
25-29										
30-39										
40-49										
Education										
No education										
Primary										
Secondary										
More than secondary										
Wealth index										
Lowest										
Second										
Middle										
Fourth										
Highest										
Residence										
Urban										
Rural										
Region										
Region 1										
Region 2										
Region 3										
Total										

Table 12 Comprehensive knowledge about AIDS and knowledge of a source of condom

Percentage of young women and young men age 15-24 with comprehensive knowledge about AIDS and percentage with knowledge of a source of condoms, by background characteristics, [COUNTRY, YEAR].

Background characteristics	Women			Men		
	Percentage with comprehensive knowledge of AIDS	Know a source for condom	Number of respondents	Percentage with comprehensive knowledge of AIDS	Know a source for condom	Number of respondents
Age						
15-19						
15-17						
18-19						
20-24						
20-22						
23-24						
Education						
No education						
Primary						
Secondary						
More than secondary						
Marital status						
Never married						
Ever had sex						
Never had sex						
Ever married						
Wealth index						
Lowest						
Second						
Middle						
Fourth						
Highest						
Residence						
Urban						
Rural						
Region						
Region 1						
Region 2						
Region 3						
Total 15-24						

Table 13 Age at first sex among young women and men

Percentage of young women and men age 15-24 who have had sex before exact age 15 and 18, by background characteristics, [COUNTRY, YEAR].

Background characteristics	Women				Men			
	Percent who had sex before exact age 15	Number of respondents 15-24	Percent who had sex before exact age 18	Number of respondents 18-24	Percent who had sex before exact age 15	Number of respondents 15-24	Percent who had sex before exact age 18	Number of respondents 18-24
Age								
15-19			na	na			na	na
15-17			na	na			na	na
18-19								
20-24								
20-22								
23-24								
Education								
No education								
Primary								
Secondary								
More than secondary								
Marital status								
Never married								
Ever married								
Wealth index								
Lowest								
Second								
Middle								
Fourth								
Highest								
Residence								
Urban								
Rural								
Region								
Region 1								
Region 2								
Region 3								
Total 15-24								

na= Non applicable

Table 14 Premarital sex

Among never married women and men age 15-24, percentage who never had sex and percentage who have had sex in the past 12 months, by background characteristics, [COUNTRY, YEAR].

Background characteristics	Women		Men			
	Percentage who never had sex	Percentage who had sex in the past 12 months	Number of never married women 15-24	Percentage who never had sex	Percentage who had sex in the past 12 months	Number of never married men 15-24
Age						
15-19						
15-17						
18-19						
20-24						
20-22						
23-24						
Education						
No education						
Primary						
Secondary						
More than secondary						
Wealth index						
Lowest						
Second						
Middle						
Fourth						
Highest						
Residence						
Urban						
Rural						
Region						
Region 1						
Region 2						
Region 3						
Total 15-24						

Table 15 Higher-risk sexual intercourse among youth in the past 12 months

Among young respondents age 15-24 who had sexual intercourse in the past 12 months, percentage who had higher-risk sexual intercourse in the past 12 months, by background characteristics, [COUNTRY, YEAR].

Background characteristics	Women		Men	
	Percentage who had higher-risk intercourse in the past 12 months	Number of women who had sexual intercourse in the past 12 months	Percentage who had higher-risk intercourse in the past 12 months	Number of men who had sexual intercourse in the past 12 months
Age				
15-19				
15-17				
18-19				
20-24				
20-22				
23-24				
Education				
No education				
Primary				
Secondary				
More than secondary				
Wealth index				
Lowest				
Second				
Middle				
Fourth				
Highest				
Residence				
Urban				
Rural				
Region				
Region 1				
Region 2				
Region 3				
Total 15-24				

Table 16 Children's living arrangements and orphanhood

Percent distribution of children under age 18 by living arrangements and survival status of parents, the percentage of children not living with a biological parent, and the percentage of children with one or both parents dead, according to background characteristics, [COUNTRY, YEAR]

Background characteristic	Living with both parents	Living with mother but not with father		Living with father but not with mother		Not living with either parent			Missing information on father and/or mother	Total	Percentage with one or both parents dead	Number of children
		Father alive	Father dead	Mother alive	Mother dead	Both alive	Only mother alive	Only father alive				
Age												
0-4											100.0	
<2											100.0	
2-4											100.0	
5-9											100.0	
10-14											100.0	
15-17											100.0	
Sex												
Male											100.0	
Female											100.0	
Residence												
Urban											100.0	
Rural											100.0	
Region												
Region 1											100.0	
Region 2											100.0	
Region 3											100.0	
Region 4											100.0	
Wealth quintile												
Lowest											100.0	
Second											100.0	
Middle											100.0	
Fourth											100.0	
Highest											100.0	
Total < 15 years											100.0	
Total <18 years											100.0	

Note: Table is based on de jure household members, i.e., usual household members.

Table 17 Orphans and vulnerable children (OVC)

Percentage of children under age 18 years who are orphans or made vulnerable due to illness among adult household members, according to background characteristics, [COUNTRY, YEAR]

Background characteristic	Orphan children	Percentage of children who:			Vulnerable children	OVC children	Number of children
	Percentage of children with one or both parents dead	Have a parent ¹ who has been very sick for at least 3 of the past 12 months	Live in a household where at least 1 adult ² has been very sick for at least 3 of the past 12 months	Live in a household where at least 1 adult ² died in the past 12 months and had been very sick for at least 3 months before he/she died	Percentage of children who have a very sick parent OR live in a household where an adult has been very sick OR died in the past 12 months	Percentage of children who are orphans and/or vulnerable	
Age							
	0-4						
	<2						
	2-4						
	5-9						
	10-14						
	15-17						
Sex							
	Male						
	Female						
Residence							
	Urban						
	Rural						
Region							
	Region 1						
	Region 2						
	Region 3						
	Region 4						
Wealth quintile							
	Lowest						
	Second						
	Middle						
	Fourth						
	Highest						
	Total <15 years						
	Total <18 years						

Note: Table is based on de jure household members, i.e., usual household members. Very sick means a person was too sick to work or do normal activities.

¹ Whether or not the parent lives in same household as the child

² Person age 18 to 59 years