

ERRATA
February 22, 2018

Uganda Bureau of Statistics (UBOS) and ICF. 2018. *Uganda Demographic and Health Survey 2016*. Kampala, Uganda, and Rockville, Maryland, USA: UBOS and ICF.

List of errors – February 22, 2018

Error 1: For household population, incomplete primary education was coded as <6 years at the primary level; correct coding is <7 years at the primary level.	1
Error 1 Correction 1: Page 16, 1 st paragraph in Section 2.9.1	1
Error 1 Correction 2: Page 30, Table 2.12.1; 2 nd and 3 rd columns	2
Error 1 Correction 3: Page 31, Table 2.12.2; 2 nd and 3 rd columns	3
Error 2: For individual interviews, incomplete primary education was coded as <6 years at the primary level; correct coding is <7 years at the primary level	3
Error 2 Correction 1: Page 46, Figure 3.1	3
Error 2 Correction 2: Page 53, Table 3.2.1; 2 nd and 3 rd columns	4
Error 2 Correction 3: Page 54, Table 3.2.2; 2 nd and 3 rd columns	5
Error 3: For the most recent source of modern contraceptives, 1) ‘mobile clinic’ and ‘private doctor’ were coded as part of ‘private hospital/clinic’ and 2) 5 women using traditional methods were originally included in the denominator.	6
Error 3 Correction 1: Page 124, Table 7.8; 9 th , 11 th , and 12 th rows; Total column	6
Error 4: Traditional practitioners were included in the coding for ‘health facility or provider’ for children with symptoms of ARI in the 2 weeks preceding the survey for whom advice or treatment was sought.	6
Error 4 Correction 1: Page 165, Key Findings 2 nd bullet.....	6
Error 4 Correction 2: Page 168, 2 nd paragraph under section 10.3	6
Error 4 Correction 3: Page 178, Table 10.5; 3 rd column.....	7
Error 5: 146 children who had taken antimalarial drugs were initially excluded from the denominator.	8
Error 5 Correction 1: Page 225, Key Findings 5 th bullet	8
Error 5 Correction 2: Page 230, 2 nd paragraph under section 12.5	8
Error 5 Correction 3: Page 230, last sentence in Trends paragraph under section 12.5:	8
Error 5 Correction 4: Page 230, Figure 12.7	8
Error 5 Correction 5: Page 243, Table 12.2.....	9

Error 1: For household population, incomplete primary education was coded as <6 years at the primary level; correct coding is <7 years at the primary level.

Error 1 Correction 1: Page 16, 1st paragraph in Section 2.9.1

~~Fifty three~~ **Fifty-four** percent of women and 54% of men have not completed primary education. ~~Nine~~ **Eight** percent of women and ~~8~~ **9**% of men have completed primary school.

Error 1 Correction 2: Page 30, Table 2.12.1; 2nd and 3rd columns

Table 2.12.1 Educational attainment of the female household population

Percent distribution of the de facto female household population age 6 and over by highest level of schooling attended or completed and median years completed, according to background characteristics, Uganda DHS 2016

Background characteristic	No education	Some primary	Completed primary ¹	Some secondary	Completed secondary ²	More than secondary	Don't know/missing	Total	Number	Median years completed
Age										
6-9	37.3	62.4	62.6	0.2	0.0	0.1	0.0	100.0	6,017	0.0
10-14	4.7	86.7	91.2	6.2	1.7	2.2	0.0	100.0	6,378	2.7
15-19	2.9	47.0	53.6	18.1	11.5	29.2	0.6	100.0	4,392	5.6
20-24	4.1	35.1	36.1	15.4	14.3	31.8	3.2	100.0	3,978	6.7
25-29	7.6	37.8	35.2	12.4	14.9	25.6	2.7	100.0	3,314	6.4
30-34	14.0	44.4	40.9	10.2	13.7	18.1	1.3	100.0	2,557	5.5
35-39	18.2	49.3	49.5	9.8	9.6	13.8	1.0	100.0	2,126	4.1
40-44	21.5	49.5	48.5	9.4	10.4	11.0	0.9	100.0	1,596	4.0
45-49	27.7	46.3	43.5	9.9	12.8	10.4	0.6	100.0	1,209	3.3
50-54	38.6	42.1	40.3	7.7	9.5	6.9	0.2	100.0	1,332	2.0
55-59	44.4	37.8	36.8	6.5	7.6	6.2	0.2	100.0	779	1.2
60-64	48.5	32.8	32.7	6.6	6.6	7.3	0.2	100.0	727	0.0
65+	65.7	24.9	26.1	4.2	3.0	1.6	0.2	100.0	1,680	0.0
Don't know/missing	*	*	*	*	*	*	*	100.0	9	*
Residence										
Urban	12.1	41.5	40.3	7.7	8.9	23.4	2.6	100.0	8,377	5.6
Rural	21.0	56.2	58.0	9.4	7.6	10.3	0.4	100.0	27,716	2.9
Region										
South Central	13.0	42.4	40.4	7.7	9.7	22.1	2.4	100.0	4,332	5.5
North Central	15.8	50.2	51.0	10.4	9.6	16.6	1.4	100.0	3,853	4.2
Kampala	7.8	32.6	29.9	7.0	9.8	29.9	5.1	100.0	1,530	7.4
Busoga	17.9	52.5	54.1	8.8	7.2	17.2	0.4	100.0	3,514	3.5
Bukedi	15.5	60.8	64.5	10.0	6.3	10.8	0.3	100.0	2,432	3.1
Bugisu	16.5	54.0	59.0	12.1	7.2	14.3	0.5	100.0	1,939	3.6
Teso	14.8	58.6	63.7	12.3	7.2	9.7	0.1	100.0	2,189	3.4
Karamoja	70.6	23.9	25.2	2.7	1.4	2.1	0.2	100.0	844	0.0
Lango	21.3	60.9	64.0	10.4	7.3	4.9	0.1	100.0	2,001	2.7
Acholi	20.2	60.1	62.2	8.5	6.4	7.4	0.4	100.0	1,867	2.7
West Nile	21.5	62.2	65.2	7.2	4.2	6.7	0.2	100.0	2,540	2.1
Bunyoro	21.0	55.8	58.5	9.5	6.7	10.6	0.3	100.0	1,906	2.7
Tooro	23.0	53.1	53.9	9.6	8.8	11.5	0.5	100.0	2,639	3.0
Kigezi	19.6	56.3	55.7	8.7	9.3	10.5	0.9	100.0	1,503	3.2
Ankole	21.5	56.4	52.6	6.8	10.5	10.9	0.4	100.0	3,004	3.0
Special area										
Island districts	18.3	53.3	55.3	11.3	9.3	14.0	0.8	100.0	357	3.8
Mountain districts	22.5	51.6	55.3	10.2	6.5	12.5	0.4	100.0	3,035	2.9
Greater Kampala	8.3	32.0	28.8	6.3	9.5	30.1	4.7	100.0	3,096	7.4
Wealth quintile										
Lowest	31.1	57.1	60.4	7.8	4.5	3.4	0.1	100.0	6,986	1.4
Second	22.5	59.3	62.9	10.1	6.5	7.1	0.1	100.0	7,006	2.4
Middle	19.0	58.8	60.0	10.0	8.9	10.7	0.2	100.0	7,150	3.1
Fourth	14.9	53.2	52.7	10.0	10.4	17.7	0.5	100.0	7,237	4.1
Highest	8.4	37.0	35.2	7.0	8.9	26.5	3.5	100.0	7,713	6.6
Total	18.9	52.8	53.9	9.0	7.9	13.4	0.9	100.0	36,093	3.4

Note: An asterisk indicates that a figure is based on fewer than 25 unweighted cases and has been suppressed.

¹ Completed 7th grade at the primary level

² Completed 6th grade at the secondary level

Error 1 Correction 3: Page 31, Table 2.12.2; 2nd and 3rd columns

Table 2.12.2 Educational attainment of the male household population

Percent distribution of the de facto male household population age 6 and over by highest level of schooling attended or completed and median years completed, according to background characteristics, Uganda DHS 2016

Background characteristic	No education	Some primary	Completed primary ¹	Some secondary	Completed secondary ²	More than secondary	Don't know/missing	Total	Number	Median years completed		
Age												
6-9	41.5	58.4	58.4	0.4	0.0	0.0	0.0	100.0	6,050	0.0		
10-14	4.5	89.6	93.2	4.6	1.0	1.2	0.0	100.0	6,305	2.4		
15-19	3.4	48.6	56.5	17.2	9.3	28.7	0.5	100.0	4,335	5.4		
20-24	3.4	34.3	33.7	12.5	13.1	32.8	5.2	100.0	3,170	6.9		
25-29	3.6	34.7	31.1	10.2	13.8	26.3	6.0	100.0	2,595	7.2		
30-34	6.7	38.2	30.8	10.0	17.5	23.7	4.2	100.0	2,266	6.6		
35-39	9.4	41.6	36.4	10.5	15.7	20.1	3.4	100.0	1,875	6.2		
40-44	8.3	45.6	41.1	11.0	15.4	18.9	1.9	100.0	1,506	6.0		
45-49	9.9	43.6	40.1	11.0	14.6	20.3	1.8	100.0	1,229	5.9		
50-54	11.0	47.2	37.6	9.6	19.3	17.7	1.1	100.0	952	6.0		
55-59	13.2	48.1	39.3	8.8	17.6	14.3	1.9	100.0	634	5.6		
60-64	16.9	47.7	40.9	9.8	16.6	12.9	0.2	100.0	627	5.1		
65+	28.8	44.1	44.3	10.6	10.4	8.4	0.4	100.0	1,245	3.3		
Don't know/missing	(12.8)	(24.7)	(25.2)	(8.5)	(8.1)	(12.3)	(3.7)	(0.0)	(38.0)	100.0	50	(5.2)
Residence												
Urban	9.8	40.1	38.2	6.7	8.6	22.5	4.8	14.3	1.8	100.0	7,123	6.1
Rural	14.3	58.0	58.1	8.9	8.8	13.0	0.9	4.2	0.7	100.0	25,716	3.5
Region												
South Central	12.8	42.0	41.0	7.0	8.1	19.5	3.7	12.3	2.7	100.0	3,818	5.3
North Central	15.5	51.0	47.2	7.9	11.7	16.9	1.9	5.0	1.8	100.0	3,651	4.1
Kampala	7.0	29.6	25.5	4.3	8.4	28.7	7.8	20.2	2.4	100.0	1,310	8.7
Busoga	12.5	54.7	56.3	9.3	7.7	17.1	1.8	3.9	0.7	100.0	3,168	3.8
Bukedi	10.0	61.7	62.9	8.9	7.7	14.6	0.7	3.7	0.4	100.0	2,217	3.7
Bugisu	9.8	57.6	61.1	11.0	7.5	15.9	1.2	4.1	0.3	100.0	1,805	4.0
Teso	8.3	58.1	60.9	10.4	7.6	14.4	1.2	6.9	0.7	100.0	1,921	4.0
Karamoja	53.7	32.7	33.6	4.0	3.0	6.5	0.8	2.3	0.0	100.0	718	0.0
Lango	12.6	62.1	61.1	10.6	11.6	7.9	0.5	6.2	0.1	100.0	2,027	3.7
Acholi	9.0	58.5	58.9	9.4	9.0	14.2	1.2	7.7	0.0	100.0	1,726	4.1
West Nile	10.9	62.3	63.8	8.3	6.8	12.1	0.7	5.6	0.1	100.0	2,227	3.3
Bunyoro	14.4	59.1	61.5	9.9	7.4	11.3	1.1	3.7	0.5	100.0	1,834	3.5
Tooro	17.0	54.7	54.7	8.2	8.2	15.3	1.1	2.9	0.7	100.0	2,470	3.4
Kigezi	11.0	58.4	55.5	8.2	11.1	13.0	2.1	6.7	0.5	100.0	1,279	3.9
Ankole	15.4	59.0	55.2	6.9	10.8	11.4	1.1	5.6	0.6	100.0	2,666	3.4
Special area												
Island districts	14.6	54.7	54.1	9.6	10.2	15.0	1.6	2.1	2.3	100.0	380	3.9
Mountain districts	14.1	54.5	56.4	9.0	7.2	16.8	1.3	3.9	0.4	100.0	2,710	3.7
Greater Kampala	7.9	29.3	25.6	4.6	8.3	27.6	7.7	19.7	3.1	100.0	2,486	8.5
Wealth quintile												
Lowest	19.4	62.2	63.7	8.9	7.4	7.5	0.3	1.3	0.3	100.0	6,330	2.6
Second	15.6	61.2	62.4	9.6	8.4	10.5	0.5	2.1	0.5	100.0	6,553	3.1
Middle	12.7	59.8	59.6	9.9	10.2	13.6	0.7	2.6	0.6	100.0	6,599	3.7
Fourth	10.9	53.5	51.6	8.1	10.0	19.0	1.6	5.7	1.1	100.0	6,783	4.4
Highest	8.5	34.0	31.9	5.6	7.7	24.1	5.7	20.0	2.1	100.0	6,574	7.0
Total	13.3	54.1	53.8	8.4	8.8	15.0	1.8	6.4	0.9	100.0	32,839	3.9

Note: Figures in parentheses are based on 25-49 unweighted cases.

¹ Completed 7th grade at the primary level

² Completed 6th grade at the secondary level

Error 2: For individual interviews, incomplete primary education was coded as <6 years at the primary level; correct coding is <7 years at the primary level

Error 2 Correction 1: Page 46, Figure 3.1

The proportion of women with incomplete primary should change from 43% to 45%, the proportion of women with complete primary should change from 14% to 13%, and the proportion of men with complete primary should change from 14% to 13%.

Error 2 Correction 2: Page 53, Table 3.2.1; 2nd and 3rd columns

Table 3.2.1 Educational attainment: Women

Percent distribution of women age 15-49 by highest level of schooling attended or completed, and median years completed, according to background characteristics, Uganda DHS 2016

Background characteristic	Highest level of schooling						Total	Median years completed	Number of women		
	No education	Some primary	Completed primary ¹	Some secondary	Completed secondary ²	More than secondary					
Age											
15-24	2.5	40.9	44.6	47.3	13.6	31.3	2.0	6.0	100.0	6.2	8,086
15-19	1.8	46.0	51.8	48.7	12.9	30.5	1.2	1.8	100.0	5.8	4,264
20-24	3.3	35.2	36.7	45.8	14.2	32.1	2.9	10.7	100.0	6.7	3,822
25-29	6.5	38.0	38.4	44.4	14.0	25.2	2.3	13.6	100.0	6.4	3,051
30-34	13.0	45.3	42.5	40.8	13.7	19.1	1.3	10.4	100.0	5.5	2,543
35-39	19.4	48.9	49.0	40.2	10.0	13.7	0.8	7.0	100.0	4.1	2,011
40-44	19.9	53.7	53.7	9.9	10.0	9.9	0.7	5.9	100.0	3.8	1,608
45-49	28.0	46.9	45.5	40.0	11.4	10.5	0.1	4.5	100.0	3.2	1,207
Residence											
Urban	5.0	28.2	26.4	40.4	11.8	35.8	3.8	17.2	100.0	8.1	4,943
Rural	11.3	49.0	51.2	45.5	13.2	19.0	0.8	4.5	100.0	5.2	13,563
Region											
South Central	4.6	33.0	28.6	9.5	13.9	34.0	3.7	15.2	100.0	7.6	2,494
North Central	8.0	36.7	37.5	45.4	14.3	28.8	2.5	8.9	100.0	6.3	1,963
Kampala	2.1	20.6	17.6	7.4	10.3	41.5	6.1	22.3	100.0	9.3	1,025
Busoga	9.2	37.9	40.2	44.6	12.3	32.0	1.0	5.3	100.0	6.0	1,690
Bukedi	6.0	51.7	57.9	47.7	11.5	19.8	0.4	4.3	100.0	5.2	1,169
Bugisu	4.1	41.4	51.4	22.5	12.2	26.0	0.9	5.4	100.0	5.8	921
Teso	7.0	48.0	53.9	48.6	12.8	18.9	0.3	7.2	100.0	5.4	1,099
Karamoja	66.1	23.6	26.5	5.0	2.0	3.6	0.5	1.3	100.0	0.0	365
Lango	9.1	57.2	64.3	20.4	13.0	8.9	0.2	4.5	100.0	4.8	1,010
Acholi	12.9	50.6	56.7	45.5	9.4	14.7	0.6	5.8	100.0	4.7	924
West Nile	12.7	58.4	64.3	42.8	6.6	12.0	0.3	4.1	100.0	4.0	1,247
Bunyoro	14.2	49.6	50.9	43.3	12.1	18.0	0.6	4.3	100.0	4.8	1,014
Tooro	11.5	48.2	48.9	44.8	14.0	20.9	0.7	3.9	100.0	5.3	1,357
Kigezi	12.4	47.4	43.5	43.3	16.9	18.6	1.4	7.3	100.0	5.6	732
Ankole	9.8	51.6	42.6	41.4	20.2	19.8	1.0	6.6	100.0	5.8	1,498
Special area											
Island districts	10.7	47.8	47.5	45.5	15.8	21.0	1.5	3.5	100.0	5.5	203
Mountain districts	12.4	41.4	47.7	47.8	11.2	23.0	0.8	4.9	100.0	5.4	1,481
Greater Kampala	2.8	20.8	17.5	7.5	10.8	41.5	5.7	21.7	100.0	9.3	2,048
Wealth quintile											
Lowest	20.8	55.2	63.5	46.2	8.0	6.6	0.1	0.9	100.0	3.8	3,247
Second	12.0	55.2	60.2	47.6	12.7	13.8	0.1	1.2	100.0	4.7	3,397
Middle	9.5	51.3	51.7	47.4	16.8	19.8	0.4	2.0	100.0	5.4	3,460
Fourth	6.7	40.9	38.7	43.8	16.0	31.3	0.9	6.5	100.0	6.3	3,683
Highest	2.6	22.9	19.9	7.9	10.8	38.7	5.1	22.9	100.0	9.2	4,720
Total	9.6	43.4	44.6	44.0	12.8	23.5	1.6	7.9	100.0	5.7	18,506

¹ Completed 7th grade at the primary level

² Completed 6th grade at the secondary level

Error 2 Correction 3: Page 54, Table 3.2.2; 2nd and 3rd columns

Table 3.2.2 Educational attainment: Men

Percent distribution of men age 15-49 by highest level of schooling attended or completed, and median years completed, according to background characteristics, Uganda DHS 2016

Background characteristic	Highest level of schooling						Total	Median years completed	Number of men		
	No education	Some primary	Completed primary ¹	Some secondary	Completed secondary ²	More than secondary					
Age											
15-24	1.7	41.3	45.6	46.0	11.7	30.9	2.9	7.2	100.0	6.2	2,238
15-19	0.8	47.8	53.4	47.0	11.4	30.7	1.0	2.7	100.0	5.8	1,288
20-24	2.9	32.5	35.1	44.6	12.0	31.2	5.5	13.2	100.0	6.9	949
25-29	3.4	35.6	32.8	40.4	12.9	26.5	5.4	19.0	100.0	7.0	741
30-34	4.1	38.7	33.8	42.0	16.9	22.4	4.9	18.1	100.0	6.7	735
35-39	6.6	46.0	42.3	40.5	14.1	18.3	3.2	15.4	100.0	6.1	491
40-44	8.3	47.0	46.6	43.4	13.5	16.5	1.0	14.0	100.0	5.6	511
45-49	7.9	46.7	46.2	42.3	12.8	18.9	0.4	13.9	100.0	5.7	320
Residence											
Urban	1.7	25.3	22.6	9.4	11.8	32.2	7.9	23.9	100.0	9.2	1,274
Rural	4.6	46.9	48.3	45.0	13.6	23.3	1.7	8.5	100.0	5.8	3,763
Region											
South Central	3.4	35.2	32.9	9.8	12.0	24.5	5.8	21.3	100.0	7.3	661
North Central	6.2	40.8	38.7	42.7	14.8	28.9	2.9	8.5	100.0	6.3	592
Kampala	0.5	20.0	17.1	8.8	11.7	31.0	11.6	28.1	100.0	10.3	291
Busoga	7.3	29.8	39.4	45.5	5.9	39.1	2.2	6.1	100.0	6.3	412
Bukedi	3.5	47.9	46.7	45.4	16.6	24.6	1.2	7.4	100.0	6.0	335
Bugisu	1.2	34.7	48.8	24.4	10.0	28.9	2.2	8.9	100.0	6.0	258
Teso	0.6	43.2	48.3	48.4	13.3	20.5	1.5	15.7	100.0	6.1	276
Karamoja	39.5	27.1	33.8	40.6	4.0	16.4	2.3	4.1	100.0	2.8	80
Lango	0.8	53.8	49.9	46.0	19.9	14.3	1.5	13.5	100.0	6.0	328
Acholi	0.3	39.8	37.3	43.0	15.6	23.4	2.9	20.5	100.0	6.7	271
West Nile	0.3	51.4	54.9	45.7	11.9	21.0	1.8	10.1	100.0	5.7	281
Bunyoro	6.0	48.3	51.7	44.5	11.1	22.0	0.9	8.3	100.0	5.5	265
Tooro	5.2	47.5	45.2	42.4	14.4	27.1	3.6	4.5	100.0	6.0	400
Kigezi	2.3	50.4	43.1	8.4	15.4	22.0	3.6	13.6	100.0	6.2	181
Ankole	2.4	50.5	46.8	40.6	14.3	24.6	2.0	9.9	100.0	6.0	406
Special area											
Island districts	3.4	50.0	53.3	44.6	11.3	25.0	4.1	2.9	100.0	5.5	71
Mountain districts	3.0	39.4	44.7	47.5	12.2	28.6	2.9	8.6	100.0	6.2	386
Greater Kampala	1.4	21.4	15.3	6.0	12.2	31.4	11.3	28.4	100.0	10.2	522
Wealth quintile											
Lowest	8.2	55.0	59.7	47.9	13.2	14.8	0.8	3.3	100.0	5.0	859
Second	5.0	54.0	55.6	44.9	13.2	19.1	1.1	5.9	100.0	5.3	899
Middle	3.4	47.4	48.6	46.4	14.9	26.4	1.0	5.6	100.0	5.9	963
Fourth	2.0	40.7	37.8	43.5	16.4	30.1	2.9	10.9	100.0	6.6	1,102
Highest	2.0	48.5	47.2	7.2	8.6	33.2	8.6	30.5	100.0	10.2	1,213
Total 15-49	3.8	41.5	41.8	43.5	13.1	25.6	3.2	12.4	100.0	6.3	5,037
50-54	9.7	51.7	41.1	9.4	20.0	14.7	0.6	13.9	100.0	5.9	299
Total 15-54	4.2	42.0	41.8	43.3	13.5	25.0	3.1	12.5	100.0	6.3	5,336

¹ Completed 7th grade at the primary level

² Completed 6th grade at the secondary level

Error 3: For the most recent source of modern contraceptives, 1) ‘mobile clinic’ and ‘private doctor’ were coded as part of ‘private hospital/clinic’ and 2) 5 women using traditional methods were originally included in the denominator.

Error 3 Correction 1: Page 124, Table 7.8; 9th, 11th, and 12th rows; Total column

Table 7.8 Source of modern contraception methods

Percent distribution of users of modern contraceptive methods age 15-49 by most recent source of method, according to method, Uganda DHS 2016

Source	Female sterilisation	IUD	Injectables	Implants	Pill	Male condom	SDM	Total	
Public sector	85.6	70.3	54.1	82.6	23.7	42.4	(22.8)	58.5	58.5
Government hospital	45.3	19.7	7.7	16.2	4.8	9.0	(2.5)	12.2	12.3
Government health centre	39.1	40.3	43.3	58.3	13.9	29.6	(11.3)	41.8	41.8
Family planning clinic	0.6	6.7	1.1	3.3	4.0	0.9	(2.2)	4.9	1.9
Mobile clinic	0.6	2.9	0.5	4.0	0.4	0.4	(4.2)	4.2	1.2
Community health worker/VHT	0.0	0.0	1.6	0.1	0.5	2.3	(2.6)	4.2	1.2
Other	0.0	0.8	0.0	0.7	0.0	0.1	(0.0)	0.2	0.2
Private medical sector	14.4	29.7	45.6	17.3	76.0	40.3	(31.6)	38.9	38.8
Private hospital/clinic	14.4	13.6	28.8	41.4	41.2	15.1	14.9	50.8	49.5
Pharmacy/drug shop	0.0	0.5	3.6	0.3	24.7	22.8	(3.8)	31.6	31.4
Private doctor	0.0	0.0	0.0	0.1	0.0	0.2	(0.0)	0.0	0.2
Mobile clinic	0.0	0.7	0.4	0.5	1.4	0.3	(0.0)	0.6	0.7
Community health worker	0.0	0.0	0.2	0.3	0.3	0.6	(1.5)	0.2	0.2
Other private medical	0.0	0.0	0.0	0.1	0.0	0.0	(0.0)	0.0	0.0
Other source	0.0	0.0	0.1	0.0	0.3	12.3	(18.6)	4.7	1.7
Shop	0.0	0.0	0.0	0.0	0.0	10.0	(0.0)	1.2	1.2
Church	0.0	0.0	0.0	0.0	0.0	0.0	(0.0)	0.0	0.0
Friend/relative	0.0	0.0	0.0	0.0	0.3	2.3	(18.6)	0.5	0.5
Other	0.0	0.0	0.2	0.1	0.0	5.0	(27.0)	4.0	1.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Number of women	341	208	2,574	874	282	578	53	4,940	4,935

Note: Total includes other modern methods not listed separately but excludes the lactational amenorrhoea method (LAM). Figures in parentheses are based on 25-49 unweighted cases.

SDM = Standard days method

VHT = Village Health Team

Error 4: Traditional practitioners were included in the coding for ‘health facility or provider’ for children with symptoms of ARI in the 2 weeks preceding the survey for whom advice or treatment was sought.

Error 4 Correction 1: Page 165, Key Findings 2nd bullet

- **Symptoms of ARI:** Advice or treatment was sought for ~~84~~ 80% of children under age 5 who had symptoms of an acute respiratory infection (ARI) in the 2 weeks before the survey. Thirty-nine percent had treatment or advice sought on the same or next day.

Error 4 Correction 2: Page 168, 2nd paragraph under section 10.3

Advice or treatment was sought for 8 in 10 (~~84~~ 80%) children under age 5 with ARI symptoms in the 2 weeks before the survey; however, but was sought for only 4 in 10 (39%) on the same or next day.

Table 10.5 Prevalence and treatment of symptoms of ARI

Among children under age 5, percentage who had symptoms of acute respiratory infection (ARI) in the 2 weeks preceding the survey; and among children with symptoms of ARI in the 2 weeks preceding the survey, percentage for whom advice or treatment was sought, according to background characteristics, Uganda DHS 2016

Background characteristic	Among children under age 5:		Among children under age 5 with symptoms of ARI:			
	Percentage with symptoms of ARI ¹	Number of children	Percentage for whom advice or treatment was sought from a health facility or provider ²		Percentage for whom treatment was sought same or next day	Number of children
Age in months						
<6	8.2	1,480	69.0	69.0	38.0	122
6-11	12.4	1,582	76.8	76.3	36.8	196
12-23	11.6	2,859	84.7	84.3	38.8	331
24-35	9.8	2,890	79.4	79.1	39.7	283
36-47	7.4	2,819	87.4	86.6	37.0	209
48-59	7.4	2,863	80.6	80.4	40.7	213
Sex						
Male	9.7	7,252	79.9	79.9	38.7	703
Female	9.0	7,241	84.5	81.0	38.6	651
Mother's smoking status						
Smokes cigarettes/tobacco	8.1	105	±	*	*	9
Does not smoke	9.4	14,388	80.6	80.3	38.5	1,345
Cooking fuel						
Electricity or gas	(12.0)	46	±	*	*	6
Kerosene	*	10	±	*	*	0
Charcoal	6.4	3,421	86.6	86.6	42.5	217
Wood/straw ³	10.3	11,002	79.5	79.2	38.1	1,130
Other fuel	*	3	±	*	*	1
No food cooked in household	*	11	±	*	*	1
Residence						
Urban	7.1	3,094	83.6	82.6	46.7	219
Rural	10.0	11,398	80.4	80.0	37.1	1,135
Region						
South Central	8.1	1,808	80.4	80.4	35.3	147
North Central	8.6	1,537	84.8	84.8	38.9	131
Kampala	4.9	554	(88.4)	(88.4)	(64.8)	27
Busoga	12.3	1,430	84.0	81.0	38.7	175
Bukedi	4.9	1,016	80.6	80.6	39.0	50
Bugisu	9.3	733	75.7	75.7	38.7	68
Teso	14.4	911	70.0	70.0	36.1	131
Karamoja	26.6	394	85.5	83.9	59.8	105
Lango	17.6	765	82.7	82.7	29.6	135
Acholi	9.1	713	94.6	94.6	48.2	65
West Nile	7.8	1,005	93.4	93.4	52.1	78
Bunyoro	0.9	845	±	*	*	8
Tooro	13.2	1,140	70.3	69.0	22.0	150
Kigezi	6.4	484	(73.5)	(73.5)	(33.0)	31
Ankole	4.6	1,157	(80.5)	(80.5)	(38.4)	54
Special area						
Island districts	7.2	189	89.9	89.9	45.1	14
Mountain districts	11.1	1,198	76.4	75.5	30.3	133
Greater Kampala	4.2	1,197	(87.8)	(87.8)	(59.7)	51
Mother's education						
No education	11.8	1,557	80.8	79.9	45.4	184
Primary	9.6	8,892	78.5	78.3	36.8	853
Secondary	8.4	3,113	85.5	85.1	38.3	263
More than secondary	5.8	931	(92.0)	(92.0)	(46.2)	54
Wealth quintile						
Lowest	12.7	3,251	80.4	79.7	37.1	414
Second	10.5	3,038	78.0	77.6	37.3	318
Middle	9.0	2,799	78.2	78.2	40.1	252
Fourth	8.3	2,579	84.9	84.5	38.0	214
Highest	5.5	2,826	85.8	85.8	44.0	156
Total	9.3	14,493	80.7	80.4	38.6	1,354

Note: Figures in parentheses are based on 25-49 unweighted cases. An asterisk indicates that a figure is based on fewer than 25 unweighted cases and has been suppressed.

¹ Symptoms of ARI include short, rapid breathing which was chest-related and/or difficult breathing which was chest-related.

² Includes advice or treatment from the following sources: public sector, private medical sector, shop, market, and itinerant drug seller. Excludes advice or treatment from a traditional practitioner.

³ Includes grass, shrubs, and crop residues

Error 5: 146 children who had taken antimalarial drugs were initially excluded from the denominator.

Error 5 Correction 1: Page 225, Key Findings 5th bullet

- **Artemisinin-based combination therapy:** Among children under age 5 with a fever in the 2 weeks preceding the survey who took any antimalarial medication, ~~92~~ 88% received artemisinin-based combination therapy (ACT).

Error 5 Correction 2: Page 230, 2nd paragraph under section 12.5

Among children with a fever in the 2 weeks preceding the survey who took any antimalarial medication, ~~92~~ 88% received artemisinin-based combination therapy (ACT). The next most used drug was quinine pills/syrup, taken by ~~8~~ 7% of children (**Table 12.12**).

Error 5 Correction 3: Page 230, last sentence in Trends paragraph under section 12.5:

The use of ACT for treatment of fever among children has increased considerably, from 5% in 2006 to 39% in 2009, 69% in 2011, 87% in 2014-15, and ~~92~~ 88% in 2016 (**Figure 12.7**).

Error 5 Correction 4: Page 230, Figure 12.7

The percentage of children who received ACTs in 2016 should change from 92% to 88%.

Error 5 Correction 5: Page 243, Table 12.2

Table 12.12 Type of antimalarial drugs used

Among children under age 5 with fever in the 2 weeks preceding the survey who took any antimalarial medication, percentage who took specific antimalarial drugs, according to background characteristics, Uganda DHS 2016

Background characteristic	Percentage of children who took:																		Number of children with fever who took any antimalarial drug				
	Any ACT	SP/Fansidar	Chloroquine	Amodiaquine	Quinine pills/syrup	Quinine injection/IV	Artesunate (rectal)	Artesunate (injection)	Other anti-malarial														
Age in months																							
<6	66.6	64.9	0.7	0.7	0.4	0.4	2.4	2.3	28.0	27.3	0.0	0.7	0.0	0.0	1.8	2.5	2.4	135	138				
6-11	86.0	81.7	4.2	1.1	4.3	1.2	4.4	1.0	12.7	12.0	0.4	3.0	0.6	1.4	4.0	2.5	0.5	392	413				
12-23	91.0	86.8	2.3	2.2	4.3	1.3	4.1	1.1	7.7	7.3	2.4	4.8	0.0	0.5	1.5	3.1	0.9	0.8	776	814			
24-35	94.7	90.5	1.6	1.5	0.7	0.7	0.8	0.7	5.5	5.2	2.7	5.4	0.4	0.1	1.4	3.0	0.4	0.4	761	796			
36-47	94.2	89.7	0.7	0.7	0.4	0.1	1.0	0.9	5.9	5.6	1.2	4.2	0.4	0.4	1.6	3.3	0.4	0.1	647	680			
48-59	95.6	92.9	0.7	0.7	0.7	0.6	0.0	0.0	4.7	4.6	2.0	4.2	0.4	0.5	0.9	1.3	0.4	0.1	593	610			
Sex																							
Male	91.4	87.4	4.2	1.2	0.9	0.9	0.7	0.7	8.2	7.9	4.6	3.8	0.3	0.4	1.0	2.5	0.6	0.6	1,648	1,717			
Female	92.3	88.2	1.5	1.4	0.7	0.6	1.0	1.0	7.2	6.9	2.1	4.9	0.3	0.5	1.6	2.8	0.4	0.4	1,655	1,732			
Residence																							
Urban	88.5	83.3	1.5	1.4	1.1	1.0	0.7	0.7	9.7	9.2	1.5	4.9	0.6	1.3	2.8	4.3	1.1	1.1	438	464			
Rural	92.2	88.5	4.3	1.3	0.7	0.7	0.9	0.8	7.4	7.1	4.9	4.3	0.2	0.4	1.1	2.4	0.4	0.4	2,866	2,985			
Region																							
South Central	85.3	81.0	2.0	1.9	0.8	0.8	1.5	1.4	15.3	14.5	3.7	6.2	0.3	1.1	4.1	5.6	1.7	1.7	349	336			
North Central	94.3	90.1	4.1	1.1	0.9	0.8	0.9	0.0	7.6	7.3	2.6	5.2	0.0	0.0	1.6	3.3	0.0	0.0	282	295			
Kampala	(86.8)	(72.2)	(6.1)	(5.1)	(0.0)	(0.0)	(0.0)	(0.0)	(12.3)	(10.2)	(1.6)	(9.7)	(0.0)	(1.6)	(5.4)	(11.4)	(1.7)	(1.4)	34	40			
Busoga	92.5	90.6	0.8	0.8	0.5	0.5	0.7	0.7	7.8	7.6	0.7	1.9	0.0	0.0	0.2	1.0	0.2	0.2	634	647			
Bukedi	92.0	89.1	1.6	1.5	2.5	2.4	0.8	0.8	6.8	6.6	0.9	2.2	0.0	0.0	1.6	3.3	0.4	0.4	216	223			
Bugisu	87.0	85.7	1.4	1.3	4.0	3.9	0.0	0.0	7.7	7.6	3.0	3.8	0.0	0.0	0.6	1.2	2.0	2.0	119	121			
Teso	91.6	88.9	0.8	0.7	0.0	0.0	0.2	0.2	6.9	6.7	1.7	3.7	0.4	0.6	0.5	1.1	0.9	0.9	394	406			
Karamoja	96.3	92.7	0.0	0.0	0.7	0.7	0.3	0.3	3.6	3.4	0.9	1.7	0.0	0.7	2.1	4.2	0.0	0.0	124	129			
Lango	92.7	87.1	0.9	0.9	0.0	0.0	1.6	1.5	6.2	5.8	1.9	7.6	0.6	0.8	0.9	0.9	0.0	0.0	253	269			
Acholi	93.9	90.9	1.3	1.3	1.6	1.6	2.6	2.5	2.9	2.8	1.3	2.4	0.6	0.6	1.0	3.1	0.4	0.4	287	296			
West Nile	94.4	89.7	3.0	2.9	0.3	0.3	0.8	0.8	5.3	5.0	2.0	5.3	0.2	0.5	1.3	2.6	0.3	0.2	331	349			
Bunyoro	96.9	91.9	0.0	0.0	0.0	0.0	1.5	1.4	1.5	1.5	4.2	7.1	1.5	1.4	0.0	2.1	0.0	0.0	63	66			
Tooro	91.4	86.3	0.0	0.0	0.0	0.0	0.0	0.0	11.8	11.2	2.5	3.0	0.6	1.2	2.0	5.9	0.0	0.0	161	170			
Kigezi	(63.4)	(58.8)	(4.3)	(4.0)	(4.0)	(3.7)	(8.3)	(7.7)	(18.7)	(17.4)	(0.0)	(7.3)	(0.0)	(0.0)	(0.0)	(0.0)	(2.7)	(2.5)	18	20			
Ankole	84.3	70.6	4.8	4.0	0.0	0.0	0.0	0.0	15.1	12.7	3.2	16.8	0.0	0.0	0.0	2.2	0.0	0.0	69	82			
Special area																							
Island districts	89.0	87.8	1.9	1.9	0.9	0.9	0.4	0.4	11.7	11.5	0.0	0.5	0.0	0.2	0.5	1.0	0.0	0.0	49	49			
Mountain districts	88.0	82.7	0.8	0.7	2.4	2.3	0.0	0.0	8.8	8.3	3.4	4.9	0.0	0.0	0.9	5.2	1.5	1.4	163	174			
Greater Kampala	91.0	80.1	1.9	1.7	0.0	0.0	0.0	0.0	10.2	9.0	0.5	6.8	0.8	2.7	4.9	8.4	1.9	1.7	107	122			
Mother's education																							
No education	92.8	89.0	2.0	1.9	4.2	1.2	1.8	1.8	5.0	4.8	0.9	3.3	0.2	0.4	1.0	2.4	0.0	0.0	387	404			
Primary	92.5	88.9	1.1	1.1	0.7	0.7	0.7	0.7	7.6	7.3	2.0	4.5	0.2	0.2	1.0	2.2	0.3	0.3	2,209	2,299			
Secondary	88.7	84.7	2.0	1.9	0.4	0.4	0.5	0.5	10.3	9.9	2.0	4.9	0.2	0.7	2.1	3.0	1.4	1.3	606	635			
More than secondary	88.8	79.9	0.0	0.0	3.6	3.3	2.4	2.2	4.4	3.9	0.5	1.4	2.5	4.1	3.3	10.9	1.5	1.3	401	112			
Wealth quintile																							
Lowest	93.8	91.3	1.4	1.3	0.6	0.6	0.8	0.8	4.7	4.6	1.4	3.2	0.3	0.3	0.6	1.4	0.3	0.3	1,032	1,061			
Second	92.6	88.9	1.4	1.3	0.8	0.8	1.0	0.9	8.7	8.3	2.2	4.8	0.4	0.2	1.3	2.4	0.4	0.1	782	815			
Middle	91.6	87.5	1.4	1.3	1.3	1.2	0.3	0.2	8.9	8.5	2.2	5.3	0.4	0.4	0.7	1.9	0.4	0.3	612	641			
Fourth	88.9	84.7	1.3	1.2	0.4	0.4	1.2	1.2	9.6	9.1	2.0	4.9	0.0	0.2	1.8	3.3	0.6	0.5	539	566			
Highest	87.9	81.0	1.2	1.1	1.0	0.9	1.3	1.2	9.4	8.7	1.5	4.1	0.8	2.0	3.5	7.2	2.2	2.0	338	367			
Total	91.7	87.8	1.4	1.3	0.8	0.8	0.9	0.8	7.7	7.4	1.8	4.4	0.3	0.5	1.3	2.7	0.5	0.5	3,303	3,449			

Note: Figures in parentheses are based on 25-49 unweighted cases.
ACT = Artemisinin-based combination therapy