## Prevalence of Domestic Violence in Eastern Europe: Selected Findings From Reproductive Health (RH) Surveys

Florina Serbanescu, MD
Centers for Disease Control and Prevention,
Division of Reproductive Health



# CDC-Assisted RH Surveys: Modules on Violence Against Women

#### Latin America

- Paraguay 1995, 1998
- Ecuador 1999
- Honduras 2001
- Guatemala 2002\*\*
- El Salvador 2003

#### Africa

Mozambique 2001

#### Eastern Europe/NIS

- Moldova 1997
- Russia 1999(3 urban areas)
- Romania 1999\*\*
- Ukraine 1999
- Georgia 2000
- Azerbaijan 2001
- Albania 2002\*\*





#### Violence Indicators

- Witnessing parental abuse
- Experience of abuse as a child
- Verbal and physical abuse by husband or partner (lifetime and during the past 12 months)
- Physical injuries from abuse
- Reporting of abuse
- Forced sex (ever and by age at first occurrence)
- Gender roles and attitudes
- Perpetrating verbal and physical abuse (men)




### Question Design

- Modified Conflict Tactics Scale (CTS): asks about specific acts ranging from "insulted you" to "kicked you, choked you, beat you up"
- Placed toward end of questionnaire
- Questions asked of all women ever in formal or consensual union (no gateway questions)




## Lifetime and Recent (Within Past 12 Months) Intimate Partner Violence





# Witnessed or Experienced Parental Physical Abuse During Childhood





# Recent IPV by Witnessing or Experiencing Parental Physical Abuse During Childhood, Romania 1999

| Parental           | Recent IPV (past 12 months) |          | <u>N</u> |
|--------------------|-----------------------------|----------|----------|
| <u>Abuse</u>       | Verbal                      | Physical |          |
| Witnessed          |                             |          |          |
| Yes                | 36                          | 18       | 1,389    |
| No                 | 19                          | 7        | 3,899    |
| Evnorioncod        |                             |          |          |
| Experienced<br>Yes | 31                          | 15       | 2,181    |
| No                 | 18                          | 7        | 3,107    |



# Abortion Experience and Unmet Need of Contraception by Experience of Intimate Partner Physical Violence, Romania 1999

| Physical<br><u>Abuse</u> | Ever Had<br>Induced Abortion | Unmet Need of<br>Contraception | <u>N</u> |
|--------------------------|------------------------------|--------------------------------|----------|
| <u>Lifetime</u>          |                              |                                |          |
| Yes                      | 66                           | 9                              | 1,228    |
| No                       | 47                           | 5                              | 3,618    |
| Past 12 months           |                              |                                |          |
| Yes                      | 63                           | 11                             | 521      |
| No                       | <b>51</b>                    | 5                              | 4,325    |



# Reported Lifetime and Recent IPV Among Women and Men, Romania 1999





Lifetime Abuse

Within the Past Year



### Analysis/Use of Collected Data

- Routine reports from the data sets
- Special uses:
  - → Legislation related to violence against women has cited survey data
  - → Tracking of data requests



### Challenges for the Future

- Strengthen continuity between design and analysis phases of survey
  - → Analytic plan development simultaneous with survey questionnaire development
  - → Identification of data users prior to data collection
- Enhanced tracking of requests for and use of existing data



### Challenges for the Future

- Increase awareness of availability of data
  - → Special topics can get "buried"
  - → Generate interest in more specialized analysis of available data
- Increase use of data to document and project need for support services and interventions for abused women

